

#4/30-0~~45~~³⁹-07787

#405/30-0~~45~~³⁹-24491 SS-20

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

NORTHWESTERN NEW MEXICO

(Submit 3 Copies to OCD Aztec Office)

Operator: BLACKWOOD & NICHOLS CO. Location: Unit M, Sec. 21, Twp 30N, Rng 7W.

Name of Well/Wells or Pipeline Serviced NEBU 405, 4

Elevation 6720' Completion Date 7-11-93 Total Depth 385' Land Type* Surface: F Mineral: SF-079060

Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7 7/8" OPEN HOLE.

If Casing is cemented, show amounts & types used 20 sks Portland Zia I-II

If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No water

Depths gas encountered: _____

Type & amount of coke breeze used: Asbury recarburized 108 sx

Depths anodes placed: 195' to 371'

Depths vent pipes placed: 385' to 4' above ground level


Vent pipe perforations: 125' to 385'

Remarks: Groundbed located 178' & North 90° W from NEBU 405

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by: James K. Albery Title: Operations Engineer Date: 8/11/93



BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

CP# SS-20 WELL# SS-21

S 21 T 30 R 0-

[illegible]

DRILLER Jesse martinez

INSPECTOR Jesse Eans

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

CP# SS-20 WELL# NEBU #405 + #4

S 21 T 30 R C

[illegible]

DRILLER

INSPECTOR