

30-039-24070

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Cinco Ltd. Location: Unit D Sec. 32 Twp 30N Rng 7W

Name of Well/Wells or Pipeline Serviced State Pat #1

Elevation 6186' Completion Date 2/5/87 Total Depth 300' Land Type* GR State E-178

Casing, Sizes, Types & Depths None

If Casing is cemented, show amounts & types used None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 110'-118', Description not available
125'-135', Description not available

Depths gas encountered: Present, depth encountered not noted.

Type & amount of coke breeze used: 2200#

Depths anodes placed: 130', 140', 160', 170', 180', 210', 225', 240', 255'
& 270'

Depths vent pipes placed: 300'-1" PVC

Vent pipe perforations: N/A

Remarks: _____

RECEIVED
FEB 21 1991

OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Cinco Ltd. Location: Unit D Sec. 32 Twp 30N Rng 7W

Name of Well/Wells or Pipeline Serviced State Pat #1

Elevation 6186' Completion Date 2/5/87 Total Depth 300' Land Type* State
GR E-178

Casing, Sizes, Types & Depths None

If Casing is cemented, show amounts & types used None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 110'-118', Description not available
125'-135', Description not available

Depths gas encountered: Present, depth encountered not noted.

Type & amount of coke breeze used: 2200#

Depths anodes placed: 130', 140', 160', 170', 180', 210', 225', 240', 255'

Depths vent pipes placed: 300'-1" PVC & 270'

Vent pipe perforations: N/A

Remarks: _____

RECEIVED

FEB 21 1991

OIL CON. DIV.
DIST. 2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator Cinco Ltd. Location: Unit D Sec. 32 Twp 30N Rng 7W

Name of Well/Wells or Pipeline Serviced State Pat #1

Elevation 6186' Completion Date 2/5/87 Total Depth 300' Land Type* State
GR E-178

Casing, Sizes, Types & Depths None

If Casing is cemented, show amounts & types used None

If Cement or Bentonite Plugs have been placed, show depths & amounts used
None

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 110'-118', Description not available
125'-135', Description not available

Depths gas encountered: Present, depth encountered not noted.

Type & amount of coke breeze used: 2200#

Depths anodes placed: 130', 140', 160', 170', 180', 210', 225', 240', 255'
& 270'

Depths vent pipes placed: 300'-1" PVC

Vent pipe perforations: N/A

Remarks: _____

RECEIVED

FEB 21 1991

OIL CON. DIV.
DIST. 2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.