

30-045-10657

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 17 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced HUDSON #5

cps 444w

Elevation 6020' Completion Date 11/11/71 Total Depth 443' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 170' OVERNIGHT

RECEIVED

MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV
DIST. 2

Type & amount of coke breeze used: 8400 lbs.

Depths anodes placed: 400', 390', 380', 370', 360', 350', 340', 325', 265', 255'

Depths vent pipes placed: N/A

Vent pipe perforations: 112' - 400'

Remarks: qb #3 HOSE PLUGGED SEVERAL TIMES. HOLE CLOSED AT APPROX. 275'

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

30-045-10657

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 17 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced HUDSON #5

cps 444w

Elevation 6020' Completion Date 12/16/66 Total Depth 320' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 70'

RECEIVED
MAY 31 1991

Depths gas encountered: N/A

OIL CON. DIV
DIST. 3

Type & amount of coke breeze used: 2880 lbs.

Depths anodes placed: 270', 264', 258', 252', 246', 240', 232', 226', 194'

Depths vent pipes placed: 270' OF 3/4" PLASTIC HOSE

Vent pipe perforations: 170'

Remarks: gb #2 SOME CAVING IN HOLE .

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

3-045-10657

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 17 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced HUDSON #5

cps 444w

Elevation 6020' Completion Date 7/19/63 Total Depth 180' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: 170', 160', 150', 140', 130', 125'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1 ANODES INSTALLED 7/16/65. 180' OF SCRAP PIPE.

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.