#### 33 - 30-039-01632 507- 30-039-24333

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

| Operator MERIDIAN OIL  | Location: UnitNE Sec.13 Twp 29 Rng7    |  |
|--|--|--|
| Name of Well/Wells or Pipeline Serv  | iced SAN JUAN 29-7 UNIT #33, #507      |  |
|  | cps 303w                               |  |
| Elevation 6298'Completion Date 9/24/76   | Total Depth 464' Land Type* N/A        |  |
| Casing, Sizes, Types & Depths N/A  |  |  |
| If Casing is cemented, show amounts  | & types used N/A                       |  |
| If Cement or Bentonite Plugs have be   | een placed, show depths & amounts used |  |
| Depths & thickness of water zones wi   | A SEFIVEIN                             |  |
|  | MAY 3 1 1991                           |  |
| Depths gas encountered: N/A  | OIL CON. DIV                           |  |
| Type & amount of coke breeze used:   | 61 SACKS                               |  |
| Depths anodes placed: 425', 415', 405', 395', 385', 330', 280', 200', 190', 180' |  |  |
| Depths vent pipes placed: N/A  |  |  |
| Vent pipe perforations: 360'   |  |  |
| Remarks: gb #3 ANODES #9 & #10 DID NOT   | RESPOND AS MUCH AS THEY SHOULD-BELEIVE |  |
| PARTIAL BRIDGE.  |  |  |
| If any of the above data is upposed.   | ble please indicate so Coming of all   |  |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

#### 33 - 30-039-07632 507 - 30-039-24333

### DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

| Operator MERIDIAN OIL                   | Location: UnitNE Sec.13 Twp 29 Rng7              |
|---|--|
| Name of Well/Wells or Pipeline Service  | ced SAN JUAN 29-7 UNIT #33, #507                 |
|   | cps 303w   |
| Elevation 6298 Completion Date 7/20/70  | Total Depth 450' Land Type* N/A                  |
| Casing, Sizes, Types & Depths N/A       |  |
| If Casing is cemented, show amounts a   | types used <u>N/A</u>                            |
| If Cement or Bentonite Plugs have bee   | en placed, show depths & amounts used            |
| Depths & thickness of water zones wit   | th description of water when possible:           |
| Fresh, Clear, Salty, Sulphur, Etc       | WET AT 180'                                      |
|   | DEGETARU   |
| Depths gas encountered: N/A             | MAY 3 1, 1991/                                   |
| Type & amount of coke breeze used:      | 81 SACKS OIL CON. DIV.                           |
| Depths anodes placed: 420', 410', 400', | <b>390',</b> 380', 370', 360', 350', 285', 275.' |
| Depths vent pipes placed: N/A           |  |
| Vent pipe perforations: N/A             |  |
| Remarks: gb #2 ALL ANODES TANDEM        |  |
|   |  |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

# 507-30-039-24333

### DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

| Operator MERIDIAN OIL Loc   | ation: UnitNE Sec.13 Twp 29 Rng7  |
|---|-----------------------------------|
| Name of Well/Wells or Pipeline Serviced_  | SAN JUAN 29-7 UNIT #33, #507      |
|   | cps 303w                          |
| Elevation 6298' Completion Date 3/7/63 To   | tal Depth 140' Land Type* N/A     |
| Casing, Sizes, Types & Depths N/A   |                                   |
| If Casing is cemented, show amounts & ty  | pes usedN/A                       |
| If Cement or Bentonite Plugs have been p  | laced, show depths & amounts used |
| Depths & thickness of water zones with defresh, Clear, Salty, Sulphur, Etc. N/A                         | •                                 |
| Depths gas encountered: N/A   | DECEMENT.                         |
| Type & amount of coke breeze used: 850  | MAY 3 7 100h                      |
| Depths anodes placed: 114', 108', 102', 96'  Depths vent pipes placed: N/A  Vent pipe perforations: N/A | OIL CON. DIV                      |
| Remarks: gb #1  |                                   |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

<sup>\*</sup>Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.