

8-30-045-06326

6-30-045-06338

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator UNOCAL Oil & Gas Location: Unit Sec. 19 Twp 27 Rng 9

Name of Well/Wells or Pipeline Serviced Lodewick No. 8, LODEWICK No. 6

Elevation 6517' Completion Date 12-20-90 Total Depth 300' Land Type* F

Casing, Sizes, Types & Depths NONE

If Casing is cemented, show amounts & types used NONE

If Cement or Bentonite Plugs have been placed, show depths & amounts used
NONE

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 200' to 240' deep (some Moisture) - Fresh

Depths gas encountered: NONE

Type & amount of coke breeze used: 300' deep with 99.9% Carbon-carbo ^{Coke Breeze=1400 lbs.} 40 Petroleum

Depths anodes placed: 245', 255', 265', 275', 285', 295' deep

Depths vent pipes placed: 0 to 300' deep

Vent pipe perforations: 160' to 300' deep with laser cut slots

Remarks: First ground bed installed on location

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Free.
If Federal or Indian, add Lease Number.

RECEIVED

JAN 30 1991

OIL CON. DIV
DIST. 3

CITY: Unocal WELL NAME: Lodewick N°8 LOCATION: 9-27-9 DATE: 12-20-96

TOTAL VOLTS: 14.25 TOTAL AMPS: 8.2 OHM RESISTANCE: 1.74

												Lida		
												ANODE HEADINGS		
DEEP	LOG	ANODE	DEEP	LOG	ANODE	DEEP	LOG	ANODE	DEEP	LOG	ANODE	NO.	DEPTH	NO
	ANODE	NO.		ANODE	NO.		ANODE	NO.		ANODE	NO.			COKE
														WITH
														COKE
5			105	1.8		365			545			1	295	2.7
10			190	1.8		370			550					8.2
15			195	1.8		375			555					
20			200	1.9		380			560					
25			205	1.9		385			565					
30			210	2.0		390			570					
35			215	2.1		395			575					
40			220	2.2		400			580					
45			225	2.2		405			585					
50			230	2.2		410			590					
55			235	2.3		415			595					
60			240	2.2		420			600					
65			245	2.2		425			605					
70			250	2.3		430			610					
75			255	2.3		435			615					
80			260	2.4		440			620					
85			265	2.3		445			625					
90			270	2.4		450			630					
95			275	2.6		455			635					
100	1.7		280	2.5		460			640					
105	1.1		285	2.5		465			645					
110	1.0		290	2.7		470			650					
115	1.9		295	2.6		475			655					
120	1.1		300	T+D		480			660					
125	1.1		305			485			665					
130	1.0		310			490			670					
135	1.1		315			495			675					
140	1.3		320			500			680					
145	1.1		325			505			685					
150	1.2		330			510			690					
155	1.3		335			515			695					
160	1.2		340			520			700					
165	1.3		345			525			705					
170	1.5		350			530			710					
175	1.4		355			535			715					
180	1.4		360			540			720					

REMARKS: 5 5/8 Dia - 300 T+D - All vent 160'

DAY Thursday

[illegible]

NO. OF LOADS OF WATER 1 SOURCE San Juan Repr Farm, NM
san juan repr farm, nm Form 219-6

san juan repr farm,nm Form 219-6

DATE 20 Nov 90

ITEM# 3

PART# 90-T-352 CPS

P.O.# RC75075790



TOTAL LENGTH 305'

TAIL A LENGTH 258.36'

TAIL B LENGTH

INSPECTED BY *HW*

Ladonick
Nº 8



REMARKS

Grounded	DATE: 09/05/89
SCALE: NONE	

LODEWICK # 8 DK
 SE/SE SEC 19 T27N R9W NMPM
 METER NO. 72514
 NM 02861

UNOCAL

BURIED DC
 CABLE

● LOCATION OF
 GROUNDED,
 RECTIFIER, &
 METER POLE