

#1 30-045-09449
#7 30-045-20846
#215 30-045-27075

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit SW Sec. 15 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced SUNRAY B #1, #7, #215

cps 2068w

Elevation 6344' Completion Date 5/17/63 Total Depth 200' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1445 lbs.

Depths anodes placed: 170', 164', 158', 152', 146'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1


RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

WELL NAME SUNRAY NO. 1-B ^{#1} ^{#7} ^{#215} DATE May 17, 1963
LOCATION SW⁹ Sec. 15 T. 30 N. R. 10 W CPS NO. 207W ^{2068W}
WORK ORDER NUMBER 184-40542-50-02
ANODE HOLE DEPTH 200'
TOTAL DRILLING RIG TIME 6 1/2 Hrs.
DRILLING TIME FOR RECTIFIER POLE HOLE 0
TYPE AND SIZE BIT USED 6 1/4 Rock W.M. 2802
NUMBER SACKS MUD USED 0
NUMBER SACKS LOST CIRCULATION MAT'L USED 0
ANODE DEPTHS #1 170, #2 164, #3 158, #4 152 5 146
TOTAL LBS. COKE USED 1445 17 sacks
ANODE OUTPUTS 12.2 VOLTS, #1 3.0, #2 3.8, #3 3.8, #4 3.3 5 31
TOTAL CIRCUIT RESISTANCE: VOLTS 11.6 AMPERES 8.0 OHMS 1.45
NUMBER FEET SURFACE CABLE CONDUIT 347
DRILLING LOG (ATTACH HERETO).
FORMATION LOG (ATTACH HERETO).
REMARKS: Static c/s. 76 R 600' SW
Good All Rectifier 28V 12A Ser #62C6162



ALL CONSTRUCTION COMPLETED

Sorrels

SIGNATURE

GROUND BED LAYOUT SKETCH

ORIGINAL & 1 COPY
ALL REPORTS

6 344

1217'

SUNRAY NO-1-B

LEASED 15-200 6-10-66 WELL NO.

CONTRACTOR

J.E. Wilson

RIG NO

REPORT NO

DATE APR 12/19 1965

MORNING

DAYLIGHT

EVENING

Driller				Total Men In Crew				Driller				Total Men In Crew					
FROM	TO	FORMATION	WT-BIT	R.P.M.	NO. DC	SIZE	LENG.	FROM	TO	FORMATION	WT-BIT	R.P.M.	NO. DC	SIZE	LENG.		
0	45	5000	2802					150	155	4000	2002						
45	57	5000	1					155	180	4000	1						
57	142	5000	1					180	200	4000	1						
142	150	5000	1														
BIT NO.				NO. DC				BIT NO.				NO. DC					
SERIAL				STANDS				SERIAL NO.				STANDS					
SIZE				SINGLES				SIZE				SINGLES					
TYPE				DOWN ON KELLY				TYPE				DOWN ON KELLY					
MAKE				TOTAL DEPTH				MAKE				TOTAL DEPTH					
MUD RECORD				MUD, ADDITIVES USED AND RECEIVED				MUD RECORD				MUD, ADDITIVES USED AND RECEIVED					
Time	WT.	V.S.		Time	WT.	V.S.		Time	WT.	V.S.		Time	WT.	V.S.			
FROM	TO	TIME BREAKDOWN				FROM	TO	TIME BREAKDOWN				FROM	TO	TIME BREAKDOWN			

REMARKS -

REMARKS -

REMARKS -

MAY 14 - moved 11:30 STA D/R 12:00 Drilled 300' But 5:00
MAY 14 - lost Bloom Field 6:00 Handed off to g. 7:00 cleared out hole & turned down. Finished 8:00

SIGNED: Toolpusher

Company Supervisor

W. J. [Signature]