25 N French Dr., Hobbs, NM 88240 strict II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144


June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No \(\subseteq \)}\) Type of action Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)		
Operator _McElvain Oil & Gas Properties, Inc		
Surface Owner. Federal 🖾 State 🗌 Private 🗌 Indian 🗍		RCVD MAR 7 '08
Pit Type Drilling ☑ Production ☐ Disposal ☐	Below-grade tank Volumebbl Type of fluid	OIL CONS. DIV.
Workover ☐ Emergency ☐	Construction material	OIST. 3
Lined 🖾 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not	
Liner type Synthetic A Thickness 12 mil Cłay		
Pit Volume 935_bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points) 0
	Yes	(20 points)
Wellhead protection area (Less than 200 feet from a private domestic	No	(0 points) 0
water source, or less than 1000 feet from all other water sources)	110	(o points)
Distance to surface water (horizontal distance to all wetlands, playas, urigation canals, ditches, and perennial and ephemeral watercourses)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
and potential and epitement waterovaries	1000 feet or more	(0 points) 0
	Ranking Score (Total Points)	0
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if		
your are burying in place) onsite 🛛 offsite 🗌 If offsite, name of facility(3) Attach a general description of remedial action taken including remediation start date		
and end date (4) Groundwater encountered No 🛛 Yes 🔲 If yes, show depth below ground surfaceft and attach sample results		
(5) Attach soil sample results and a diagram of sample locations and excavations		
Additional Comments		
(1) No Equipment / tanks set on Location at this time		
No remediation was required		
The pit was closed on 1/23/2008		
THE PIT WAS CROSCO ON 1723/2000		
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Date 3/5/2008		
	enature Delh C Poul	
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval Deputy Oil & Gas Inspector, Printed Name/Title District #3	Signature BM BM	Date MAY 3 0 2008

MCELVAIN OIL & GAS PROPERTIES WILDWOOD #3 1495' FNL & 1455' FWL, SECTION 5, T29N, R13W, NMPM SAN JUAN COUNTY, NEW MEXICO GROUND BLEVATION: 5326' DATE OF SURVEY: MARCH 17, 2006 Note: Location rotated OF PROPOSED WILDWOOD #2 WELLPAD 1300 from this layout. CI *C*3 Moth SECTION LINE / PROPERTY LINE 15' WIDE X 50' LONG X 7' DEEP (5) 6 2:1 Slopes 30 Reserve Pit LAYDOWN SOUTH 10 Wellhead to front Wellhead to back 4 ⋈ ① 100' 100 -0-C2 00 00 00 codoo EDGE (FI **ACCESS** 2 50' (0-6%) 3 0000000000000 B' C' F4

1/16th SECTION LINE / PROPERTY LINE



Note: Contractor should call One—Call for location of any marked or unmarked buried pipelines or cables on well pad and/or access road at least two (2) working days prior to construction



Scale: 1 Inch = 60 feet

McElvain Oil & Gas Properties, Inc.

Wellsite Layout
Wildwood No. 3
1495' FNL & 1455' FWL
Section 5, T29N, R13W, NMPM
San Juan Co., New Mexico

