District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

Form C-144

# State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

# Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

	system, below-grade tank, or proposed alternative method system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per in	dividual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of lie	
	ply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Energen Resources Corporation	
Address: 2010 Afton Place, Farmington, New Mexico 87401	The second secon
Facility or well name: Knott #1	DIET A
API Number: 30-045-22624	
	7N Range 12W County: San Juan
Center of Proposed Design: Latitude 36.54115 L	:
Surface Owner: Federal State Private Tribal Trust or Indian	Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC	☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC
Temporary: Drilling Workover	☐ Drying Pad ☑ Tanks ☐ Haul-off Bins ☐ Other
☐ Permanent ☐ Emergency ☐ Cavitation ☐ Steel Pit	☐ Lined ☑ Unlined
☐ Lined ☐ Unlined	Liner type: Thickness mil
Liner type: Thicknessmil	Other
Other String-Reinforced	Seams: Welded Factory Other
Seams: Welded Factory Other	Volume: 400 bbl yd <sup>3</sup>
Volume: bbl Dimensions: L x W x D	Dimensions: Height 20 x Diameter 12
Below-grade tank: Subsection I of 19.15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC
Volume:bbl	☐ Chain link, six feet in height, two strands of barbed wire at top
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between one and
Tank Construction material:	four feet
Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11 NMAC
☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	☐ Screen ☐ Netting ☐ Other
☐ Visible sidewalls and liner	☐ Monthly inspections
☐ Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC
Other	12'x24', 2' lettering, providing Operator's name, site location, and
Liner type: Thickness mil HDPE PVC	emergency telephone numbers
Other	☑ Signed in compliance with 19.15.3.103 NMAC
Alternative Method:	Administrative Approvals and Exceptions:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.
of approval.	Please check a box if one or more of the following is requested, if not leave
	blank: Administrative approval(s): Requests must be submitted to the
	appropriate division district or the Santa Fe Environmental Bureau office for
	consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe
	Environmental Bureau office for consideration of approval.

Oil Conservation Division Page Lof 4 5

Siting Criteria (regarding permitting): 19.15.17.10 NMAC  Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map					
Within a 100-year floodplain FEMA map	☐ Yes ☐ No				
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design) API Number:  or Permit Number:					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the definition of the statement of the	Ocumanis ara				
attached.  Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API Number:					

Permanent Pits Permit Application Checklist: Subsection B of 19.13.17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do	cuments are				
attached.					
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Climatological Factors Assessment					
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC					
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC					
Quality Control/Quality Assurance Construction and Installation Plan					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan					
Emergency Response Plan					
☐ Oil Field Waste Stream Characterization					
Monitoring and Inspection Plan					
Erosion Control Plan					
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Proposed Closure: 19.15.17.13 NMAC					
Type: 🖾 Drilling 🗌 Workover 📗 Emergency 🔲 Cavitation 🔲 Permanent Pit 🔲 Below-grade Tank 🔲 Closed-loop System 🗀	Alternative				
Proposed Closure Method: Waste Excavation and Removal					
Waste Removal (Closed-loop systems only)					
On-site Closure Method (Only for temporary pits and closed-loop systems)					
☐ In-place Burial ☐ On-site Trench Burial					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for cor	sideration)				
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC					
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable					
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from					
the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau					
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10					
NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste.	☐ Yes ☐ No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ NA				
Ground water is between 50 and 100 feet below the bottom of the buried waste	☐ Yes ☐ No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA				
Ground water is more than 100 feet below the bottom of the buried waste.	☐ Yes ☐ No				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No				
lake (measured from the ordinary high-water mark).					
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yes ☐ No				
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.					
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site					
	<b>—</b> —				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No				
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.					
- Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland.	☐ Yes ☐ No				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine.	☐ Yes ☐ No				
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division					
Within an unstable area.					
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No				
Society; Topographic map	_ <u>_</u>				
Within a 100-year floodplain.					
- FEMA man					

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13)		of the following items must be attached to the					
closure plan. Please indicate, by a check mark in the box, that the documents are attached.							
	Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC						
	Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC						
	Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC						
Re-vegetation Plan - based upon the appropriate requirements of Sul							
Site Reclamation Plan - based upon the appropriate requirements of							
Waste Removal Closure For Closed-loop Systems That Utilize Haul-of or facilities for the disposal of liquids, drilling fluids and drill cuttings.	<b>f Bins Only:</b> (19.15.17.13.D	NMAC) Instructions: Please indentify the facility					
Disposal Facility Name: <u>Auga Moss Pretty lady #1/ Envirotech</u>		mber: <u>30-045-30922 / NM-01-0011</u>					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Ea	ch of the following items mu	st be attached to the closure plan. Please indicate,					
by a check mark in the box, that the documents are attached.		7.10.77.4.0					
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate Proof of Surface Owner Notice - based upon the appropriate requires							
Construction and Design of Burial Trench (if applicable) based upo							
Protocols and Procedures - based upon the appropriate requirements		3 01 17.13.17.11 144/140					
Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the appropriate Confirmation Sampling Plan (if applicable) - based upon the applicable Confirmation Sampling Plan (if applicable) - based upon the applicable Confirmation Sampling Plan (if applicable) - based upon the applicable Confirmation Sampling Plan (if applicable Confirmat		ion F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requiren	nents of Subsection F of 19.15	5.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling flui							
Soil Cover Design - based upon the appropriate requirements of Sub							
Re-vegetation Plan - based upon the appropriate requirements of Sul Site Reclamation Plan - based upon the appropriate requirements of							
	3ubsection 0 of 19.13.17.13	MINIAC					
Operator Application Certification:							
I hereby certify that the information submitted with this application is true	, accurate and complete to the	e best of my knowledge and belief.					
Name (Print): Kirt Snyder	Title:D	District Engineer					
Signature:	Data						
Signature: A Company of the Company	Date:						
e-mail address: ksnyder@energen.com	Telephone:	(505) 324-4142					
	sure Plan (only)						
OCD Approval: Permit Application (including closure plan) Clo	sure Plan (only)						
OCD Approval: Permit Application (including closure plan) Clo	sure Plan (only)						
OCD Approval: Permit Application (including closure plan) Clo	sure Plan (only)	Approval Date:					
OCD Approval: Permit Application (including closure plan) Clo OCD Representative Signature:  Title:	sure Plan (only) OCD Permit Numbe	Approval Date:er:					
OCD Approval: Permit Application (including closure plan) Clo	OCD Permit Number	Approval Date:					
OCD Approval: Permit Application (including closure plan) Clo OCD Representative Signature:  Title: Enviro Spec  Closure Report (required within 60 days of closure completion): Subs	sure Plan (only) OCD Permit Numbe	Approval Date:					
OCD Approval: Permit Application (including closure plan) Clooper Representative Signature: Closure Report (required within 60 days of closure completion): Substitute Substitute Signature: Closure Method:	OCD Permit Number	Approval Date:					
OCD Approval: Permit Application (including closure plan) Clo OCD Representative Signature: Signatu	OCD Permit Number	Approval Date:					
OCD Approval: Permit Application (including closure plan) Clooper Representative Signature: Closure Report (required within 60 days of closure completion): Substitute Method:  Waste Excavation and Removal On-Site Closure Method  If different from approved plan, please explain.	OCD Permit Number Closure Complementative Closure Method	Approval Date: _7/18/08er:					
OCD Approval: Permit Application (including closure plan) Clooper Report (required within 60 days of closure completion): Substitute Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain.  Closure Report Attachment Checklist: Instructions: Each of the follows:	OCD Permit Number Closure Complementative Closure Method	Approval Date: _7/18/08er:					
OCD Approval: Permit Application (including closure plan) Clooper Report (required within 60 days of closure completion): Substitute Method:  Waste Excavation and Removal On-Site Closure Method  If different from approved plan, please explain.  Closure Report Attachment Checklist: Instructions: Each of the followmark in the box, that the documents are attached.	OCD Permit Number Closure Complementative Closure Method	Approval Date: _7/18/08er:					
OCD Approval: Permit Application (including closure plan) Clooper Representative Signature: Closure Report (required within 60 days of closure completion): Substitute: Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain.  Closure Report Attachment Checklist: Instructions: Each of the followmark in the box, that the documents are attached.  Proof of Closure Notice	OCD Permit Number Closure Complementative Closure Method	Approval Date: _7/18/08er:					
OCD Approval: Permit Application (including closure plan)	OCD Permit Number Closure Complementative Closure Method	Approval Date: _7/18/08er:					
OCD Approval: Permit Application (including closure plan) Clooper Representative Signature: Closure Report (required within 60 days of closure completion): Substitute: Waste Excavation and Removal On-Site Closure Method If different from approved plan, please explain.  Closure Report Attachment Checklist: Instructions: Each of the followmark in the box, that the documents are attached.  Proof of Closure Notice	OCD Permit Number Closure Complementative Closure Method	Approval Date: _7/18/08er:					
OCD Approval: Permit Application (including closure plan)	OCD Permit Number Closure Complementative Closure Method	Approval Date: _7/18/08er:					
OCD Approval: Permit Application (including closure plan)	OCD Permit Number Closure Complementative Closure Method	Approval Date: _7/18/08er:					
OCD Approval: Permit Application (including closure plan)	OCD Permit Number Closure Complementative Closure Method	Approval Date: _7/18/08er:					
OCD Approval: Permit Application (including closure plan)	OCD Permit Number Closure Complementative Closure Method	Approval Date: _7/18/08er:					
OCD Approval: Permit Application (including closure plan)	OCD Permit Number Closure Complementative Closure Method	Approval Date:					
OCD Approval: Permit Application (including closure plan)	OCD Permit Number Closure Complementative Closure Method	Approval Date:					
OCD Approval: Permit Application (including closure plan)	OCD Permit Number Closure Complex Method  Alternative Closure Method wing items must be attached to the complex of the complex	Approval Date:					
OCD Approval: Permit Application (including closure plan)	OCD Permit Number Closure Complementative Closure Method wing items must be attached to be a sourced to the complementation of the comple	Approval Date:					
OCD Approval: Permit Application (including closure plan)	OCD Permit Number Closure Complementative Closure Method wing items must be attached to be a sourced to the complementation of the comple	Approval Date:					
OCD Approval: Permit Application (including closure plan)	OCD Permit Number Closure Complements and conditions specified and cond	Approval Date:					
OCD Approval: Permit Application (including closure plan)	OCD Permit Number Closure Complements and conditions specified attached and accordance of the conditions of the conditio	Approval Date:					
OCD Approval: Permit Application (including closure plan)	OCD Permit Number Closure Complements and conditions specified attached and accordance of the conditions of the conditio	Approval Date:					

### Closed-loop Design Plan:

Our closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will entail an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1) Fencing is not required for an above ground closed-loop system.
- 2) It will be signed in compliance with 19.15.3.103 NMAC.
- 3) A frac tank will be on location to store fresh water.

## **Closed-loop Operating and Maintenance Plan:**

The closed-loop tank will be operated and maintained; to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. To attain this goal the following steps will be followed:

- 1) The liquids will be vacuumed out and disposed of at the Agua Moss Pretty Lady #1 facility (Disposal API Number 30-048-30922). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit Number NM-01-0011) on a periodic basis to prevent over topping.
- 2) No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cuttings used or generated by rig operations will be placed or stored in the tank.
- 3) The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately.
- 4) All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

### **Closed-loop Closure Plan:**

The closed loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludge to Envirotech (Permit Number NM-01-0011) following rig operations. All remaining liquids will be transported and disposed of in the Agua Moss Pretty Lady #1 facility (Disposal API number 30-048-30922). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Rd., Aztec, NM 87410

<sup>1</sup>API Number

District IV

State of New Mexico Energy, Minerals & Natural Resources

Form C-102 Revised October 12, 2005

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

<sup>2</sup> Pool Code

Submit to Appropriate District Office
State Lease - 4 Copies

<sup>3</sup> Pool Name

Fee Lease - 3 Copies
AMENDED REPORT

1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

	0-045-226	524		71629			Basin Fruit	land Coal	
<sup>4</sup> Property Code		<sup>5</sup> Property Name <sup>6</sup> Well Number			<sup>6</sup> Well Number				
219		L	Knott				1		
<sup>7</sup> OGRII	O No.		<sup>8</sup> Operator Name						<sup>9</sup> Elevation
1629	28			Enerc	gen Resource:	Corporation		j	5928'
10 Surface Location									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	<del></del>	Feet from the	East/West line	County
M	30	27N	12W		790	South	790	West	San Juan
11 Bottom Hole Location If Different From Surface									
UL or lot no	Section	Township	Range	Lot. Idn	Feet from the	North/South line	Feet from the	East/West line	County
12 Dedicated Acre	es 13 Join	nt or Infill 14	Consolidatio	n Code 15 Or	der No.	<u> </u>			<u> </u>
153.56									
NO ALLOWA	ABLE WI					VTIL ALL INTE PPROVED BY	THE DIVISION	1	SOLIDATED OR, A
					i		I hereby certify th	at the information	contained herein is true and
<u> </u>					1		complete to the be	est of my knowledge	and belief, and that this
					[		organization eithe	er owns a working i	nterest or unleased mineral
							interest in the lan	d including the pro	posed bottom hole location
			*				or has a right to a	irıll thıs well at thıs	location pursuant to a
					į		11	-	eral or working interest, or
							to a voluntary poo	oling agreement or	a compulsory pooling order
			,				Signature  Kirt Snya Printed Name Energen I District	der	6/3/2008 Date
•							18SURVE	YOR CER	TIFICATION
			Ì					at the well location	
							11	field notes of actua	
							li .	supervision, and the	at the same is true
	ĺ						and correct to the	best of my belief.	
							9/23/199	6	
							Date of Survey		
								f Professional Surveye	er -
790 ft	<b>e</b>				}				
	790 te						Neale C	. Edward	5
			1				1857		
	l				1		Certificate Numb	ег	