District I 1625 N. French Dr., Hobbs, NM 88240

Form C-144 June 16, 2008

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd , Aztec, NM 87410

District IV

1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** 

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

### Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

7.00000 7.110.110.110.110.110.110.110.110.110.11	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Type of action: X Permit of a pit, closed-loop system	n, below-grade tank, or proposed alternative method
Closure of a pit, closed-loop system Instructions: Please submit one application (Form C-144) per individual.	m, below-grade tank, or proposed alternative methods 19 and pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of habi	
environment. Nor does approval relieve the operator of its responsibility to comply with	th any other applicable governmental authority's rules, regulations or ordinances.
Operator: ConocoPhillips Company	OGRID#: 217817 (10 10 10 10 10 10 10 10 10 10 10 10 10 1
Address: PO Box 4289, Farmington, NM 87499	VS OIL CONS DIV. DIST 3 VV
Facility or well name: San Juan 32-7 Unit #227	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
API Number: 30-045-28364 OC	D Permit Number:
U/L or Qtr/Qtr: N(SESW) Section: 18 Township: 31N	Range: 7W County: San Juan 21 - 1802
Center of Proposed Design: Latitude: 36.89454000' N L	ongitude: <b>107.61416000' W</b> NAD: <b>X</b> 1927 1983
Surface Owner: X Federal State Private Triba	al Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC	X Closed-loop Systems: Subsection H of 19.15.17.11 NMAC
Temporary: Drilling Workover	Drying Pad X Tanks Haul-off Bins Other:
Permanent Emergency Cavitation	Lined Unlined
Lined Unlined	Liner type: Thickness mil LLDPE HDPE PVC
Liner type: Thickness milLLDPEHDPEPVC	Other:
Other String-Reinforced	Seams: Welded Factory Other:
Seams: Welded Factory Other	Volume: <u>500</u> bbl <u>104</u> yd3
Volume:bbl Dimensions: LxWxD	Dimernsions: Length 45' x Width 10'
Below-grade tank: Subsection I of 19.15 17.11 NMAC	Fencing: Subsection D of 19.15 17.11 NMAC
Volume:bbl	Chain link, six feet in height, two strangs of barbed wire at top
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between
Tank Construction Material:	one and four feet
Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11
Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen Netting Other
Visible sidewalls and liner	Monthly inspections
Visible sidewalls only	Signs: Subsection C of 19.15 17.11 NMAC
Other:	12"x 24", 2" lettering, provided Operator's name, site location, and
Liner type: Thickness: mil HDPE PVC	emergency telephone numbers
Other:	X Signed in compliance with 19.15.3.103 NMAC
Alternative Method:	Administrative Approvals and Exceptions:
Submittal of an exception request is required. Exceptions must be	Justifications and/or demonstrations of equivalency are required. Please
submitted to the Santa Fe Environmental Bureau office for consideration of approval.	refer to 19.15.17 NMAC for guidance.
	Please check a box if one or more of the following is requested, if not leave blank:
	Administrative approval(s): Requests must be submitted to the
	appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. (Fencing in Design Plan)
	Exception(s): Requests must be submitted to the Santa Fe
	Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	□No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	□Yes	□No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No			
<ul><li>(Applied to permanent pits)</li><li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li></ul>	∐NA				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	□No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	□No			
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes	□No			
Within the area overlying a subsurface mine.		□No			
<ul> <li>Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division</li> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological</li> </ul>					
Society; Topographic map  Within a 100-year floodplain	∏Yes				
- FEMA map					
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintence Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of API Number: or Permit					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of API Number:					

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC					
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H2S, Prevention Plan  Emergency Response Plan  Oil Field Waste Stream Characterization  Monitoring and Inspection Plan  Erosion Control Plan  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Proposed Closure: 19.15.17.13 NMAC  Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank X Closed-loop System Alter	native				
Proposed Closure    Sample   Workover   Emergency   Cavitation   Permanent Pit   Below-grade Tank   X   Closed-loop System   Alternative					
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC					
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommentations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justification and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells					
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database serach; USGS; Data obtained from nearby wells	│ □ Yes □ No □ NA				
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐Yes☐No☐NA				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lal (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐Yes ☐No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.					
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal	∏Yes∏No				
ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland. proposed site	Yes No				
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division					
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map					
Within a 100-year floodplain - FEMA map					

Waste Excavation and Removal Closure Plan Checklist: (19 15 17.13 NMAC) Instructions: Each of the following items must be attached				
to the closure plan. Please inducfate, by a check mark in the box, that the documents are attached. $ \overline{X} $ Protocols and Procedures - based upon the appropriate requirements of 19.15.17 13 NMAC				
Confiramtion Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC				
X Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
X Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC				
Waste Removal Closure for Closed-loop Systems That Utilize Haul-off Bins Only: (19 15.17 13 D NMAC) Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings.				
Disposal Facility Name: Envirotech, Basin Disposal Disposal Facility Permit Number: NM-01-0011 & NM-01-005				
On-Site Closure Plan Checklist: (1915 1713 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.				
Name (Print) Crystal Tafoya Tıtle. Regulatory Technician				
Signature: Date: 7/17/2008				
e-mail address <u>crystal.tafoya@conocophillips.com</u> Telephone: 505-326-9837				
OCD Approval: Permit Application (including closure plan) Closure Plan (only)				
OCD Representative Signature: BLACK Approval Date: 7-18-08				
Title: ENVICE Spec OCD Permit Number				
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC				
Closure Completion Date:				
Closure Method:				
Waste Excavation and Removal On-Site Closure Alternative Closure				
If different from approved plan, please explain				
Closure Report Attactment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the				
box, that the documents are attached.				
Proof of Closure Notice				
Proof of Deed Notice (if applicable)				
☐ Plot Plan ☐ Confirmation Sampling Analytical Results				
Waste Material Sampling Analytical Results				
Disposal Facility Name and Permit Number				
Soil Backfilling and Cover Installation				
Soil Backfilling and Cover Installation				
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique				
Re-vegetation Application Rates and Seeding Technique				
Re-vegetation Application Rates and Seeding Technique Stre Reclamation (Photo Documentation)				
Re-vegetation Application Rates and Seeding Technique Ste Reclamation (Photo Documentation) On-site Closure Latitude Longitude: NAD: 1927 1983				
Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Latitude: Longitude: NAD: 1927 1983  Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief  I also certify that the				
Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Latitude: Longitude: NAD: 1927 1983  Operator Closure Certification:  Thereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan				

Submit to Appropriate District Office State Lease - 4 copies Fee Lease - 3 copies

### State of New Mexico Energy, Minerals and Natural Resources Department

Form C-102 Revised 1-1-89

Land Surveyor

## OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

DISTRICT II
P.O. Drawer DD, Arlesia, NM 88210

DISTRICT 1
P.O. Box 1980, Hobbs, NM 88240

# DISTRICT III 1000 Rio Brazos Rd., Azzec, NM 87410 WELL LOCATION AND ACREAGE DEDICATION PLAT

All Distances must be from the outer boundaries of the section

Operator			Lease			
NORTH	WEST PIPELI	NE CORP.	SAN JUAN	32-7 UNIT	227	
Unit Letter	10	T.31 N.	Range R.7 W	RIG 7	SAN JUAN KRRIBA COUNTY	
Actual Footage Loca 795	stion of Well:  Seet from the	OUTH line and	1004	feet from the WES	T line	
Ground level Elect	Producing For		Pool	CLAND COAL	Dedicated Acreage:	
1. Outline	FRUITLAND	) he subject well by colored pen	BASIN FRUIT	at below.	321 Acres	
				(both as to working interest an	d royalty).	
3. If more	than one lease of different	ownership is dedicated to the	well, have the interest of all o	owners been consolidated by cor	nmunitization,	
ឃាំប៉ូន្ទរ   X	ion, force-pooling, etc.? Yes No	If answer is "yes" typ	e of consolidation	UNITIZED		
If weren	is "no" list the owners and	tract descriptions which have	actually been consolidated. (I	Jue reverse side of		
No allowa	if neccessary.  ble will be assigned to the vice standard unit, eliminating	well until all interests have being such interest, has been app	en consolidated (by communit	ization, unitization, forced-pool	ing, or otherwise)	
[		1		OPERA	TOR CERTIFICATION	
	i				y certify that the information ein in true and complete to the	
\		5	DEGEIV		whedge and belief.	
D	C	В		Signature A	<b>A A</b>	
	1	1	NOV 0 6 1990	- 1 - M	1. 2 ld	
	1		1404 0 0 1934	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	IRNBAUGH	
	**************************************	T	OIL CON. D	Position	IKNDAUGI	
1	1		DIST. 3	,	ION SUPERINTENDENT	
1 _				Состраву		
E	F.	G	H	Date	ST PIELINE CORP.	
•				9-18-90	)	
	SEC.	18		SURVE	YOR CERTIFICATION	
, I	1				e da da alle danda alma	
, .	1		•		fy that the well location shown was plotted from field notes of	
322.97	l K		1	actual survey supervison, a	s made by me or wider my nd that the same is true and	
132	1		•	correct to th	e best of my browledge and	
-44				belief.		
688.94	+	· +		Date Surveyed		
2	1		l l	Signature &	MBFR 14, 1990	
≱•	1004		, i	Profession	afveyor Gae	
88	IN	0	Р	B/SHOW	PH DAOGERA	
.00_39 22.97' ⊼	195	ľ			ourida justi	
132	1423.06' 1320.00'	WEST 1320.00'	4383.06' 1320.00'	1 1 - 1 1	9679	
·	1020.00	1020.00	1320,00	Certifenava	3	
30 660 000 1330 1660 1000 1000 500 0						
330 660 99	0 1320 1650 1980	2310 2640 2000	1500 1000 5		rea Professional	

### ConocoPhillips Company Closed-loop Plans

### Closed-loop Design Plan

COPC's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

### **Closed-loop Operating and Maintenance Plan**

COPC's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately
- 4. All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

### **Closed-loop Closure Plan**

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.