

District I
1625 N. French Dr., Hobbs NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87504-2088

'As Drilled'

Form C-102
Revised October 12, 2005
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

1 API Number 30-045-34677		2 Pool Code 72319/80690		3 Well Name Blanco Mesaverte / Los Pinos F/S Pictorial Chap		
4 Property Code 19641		5 Property Name NEBU			6 Well Number # 68N	
7 OGRID No. 4137		8 Operator Name Devon Energy Production Company, L.P.			9 Elevation 6207	

10 Surface Location

UL or Lot No.	Section	Township	Range	Lot Ida	Feet from the	North/South line	Feet from the	East/West line	County
E	35	31 N	7 W		2375	NORTH	1260	WEST	SAN JUAN

11 Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Ida	Feet from the	North/South line	Feet from the	East/West line	County
J	35	31 N	7 W		1840	SOUTH	1849	EAST	Rio Arriba

12 Dedicated Acres 6 1/2 - 320	13 Joint or Infill	14 Consolidation Code	15 Order No.
-----------------------------------	--------------------	-----------------------	--------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	16 5272 (R) 2375' 1260' 35 Bottom Hole Location 1840' F/SL 1846' F/EL (AS DRILLED) Calculation based upon INWELL (as drilled survey), July 30, 2008 5280 (R)	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or undivided mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>[Signature]</i> 9/12/08 Signature Date <i>Walter Carter</i> Printed Name
	18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. September 3, 2008-as drilled calc. June 26, 2007 Date of Survey Signature and Seal of Professional Surveyor <i>[Signature]</i> GARY B. V. V. V. NEW MEXICO REGISTERED PROFESSIONAL LAND SURVEYOR 7016 7016 Certificate Number	

(R) - GLO Record

09/03/2008 11:38AM (GMT-05:00)

30-045-34677



Job Number: 08208
 Company: DEVON ENERGY
 Lease/Well: NEBU 68N
 Location: San Juan County
 Rig Name:
 RKB:
 G.L. or M.S.L.:

State/Country: NM
 Declination:
 Grid:
 File name: J:\CUST08-1\SURVEYS\DEVON\08208.SVY
 Date/Time: 30-Jul-08 / 07:18
 Curve Name: As Drilled

RCVD SEP 19 '08

OIL CONS. DIV.

Inwell Inc


WINSERVE SURVEY CALCULATIONS
 Minimum Curvature Method
 Vertical Section Plane 116.00
 Vertical Section Referenced to Wellhead
 Rectangular Coordinates Referenced to Wellhead

DIST. 3

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	CLOSURE Distance FT	Direction Deg	Dogleg Severity Deg/100
.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
366.00	1.30	154.30	365.97	-3.74	1.80	3.26	4.15	154.30	.36
397.00	1.40	150.80	396.96	-4.39	2.14	3.85	4.88	154.03	.42
427.00	2.90	135.50	426.94	-5.25	2.85	4.86	5.97	151.52	5.31
457.00	5.40	128.40	456.86	-6.67	4.49	6.96	8.04	146.06	8.49
487.00	7.40	126.70	486.67	-8.70	7.14	10.23	11.26	140.61	6.70
518.00	9.10	123.00	517.35	-11.23	10.80	14.63	15.58	136.12	5.74
548.00	11.60	120.00	546.86	-14.03	15.40	19.99	20.83	132.33	8.52
579.00	13.20	119.00	577.13	-17.30	21.20	26.64	27.36	129.23	5.21
610.00	15.10	117.20	607.19	-20.87	27.88	34.21	34.83	126.81	6.29
640.00	17.80	115.20	635.96	-24.60	35.51	42.70	43.20	124.72	9.19
671.00	19.70	114.70	665.31	-28.81	44.55	52.67	53.05	122.89	6.15
703.00	21.80	113.80	695.24	-33.46	54.88	64.00	64.28	121.37	6.64
735.00	24.90	113.80	724.61	-38.58	66.49	76.67	76.87	120.12	9.69
765.00	26.60	112.80	751.63	-43.73	78.46	89.69	89.82	119.13	5.85
796.00	28.60	112.90	779.10	-49.30	91.69	104.03	104.11	118.27	6.45
828.00	31.30	114.50	806.83	-55.73	106.31	119.99	120.04	117.66	8.80
859.00	32.40	114.00	833.16	-62.45	121.23	136.34	136.37	117.26	3.65
890.00	33.90	113.90	859.11	-69.33	136.72	153.28	153.30	116.89	4.84
921.00	36.40	113.50	884.46	-76.50	153.06	171.11	171.12	116.56	8.10

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	C L O S U R E		Dogleg Severity Deg/100
							Distance FT	Direction Deg	
952.00	37.30	113.20	909.27	-83.87	170.13	189.68	189.68	116.24	2.96
983.00	39.00	114.20	933.64	-91.57	187.66	208.81	208.81	116.01	5.83
1015.00	41.70	114.70	958.03	-100.15	206.52	229.52	229.52	115.87	8.50
1046.00	42.50	115.70	981.03	-109.00	225.33	250.30	250.30	115.81	3.37
1078.00	44.20	114.20	1004.30	-118.26	245.24	272.26	272.27	115.74	6.21
1109.00	46.90	114.20	1026.01	-127.33	265.42	294.38	294.39	115.63	8.71
1141.00	48.00	113.70	1047.64	-136.90	286.97	317.94	317.95	115.50	3.63
1171.00	49.10	114.50	1067.50	-146.08	307.49	340.41	340.43	115.41	4.18
1203.00	50.80	116.00	1088.09	-156.53	329.65	364.90	364.92	115.40	6.41
1234.00	51.40	115.70	1107.56	-167.05	351.36	389.03	389.05	115.43	2.08
1263.00	51.90	116.00	1125.55	-176.97	371.82	411.77	411.79	115.45	1.91
1356.00	52.30	114.40	1182.69	-208.21	438.22	485.14	485.17	115.41	1.42
1448.00	53.00	114.00	1238.50	-238.19	504.93	558.24	558.29	115.25	.84
1540.00	50.90	113.70	1295.20	-267.48	571.19	630.63	630.71	115.09	2.30
1634.00	50.80	114.00	1354.55	-296.96	637.86	703.48	703.59	114.96	.27
1728.00	50.80	114.50	1413.96	-326.88	704.27	776.29	776.43	114.90	.41
1819.00	51.60	115.70	1470.98	-356.96	768.49	847.20	847.35	114.91	1.35
1913.00	51.80	116.40	1529.24	-389.36	834.77	920.97	921.10	115.01	.62
2007.00	53.20	115.00	1586.46	-421.69	901.96	995.53	995.67	115.06	1.90
2099.00	52.80	115.80	1641.83	-453.20	968.33	1069.00	1069.14	115.08	.82
2193.00	52.70	116.00	1698.73	-485.89	1035.64	1143.83	1143.96	115.13	.20
2288.00	52.70	115.80	1756.30	-518.89	1103.62	1219.40	1219.52	115.18	.17
2382.00	52.60	113.50	1813.33	-550.06	1171.53	1294.09	1294.24	115.15	1.95
2475.00	53.60	114.20	1869.17	-580.13	1239.55	1368.41	1368.59	115.08	1.23
2569.00	54.00	115.20	1924.69	-611.83	1308.46	1444.24	1444.44	115.06	.96
2662.00	53.20	116.80	1979.88	-644.64	1375.74	1519.09	1519.28	115.11	1.63
2755.00	52.50	117.50	2036.04	-678.46	1441.69	1593.20	1593.36	115.20	.96
2849.00	53.50	116.00	2092.61	-712.24	1508.73	1668.26	1668.40	115.27	1.66
2943.00	54.00	117.20	2148.20	-746.18	1576.51	1744.06	1744.18	115.33	1.16
3035.00	53.40	117.50	2202.66	-780.25	1642.37	1818.19	1818.28	115.41	.70
3129.00	54.20	116.90	2258.18	-814.92	1709.83	1894.02	1894.10	115.48	.99
3192.00	51.10	119.20	2296.40	-838.45	1754.03	1944.06	1944.12	115.55	5.71
3223.00	51.00	119.90	2315.89	-850.33	1775.00	1968.12	1968.17	115.60	1.79
3253.00	49.90	119.80	2334.99	-861.85	1795.07	1991.20	1991.24	115.65	3.68
3284.00	47.90	119.90	2355.37	-873.47	1815.33	2014.51	2014.54	115.70	6.46
3316.00	46.40	119.50	2377.13	-885.10	1835.70	2037.92	2037.94	115.74	4.78
3347.00	44.80	120.20	2398.82	-896.12	1854.91	2060.02	2060.03	115.79	5.41
3389.00	43.00	120.80	2429.08	-910.90	1880.01	2089.05	2089.06	115.85	4.40
3409.00	41.60	120.50	2443.87	-917.76	1891.59	2102.47	2102.47	115.88	7.07
3440.00	39.90	120.90	2467.36	-928.09	1908.99	2122.63	2122.63	115.93	5.55

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	C L O S U R E		Dogleg Severity Deg/100
							Distance FT	Direction Deg	
3471.00	38.50	120.50	2491.38	-938.09	1925.83	2142.16	2142.16	115.97	4.59
3503.00	36.40	120.70	2516.78	-948.00	1942.58	2161.55	2161.55	116.01	6.57
3534.00	35.00	120.20	2541.95	-957.17	1958.17	2179.59	2179.59	116.05	4.61
3565.00	33.60	120.20	2567.56	-965.95	1973.27	2197.01	2197.01	116.08	4.52
3597.00	31.70	120.20	2594.51	-974.64	1988.19	2214.23	2214.23	116.11	5.94
3628.00	30.20	119.00	2621.09	-982.52	2002.05	2230.14	2230.14	116.14	5.23
3659.00	28.50	118.40	2648.11	-989.81	2015.38	2245.31	2245.32	116.16	5.57
3688.00	26.50	118.00	2673.83	-996.14	2027.18	2258.69	2258.70	116.17	6.93
3719.00	24.80	118.80	2701.78	-1002.52	2038.98	2272.10	2272.11	116.18	5.60
3750.00	22.70	119.50	2730.15	-1008.60	2049.89	2284.57	2284.58	116.20	6.83
3782.00	21.20	118.70	2759.83	-1014.42	2060.34	2296.51	2296.53	116.21	4.78
3813.00	20.10	116.50	2788.84	-1019.49	2070.02	2307.44	2307.45	116.22	4.34
3844.00	19.70	114.00	2817.99	-1023.99	2079.56	2317.98	2318.00	116.22	3.03
3875.00	18.40	113.80	2847.29	-1028.09	2088.81	2328.10	2328.11	116.21	4.20
3906.00	17.60	113.40	2876.77	-1031.93	2097.59	2337.67	2337.68	116.20	2.61
3937.00	16.50	113.50	2906.41	-1035.54	2105.93	2346.75	2346.76	116.18	3.55
4000.00	14.50	112.50	2967.11	-1042.13	2121.42	2363.56	2363.57	116.16	3.20
4030.00	13.80	112.50	2996.20	-1044.94	2128.20	2370.88	2370.89	116.15	2.33
4061.00	13.70	112.80	3026.32	-1047.77	2135.00	2378.23	2378.24	116.14	.40
4091.00	13.10	113.90	3055.50	-1050.53	2141.38	2385.18	2385.19	116.13	2.17
4122.00	11.40	110.70	3085.79	-1053.03	2147.46	2391.74	2391.75	116.12	5.90
4153.00	10.10	107.40	3116.25	-1054.93	2152.92	2397.48	2397.48	116.10	4.64
4184.00	8.60	106.70	3146.84	-1056.41	2157.73	2402.45	2402.46	116.09	4.85
4216.00	7.60	112.00	3178.52	-1057.89	2161.98	2406.93	2406.93	116.07	3.90
4247.00	6.70	122.00	3209.28	-1059.61	2165.42	2410.77	2410.77	116.07	4.94
4278.00	5.40	134.50	3240.10	-1061.60	2167.99	2413.95	2413.96	116.09	5.95
4292.00	4.30	146.60	3254.05	-1062.50	2168.75	2415.03	2415.03	116.10	10.69
Projected to Bit									
4350.00	2.48	146.60	3311.95	-1065.36	2170.64	2417.98	2417.99	116.14	3.14



D & J DRILLING L.L.C.
P. O. BOX 49
FARMINGTON, NM 87409

COPY

DATE: 08/06/08

RIG # 1

RCVD SEP 19 '08

OIL CONS. DIV.

DIST. 3

DEVON ENERGY CORPORATION
P.O. BOX 6459
NAVAJO DAM, NEW MEXICO 87419


ATTN: MR. JEFF WILLIFORD

THIS LETTER IS TO CERTIFY THAT D & J DRILLING, DID RUN DEVIATION SURVEYS AT THE LISTED DEPTH ON YOUR NEBU # 68N WELL, IN SECTION 35, T31N, R07W IN SAN JUAN COUNTY, NEW MEXICO. API WELL NUMBER, 30-045-34677


DEPTH	DEGREE DEVIATION	DEPTH	DEGREE DEVIATION
310	1	5837	1-1/4
4842	3/4	5877	1
5342	1-1/4	6336	2-1/4

TO THE BEST OF MY KNOWLEDGE, I SWEAR THIS INFORMATION TO BE TRUE.

State of New Mexico
County of San Juan


Notary Public, L. Nanette Rahm

SINCERELY,


John K. Richardson
Owner/Partner

