### RECEIVED

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

DEC 1 6 2008

Sundry Notices and Reports on Wells	ப்பு Farm	of Land Management ington Field Office
	5.	Lease Number
. Type of Well GAS	6.	SF-077652 If Indian, All. or Tribe Name
N. CO.	7.	Unit Agreement Name
Name of Operator BURLINGTON		
RESOURCES OIL & GAS COMPANY LP		
. Address & Phone No. of Operator	<b></b> 8.	Well Name & Number East 13R
PO Box 4289, Farmington, NM 87499 (505) 326-9700	9.	API Well No.
	<del> </del>	30-045-33620
Location of Well, Footage, Sec., T, R, M  Unit M (SWSW), 900' FSL & 750' FWL, Section 24, T31N, R12W, NMPM	10.	Field and Pool Aztec Pictured Cliffs
	11.	Basin Fruitland Coal County and State San Juan Co., NM
Subsequent Report Plugging Non-Routine Fracturing Casing Repair Water Shut off Final Abandonment Altering Casing Conversion to Injection		
3. Describe Proposed or Completed Operations		
Surlington Resources wishes to recomplete this well in the Fruitland Coal and down hole collease see attached procedure, wellbore diagram and FC plat.		, -
- N'/2 com agr. will be required for	the !	Frutland Cool
•		2010 JAN 5 109
SEE ATTACHED FOR DAG 29	90 A	Zail cons. Div.
COMPITIONS OF APPROVAL WN UP 1	10.1	
4. I hereby certify that the foregoing is true and correct.		DIST. 3
igned Tamra Sessions Title Staff Regula	tory Technic	<u>ian</u> Date <u>12/15/2008</u>
This space for Federal or State Office use)  PPROVED BY  Title Petr. Bas.		n. 1/2 /m
APPROVED BY		Date 12109
tle 18 U.S.C. Section 1001, makes it a rime for any person knowingly and willfully to make any department or agency of United States any false, fictitious or includingly statements or representations as to any matter within its jurisdiction		


#### East #13R

Section 24, Township 31N, Range 12W 900' FSL & 750' FWL API: 3004533620

## Fruitland Coal Recompletion Sundry 11/3/2008

- 1. MIRU service rig and related equipment. TOH and lay down 2-3/8" tbg. RDMO.
- RU wireline service. Set 6,000 psig Composite Bridge Plug above top of Pictured Cliffs. ND well head & NU 5,000 psig frac valve. Pressure test frac valve and casing to 3,200 psig. Perforate 1<sup>st</sup> stage Fruitland Coal.
- 3. MIRU Frac Company. Fracture stimulate the 1st Stage Fruitland Coal.
- 4. Set Composite Frac Plug above 1st stage.
- 5. Perforate and fracture stimulate the 2<sup>nd</sup> Stage Fruitland Coal.
- 6. RDMO frac equipment and wireline.
- 7. MIRU flowback company.
- 8. Flowback frac fluid to steel flowback tank.
- 9. MIRU Wireline Company. Set CBP above top of Fruitland Coal. Blow down casing. RDMO flow back and wireline companies.
- 10. RD frac valve & RU well head.
- 13. MIRU Service rig and related equipment. TIH w/ 2-3/8" J-55 tubing and bit. Drill out CBP & CFP. Circulate hole clean with air-foam to CBP above PC. Record flow rates and pressures for Fruitland Coal.
- 14. When FC is clean, DO CBP and clean out hole to PBTD. Record flow rates and pressures on FC & PC.
- 15. TOH w/bit & tubing and RIH w/mud anchor, seating nipple and tubing. Land tubing.
- 16. RIH w/gas anchor, insert rod pump and rods. Space out pump.
- 17. RDMO service rig and related equipment. Turn over to production.

#### East #13R - Current Schematic



Form C-102 Permit 84775

District I

1625 N. French Dr., Hobbs. NM 88240 Phone. (505) 393-6161 Fax (505) 393-0720

District II

1301 W. Grand Ave , Artesia, NM 88210 Phone: (505) 748-1283 Fax. (505) 748-9720

District III

1000 Rio Brazos Rd , Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-045-33620	2 Pool Code 71629	Name ND COAL (GAS)			
4 Property Code 18517	1	5. Property Name EAST			
7. OGRID No. 14538	· ·	8. Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP			


10. Surface Location

[	UL - Lot	Section	Township	Range	Lot ldn	Feet From	N/S Line	Feet From	E/W Line	County
١	М	24	31N	12W		900	S	750	W	SAN JUAN

11. Bottom Hole Location If Different From Surface

	UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Li	ine	Feet From	E/W Line	County
	12. Dedicated Acres		13 .	oint or Infill	14 Consolidation Code			15 Order No.			
l	320	0.00									

# NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



#### **OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: James

Title: Staff Regulatory Technician

Date: 11/7/2008

#### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Glen W. Russell Date of Survey: 1/6/2006 Certificate Number: 15703

#### BLM CONDITIONS OF APPROVAL

#### Workover and Recompletion Operations:

- 1. A properly functioning BOP and related equipment must be installed prior to commencing workover and/or recompletion operations.
- 2. If this well is in a Seasonal Closure Area, adhere to the closure requirements and timeframes.
- 3. If casing repairs are required, contact this office to obtain prior approval before conducting casing repair operations.

#### **SURFACE USE OPERATIONS:**

The following Stipulations will apply to this well unless a particular Surface Managing Agency or private surface owner has supplied to BLM and operator a contradictory environmental stipulation. The failure of operator to comply with these requirements may result in assessments or penalties pursuant to 43 CFR 3163.1 or 3163.2. A copy of these conditions of approval shall be present on location during construction, drilling and reclamation activity.

An agreement between operator and fee landowner will take precedence over BLM surface stipulations unless (in reference to 43 CFR Part 3160) 1) BLM determines that operator's actions will affect adjacent Federal or Indian surface, or 2) operator does not maintain well area and lease premises in a workmanlike manner with due regard for safety, conservation and appearance, or 3) no such agreement exists, or 4) in the event of well abandonment, minimal Federal restoration requirements will be required.

**STANDARD STIPULATIONS**: All surface areas disturbed during work-over activities and not in use for production activities will be reseeded. This should occur in the first 90 days after completion of work-over activities.

#### **SPECIAL STIPULATIONS:**

- 1. Pits will be fenced during work-over operation.
- 2. All disturbance will be kept on existing pad.
- 3. All pits will be pulled and closed immediately upon completion of the work-over or recompletion activities.
- 4. Pits will be lined with an impervious material at least 12 mils thick.