

"As Drilled Plat"

District I1625 N. French Dr., Hobbs, NM 88240
Phone:(505) 393-6161 Fax:(505) 393-0720District II1301 W. Grand Ave., Artesia, NM 88210
Phone:(505) 748-1283 Fax:(505) 748-9720District III1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170District IV1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462**State of New Mexico****Energy, Minerals and Natural Resources****Oil Conservation Division****1220 S. St Francis Dr.****Santa Fe, NM 87505**Form C-102
Permit 93529**RCVD APR 14 '09**
OIL CONS. DIV.**DIST. 3****WELL LOCATION AND ACREAGE DEDICATION PLAT**


1. API Number 30-039-30582	2. Pool Code 72319/71599	3. Pool Name Blanco-MV/Basin DK
4. Property Code 7465	5. Property Name SAN JUAN 29 7 UNIT	6. Well No. 073C
7. OGRID No. 14538	8. Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP	9. Elevation 6228

10. Surface Location

UL - Lot C	Section 24	Township 29N	Range 07W	Lot Idn	Feet From 775	N/S Line N	Feet From 1580	E/W Line W	County RIO ARRIBA
----------------------	----------------------	------------------------	---------------------	---------	-------------------------	----------------------	--------------------------	----------------------	-----------------------------

11. Bottom Hole Location If Different From Surface

UL - Lot D	Section 24	Township 29N	Range 07W	Lot Idn D	Feet From 711	N/S Line N	Feet From 727	E/W Line W	County RIO ARRIBA
12. Dedicated Acres 320.00		13. Joint or Infill		14. Consolidation Code			15. Order No		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION**OPERATOR CERTIFICATION**

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By:

Title: **Regulatory Technician**Date: **4/13/09****SURVEYOR CERTIFICATION**

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: **Glen Russell**Date of Survey: **3/27/2008**Certificate Number: **15703**

b 4/15

COP Deviation Report
SAN JUAN 29-7 UNIT #73C

Survey Data						
Date	MD (ftKB)	Incl (°)	Method	Survey Company		
2/23/2009	1,671.00	22.79	MWD	Scientific Drilling		
2/23/2009	1,735.00	23.72	MWD	Scientific Drilling		
2/23/2009	1,799.00	24.06	MWD	Scientific Drilling		
2/23/2009	1,861.00	23.93	MWD	Scientific Drilling		
2/23/2009	1,924.00	23.31	MWD	Scientific Drilling		
2/23/2009	1,987.00	23.24	MWD	Scientific Drilling		
2/23/2009	2,050.00	22.40	MWD	Scientific Drilling		
2/23/2009	2,112.00	23.16	MWD	Scientific Drilling		
2/23/2009	2,175.00	23.28	MWD	Scientific Drilling		
2/23/2009	2,239.00	22.68	MWD	Scientific Drilling		
2/23/2009	2,302.00	21.49	MWD	Scientific Drilling		
2/23/2009	2,365.00	20.66	MWD	Scientific Drilling		
2/23/2009	2,427.00	18.70	MWD	Scientific Drilling		
2/23/2009	2,489.00	17.63	MWD	Scientific Drilling		
2/23/2009	2,553.00	16.77	MWD	Scientific Drilling		
2/23/2009	2,615.00	16.43	MWD	Scientific Drilling		
2/23/2009	2,678.00	15.95	MWD	Scientific Drilling		
2/23/2009	2,742.00	15.30	MWD	Scientific Drilling		
2/23/2009	2,805.00	14.19	MWD	Scientific Drilling		
2/23/2009	2,867.00	13.56	MWD	Scientific Drilling		
2/23/2009	2,929.00	12.70	MWD	Scientific Drilling		
2/23/2009	2,993.00	11.93	MWD	Scientific Drilling		
2/23/2009	3,055.00	9.96	MWD	Scientific Drilling		
2/23/2009	3,117.00	9.30	MWD	Scientific Drilling		
2/23/2009	3,181.00	7.79	MWD	Scientific Drilling		
2/23/2009	3,244.00	7.50	MWD	Scientific Drilling		
2/23/2009	3,308.00	6.69	MWD	Scientific Drilling		
2/23/2009	3,371.00	5.06	MWD	Scientific Drilling		
2/23/2009	3,434.00	3.09	MWD	Scientific Drilling		
2/23/2009	3,461.00	2.55	MWD	Scientific Drilling		
2/23/2009	3,506.00	1.65	PROJ	Scientific Drilling		
3/8/2009	7,641.00	0.25	FINAL BHS	PHOENIX		

RCVD APR 10 '09
OIL CONS. DIV.
DIST. 3

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this

4-8-09

Notary Public in and for San Juan County, New Mexico

My Commission expires

January 10, 2011



COP Deviation Report

SAN JUAN 29-7 UNIT #73C

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName SAN JUAN 29-7 UNIT #73C	API / UWI 3003930582	County RIO ARRIBA	State/Province NEW MEXICO
Surface Legal Location 024-029N-007W-C	N/S Dist (ft) 775.00	N/S Ref FNL	E/W Dist (ft) 1,580.00	E/W Ref FWL

Survey Data


Date	MD (ftKB)	Incl (°)	Method	Survey Company
2/18/2009	135.00	0.75	MOTE	MOTE
2/18/2009	230.00	0.75	MOTE	MOTE
2/22/2009	294.00	0.51	MWD	Scientific Drilling
2/22/2009	325.00	0.91	MWD	Scientific Drilling
2/22/2009	356.00	1.48	MWD	Scientific Drilling
2/22/2009	387.00	2.71	MWD	Scientific Drilling
2/22/2009	417.00	3.92	MWD	Scientific Drilling
2/22/2009	448.00	5.05	MWD	Scientific Drilling
2/22/2009	477.00	5.66	MWD	Scientific Drilling
2/22/2009	507.00	6.43	MWD	Scientific Drilling
2/22/2009	538.00	7.37	MWD	Scientific Drilling
2/22/2009	569.00	8.57	MWD	Scientific Drilling
2/22/2009	599.00	9.33	MWD	Scientific Drilling
2/22/2009	630.00	9.99	MWD	Scientific Drilling
2/22/2009	660.00	10.96	MWD	Scientific Drilling
2/22/2009	692.00	11.65	MWD	Scientific Drilling
2/22/2009	723.00	11.92	MWD	Scientific Drilling
2/22/2009	755.00	12.45	MWD	Scientific Drilling
2/22/2009	787.00	13.06	MWD	Scientific Drilling
2/22/2009	818.00	14.16	MWD	Scientific Drilling
2/22/2009	848.00	15.25	MWD	Scientific Drilling
2/22/2009	912.00	16.71	MWD	Scientific Drilling
2/22/2009	944.00	17.35	MWD	Scientific Drilling
2/22/2009	976.00	17.56	MWD	Scientific Drilling
2/22/2009	1,007.00	18.50	MWD	Scientific Drilling
2/22/2009	1,039.00	19.14	MWD	Scientific Drilling
2/22/2009	1,102.00	20.99	MWD	Scientific Drilling
2/22/2009	1,166.00	20.68	MWD	Scientific Drilling
2/22/2009	1,229.00	20.40	MWD	Scientific Drilling
2/22/2009	1,293.00	20.54	MWD	Scientific Drilling
2/22/2009	1,357.00	20.28	MWD	Scientific Drilling
2/22/2009	1,420.00	19.96	MWD	Scientific Drilling
2/22/2009	1,482.00	19.46	MWD	Scientific Drilling
2/23/2009	1,546.00	19.59	MWD	Scientific Drilling
2/23/2009	1,609.00	20.87	MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____



Scientific Drilling

RCVD APR 10 '09
OIL CONS. DIV.
DIST. 3

BURLINGTON RESOURCES


Field: San Juan
Site: Rio Arriba County, NM
Well: San Juan 29-7 #73C
Wellpath: DH - Job #33D0209037
Survey: 02/22/09-02/24/08

This survey is correct to the best of my knowledge
and is supported by actual field data.

.....*L. Wharton*.....Company Representative

Notorized this date 2nd of March, 2009.

Carrie Reed
Notary Signature
County of Midland
State of Texas





Scientific Drilling International Survey Report

Company: BURLINGTON RESOURCES
Field: San Juan
Site: Rio Arriba County, NM
Well: San Juan 29-7 #73C
Wellpath: DH - Job #33D0209037

Date: 03/02/2009 **Time:** 09:24:03 **Page:** 1
Co-ordinate(NE) Reference: Site: Rio Arriba County, NM, True North
Vertical (TVD) Reference: SITE 0.0
Section (VS) Reference: Well (0.00N,0.00E,274.85Azi)
Survey Calculation Method: Minimum Curvature **Db:** Sybase

Survey: 02/22/09-02/24/08 **Start Date:** 02/22/2009
Company: Scientific Drilling Internatio **Engineer:** Lowe/Drake/Orozco/Kasbaum/Mitc
Tool: E-field;E-field **Tied-to:** From Surface

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
294.00	0.51	266.15	294.00	1.29	-0.09	-1.31	0.17	1.31	266.15
325.00	0.91	275.64	324.99	1.68	-0.07	-1.69	1.34	1.69	267.53
356.00	1.48	278.13	355.99	2.32	0.01	-2.33	1.85	2.33	270.19
387.00	2.71	280.46	386.97	3.45	0.20	-3.45	3.98	3.45	273.28
417.00	3.92	285.35	416.91	5.16	0.60	-5.13	4.14	5.17	276.64
448.00	5.05	285.35	447.82	7.55	1.24	-7.47	3.65	7.57	279.42
477.00	5.66	282.68	476.69	10.22	1.89	-10.10	2.27	10.27	280.61
507.00	6.43	276.54	506.53	13.37	2.41	-13.21	3.35	13.43	280.33
538.00	7.37	278.21	537.30	17.09	2.89	-16.90	3.10	17.15	279.70
569.00	8.57	278.09	568.00	21.38	3.50	-21.16	3.87	21.44	279.39
599.00	9.33	276.77	597.64	26.04	4.10	-25.78	2.62	26.11	279.03
630.00	9.99	276.05	628.20	31.24	4.68	-30.95	2.16	31.31	278.60
660.00	10.96	278.85	657.70	36.68	5.39	-36.36	3.65	36.76	278.44
692.00	11.65	276.68	689.07	42.95	6.24	-42.57	2.53	43.03	278.33
723.00	11.92	276.12	719.42	49.28	6.94	-48.87	0.95	49.36	278.08
755.00	12.45	274.94	750.70	56.03	7.59	-55.59	1.83	56.10	277.78
787.00	13.06	275.14	781.91	63.10	8.21	-62.63	1.91	63.16	277.47
818.00	14.16	273.80	812.04	70.39	8.78	-69.90	3.69	70.45	277.16
848.00	15.25	274.74	841.06	78.00	9.35	-77.49	3.72	78.05	276.88
912.00	16.71	273.94	902.58	95.62	10.67	-95.06	2.31	95.66	276.41
944.00	17.35	274.77	933.18	104.99	11.39	-104.40	2.14	105.02	276.22
976.00	17.56	274.52	963.71	114.59	12.16	-113.97	0.70	114.62	276.09
1007.00	18.50	273.09	993.18	124.18	12.80	-123.54	3.35	124.21	275.91
1039.00	19.14	274.40	1023.47	134.51	13.47	-133.85	2.40	134.52	275.75
1102.00	20.99	275.43	1082.65	156.12	15.33	-155.38	2.99	156.13	275.64
1166.00	20.68	274.83	1142.46	178.88	17.37	-178.05	0.59	178.89	275.57
1229.00	20.40	274.30	1201.46	200.98	19.13	-200.08	0.53	201.00	275.46
1293.00	20.54	272.47	1261.42	223.36	20.45	-222.42	1.02	223.36	275.25
1357.00	20.28	271.94	1321.40	245.65	21.31	-244.73	0.50	245.65	274.98
1420.00	19.96	275.79	1380.56	267.31	22.76	-266.34	2.16	267.31	274.89
1482.00	19.46	277.64	1438.92	288.20	25.20	-287.10	1.29	288.21	275.02
1546.00	19.59	276.47	1499.24	309.58	27.83	-308.33	0.64	309.58	275.16
1609.00	20.87	277.17	1558.36	331.35	30.42	-329.96	2.07	331.36	275.27
1671.00	22.79	276.81	1615.91	354.39	33.22	-352.84	3.10	354.40	275.38
1735.00	23.72	273.88	1674.71	379.65	35.57	-377.99	2.32	379.66	275.38
1799.00	24.06	273.56	1733.23	405.56	37.25	-403.86	0.57	405.57	275.27
1861.00	23.93	272.87	1789.87	430.76	38.66	-429.03	0.50	430.77	275.15
1924.00	23.31	271.89	1847.59	455.98	39.71	-454.25	1.16	455.98	275.00
1987.00	23.24	270.62	1905.46	480.82	40.26	-479.14	0.80	480.82	274.80
2050.00	22.40	275.49	1963.54	505.23	41.54	-503.52	3.28	505.23	274.72
2112.00	23.16	276.86	2020.70	529.22	44.13	-527.38	1.49	529.22	274.78
2175.00	23.28	276.83	2078.60	554.05	47.09	-552.04	0.19	554.05	274.88
2239.00	22.68	275.59	2137.52	579.02	49.79	-576.88	1.20	579.02	274.93
2302.00	21.49	272.56	2195.90	602.70	51.49	-600.50	2.61	602.70	274.90
2365.00	20.66	269.46	2254.68	625.30	51.90	-623.14	2.21	625.30	274.76
2427.00	18.70	268.62	2313.06	646.07	51.56	-644.02	3.19	646.08	274.58
2489.00	17.63	268.84	2371.97	665.29	51.13	-663.34	1.73	665.31	274.41
2553.00	16.77	272.06	2433.11	684.15	51.27	-682.26	2.00	684.18	274.30



Scientific
Drilling

Scientific Drilling International


Survey Report

Company: BURLINGTON RESOURCES
Field: San Juan
Site: Rio Arriba County, NM
Well: San Juan 29-7 #73C
Wellpath: DH - Job #33D0209037

Date: 03/02/2009 Time: 09:24:03 Page: 2
Co-ordinate(NE) Reference: Site: Rio Arriba County, NM, True North
Vertical (TVD) Reference: SITE 0.0
Section (VS) Reference: Well (0.00N,0.00E,274.85Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase


Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
2615.00	16.43	273.55	2492.52	701.85	52.13	-699.95	0.88	701.89	274.26
2678.00	15.95	272.04	2553.03	719.40	52.99	-717.49	1.01	719.44	274.22
2742.00	15.30	276.83	2614.66	736.62	54.31	-734.66	2.26	736.67	274.23
2805.00	14.19	276.83	2675.59	752.65	56.21	-750.58	1.76	752.69	274.28
2867.00	13.56	276.27	2735.78	767.51	57.91	-765.35	1.04	767.54	274.33
2929.00	12.70	274.00	2796.16	781.59	59.18	-779.38	1.62	781.62	274.34
2993.00	11.93	272.74	2858.68	795.24	59.99	-793.00	1.27	795.27	274.33
3055.00	9.96	275.02	2919.55	807.00	60.76	-804.75	3.25	807.04	274.32
3117.00	9.30	271.97	2980.68	817.37	61.41	-815.09	1.35	817.40	274.31
3181.00	7.79	273.75	3043.97	826.87	61.87	-824.59	2.40	826.91	274.29
3244.00	7.50	273.94	3106.41	835.25	62.43	-832.95	0.46	835.29	274.29
3308.00	6.69	278.98	3169.92	843.14	63.30	-840.80	1.60	843.18	274.31
3371.00	5.06	272.21	3232.59	849.58	63.98	-847.20	2.81	849.62	274.32
3434.00	3.09	266.73	3295.42	854.04	63.99	-851.68	3.18	854.08	274.30
3461.00	2.55	258.11	3322.39	855.33	63.82	-852.99	2.54	855.38	274.28




Scientific
Drilling

Field: San Juan
Site: Rio Arriba County, NM
Well: San Juan 29-7 #73C
Wellpath: DH - Job #33D0209037
Survey: 02/22/09-02/24/08



Azimuths to True North
Magnetic North: 0.00°

Magnetic Field
Strength: 0nT
Dip Angle: 0.00°
Date: 02/27/2009
Model: igrf2000



South(-)/North(+) [200ft/in]

West(-)/East(+) [200ft/in]