

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: November 30, 2000

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
SF-0793661a. Type of Well ☐ Oil Well ☒ Gas ☐ Dry Other
b. Type of Completion: ☒ New ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.
Other6. If Indian, Allottee or Tribe Name
3: 24

7. Unit or CA Agreement Name and No.

NM RINCON UNIT

8. Lease Name and Well No.

RINCON UNIT #108P

9. API Well No.

30-039-27245

10. Field and Pool, or Exploratory

Basin Dakota

11. Sec., T., R., M., or Block and
Survey or Area

I 19 T27N R6W

12. County or Parish

Rio Arriba

13. State

NM

2. Name of Operator

Pure Resources, L.P. c/o Mike Pippin LLC (Agent)

3. Address

3104. N. Sullivan, Farmington, NM 87401

3a. Phone No. (include area code)

505-327-4573

4. Location of Well (Report locations clearly and in accordance with Federal requirements)*

At surface 2645' FNL & 140' FEL

At top prod. interval reported below SAME

At total depth SAME

14. Date Spudded

08/27/03

15. Date T.D. Reached

09/03/03

16. Date Completed

☒ D & A ☒ Ready to Prod.

17. Elevations (DF, RKB, RT, GL)*

6473' GL & 6488' KB

18. Total Depth: MD
TVD 7514'19. Plug Back T.D.: MD
TVD 7509'20. Depth Bridge Plug Set: MD
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

Dual Burst Thermal Decay Time Log (TDT)/GR/CCL

22. Was well cored? ☒ No ☐ Yes (Submit copy)Was DST run? ☒ No ☐ Yes (Submit copy)Directional Survey? ☐ No ☒ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12-1/4"	9-5/8"	32.3#	0'	402' 387		225 Type III		0' CIR	0'
8-3/4"	7"	20#	0'	2653' 2038		405 Prem.		0' CIR	0'
6-1/4"	4-1/2"	11.6#	0'	7514' 7499		610 Type III		0' CIR	0'

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Set (MD)
NONE								

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) DAKOTA	7273'	7503'	7273'-7503'	0.38"	28	1 SPF
B)						
C)						

26. Perforation Record

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and type of Material
7273'-7503'	Fraced w/216,620# 20/40 Ottawa sand in 70 quality foam w/35# X-linked guar gel as base fluid

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Ready	10/01/03	24	→		740				Flowing
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
		2318	→						

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						DEC 04 2003
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
			→						

ACCEPTED FOR RECORD

FARMINGTON FIELD OFFICE
BY

(See instructions and spaces for additional data on reverse side)

NMOCD

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
Fruitland Coal	2814'	3000'	gas	San Jose	Surface
Pictured Cliffs	3000'	3100'	gas	Ojo Alamo	2108'
Mesaverde	4715'	5650'	oil & gas	Kirland Shale	2565'
Dakota	7385'	7503'	oil & gas	Pictured Cliffs	3000'
				Cliffhouse	4715'
				Point Lookout	5245'
				Mancos	5650'
				Tocito Sand	6810'
				Dakota	7385'

32. Additional remarks (include plugging procedure):

IBHP = 2318 PSI RINCON UNIT #108P

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 5. Core Analysis | 7. Other: | |

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Mike Pippin Title Petroleum Engineer (Agent)

Signature *Mike Pippin* Date November 21, 2003

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.