District I

1625 N. French Dr., Hobbs, NM 88240

 $1301\ W.\ Grand\ Ave$, Artesia, NM $\ 88210$

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

\overline{a}	79
()	1 [

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method		
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method		
	Modification to an existing permit		
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,		
	below-grade tank, or proposed alternative method		

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

perator: Burlington Resources Oil & Gas Company, LP	OGRID#: 14538
ddress: PO Box 4289, Farmington, NM 87499	
acility or well name: Zachry 52	
PI Number: 30-045-25598	OCD Permit Number:
/L or Qtr/Qtr: O(SWSE) Section: 35 Township	o: 29N Range: 10W County: San Juan
enter of Proposed Design: Latitude: 36.677500	'N Longitude: 107.851760'W NAD: X 1927 1983
urface Owner: X Federal State Pr	rivate Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC	
Temporary: Drilling Workover	
Permanent Emergency Cavitation P&A	
Lined Unlined Liner type: Thickness	mil LLDPE HDPE PVC Other
String-Reinforced	
Liner Seams: Welded Factory Other	Volume: bbl Dimensions L x W x D
X Closed-loop System: Subsection H of 19.15.17.11 NM/ Type of Operation: P&A Drilling a new well X Drying Pad X Above Ground Steel Tanks Hau Lined Unlined Liner type: Thickness Liner Seams: Welded Factory Other	Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) al-off Bins Other mil LLDPE HDPE PVD Other
	sidewalls, liner, 6-inch lift and automatic overflow shut-off PVC Other The Const of the constant of the con
Below-grade tank: Subsection I of 19.15.17.11 NMAC	E 0/1 CO.
Volume: bbl Type of fluid	- \\2
Tank Construction material:	
	sidewalls, liner, 6-inch lift and automatic overflow shut-off
Visible sidewalls and liner Visible sidewalls o	nly Other PVC Other
Liner Type: ThicknessmilHDPE	PVCOther
Alamada Mada J.	
Alternative Method:	be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19 15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet		
Alternate. Please specify		
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)		
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC		
9 Administrative Approvals and Exceptions:		
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
Please check a box if one or more of the following is requested, if not leave blank:		
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for considerations o	leration of app	roval.
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.		
10 Siting Criteria (regarding permitting) 19.15.17.10 NMAC		
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells		No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site		□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes NA	∐No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality. Written approval obtained from the municipality.		No
 Written confirmation or verification from the municipality: Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 		No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division		No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map		No
Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17 9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17 9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC		
X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9		
NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API		
Previously Approved Operating and Maintenance Plan API		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC		
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC		
Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Closure Train - based upon the appropriate requirements of subsection C of 17.13.17.5 Train e and 17.13.17.15 Train e		
Proposed Closure: 19.15.17.13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank X Closed-loop System		
Alternative		
Proposed Closure Method: Waste Excavation and Removal		
X Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
Wasta Evaporation and Damayal Clasura Plan Chapblist (10.15.17.13 NMAC) Instructions: Each of the following items must be attached to the alocure plan		
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		
1 I Site Regiamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

Form C-144 Oil Conservation Division Page 3 of 5

16 Waste Removal Closure For Closed-loop Systems That Utilize Above Gro	und Steel Tanks or Haul-off Bins Only:(19.15.17.13 D NMAC))	
Instructions—Please identify the facility or facilities for the disposal of liquids, facilities are required	drilling fluids and drill cuttings. Use attachment if more than tw	70	
Disposal Facility Name: Envirotech	Disposal Facility Permit #: NM-01-0011	· · · · · · · · · · · · · · · · · · ·	
Disposal Facility Name: Basin Disposal Facility	Disposal Facility Permit #: NM-01-005		
Will any of the proposed closed-loop system operations and associated Yes (If yes, please provide the information No	d activities occur on or in areas that will nbe used for futur	e service and	
Required for impacted areas which will not be used for future service and ope. Soil Backfill and Cover Design Specification - based upon the Re-vegetation Plan - based upon the appropriate requirements of Site Reclamation Plan - based upon the appropriate requirements.	appropriate requirements of Subsection H of 19.15.17.13 l Subsection I of 19.15 17 13 NMAC	NMAC	
17 Siting Criteria (Regarding on-site closure methods only: 19 15.17.10 Instructions Each sum criteria requires a demonstration of compliance in the closure certain siting criteria may require administrative approval from the appropriate district office for consideration of approval Justifications and/or demonstrations of equivalence.	plan Recommendations of acceptable source material are provided belo office or may be considered an exception which must be submitted to the		
Ground water is less than 50 feet below the bottom of the buried waster. NM Office of the State Engineer - 1WATERS database search, USGS: I		Yes No	
Ground water is between 50 and 100 feet below the bottom of the burn - NM Office of the State Engineer - 1WATERS database search, USGS; D		Yes No	
	·	∐N/A	
Ground water is more than 100 feet below the bottom of the buried water. - NM Office of the State Engineer - iWATERS database search, USGS, D		Yes No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)		Yes No	
- Topographic map; Visual inspection (certification) of the proposed site	and in animal and the same of	Yes No	
Within 300 feet from a permanent residence, school, hospital, institution, or ch - Visual inspection (certification) of the proposed site. Aerial photo, satelli	•••		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.			
- Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland		Yes No	
- US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine.		Yes No	
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area.		Yes No	
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society, Topographic map			
Within a 100-year floodplain. - FEMA map		Yes No	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: by a check mark in the box, that the documents are attached.	: Each of the following items must bee attached to the cl	osure plan. Please indicate,	
Siting Criteria Compliance Demonstrations - based upon the ap	propriate requirements of 19.15.17.10 NMAC		
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 17 11 NMAC			
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC			
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC			
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			

Page 4 of 5

Form C-144 Oil Conservation Division

19	Continue to a		
Operator Application	Certification: connation submitted with this application is true, accur	rate and complete to the	s best of my knowledge and belief
	Kelly Jeffery	Title:	Regulatory Technician
Name (Print):	Relig Jenery		Regulatory reclinician
Signature:		Date:	<u> </u>
e-mail address:	_jeffekr@conocopfillips.com	Telephone:	505-599-4025
OCD Approval:	Permit Application (including closure plan)	Closure Plan (on	ly) OCD Conditions (see attachment)
		7.1	
OCD Representative S	ignature: DSumpl D-		Approval Date: 7-7-09
Title:	Fulico/spec	OCD P	ermit Number:
	F10/18/34SC		The Number
21			
Closure Report (requi	red within 60 days of closure completion): Sub	section K of 19 15 17 13 N	MAC
			sure activities and submitting the closure report. The closure ies. Please do not complete this section of the form until an
	been obtained and the closure activities have been co		ies. Treuse do not complete this section of the form until thi
		☐ Clos	sure Completion Date:
22 Closure Method:			
Waste Excavation	and Removal On-site Closure Method	Alternative Clos	ure Method Waste Removal (Closed-loop systems only)
	proved plan, please explain		waste Removal (closed-loop systems only)
it different from ap	proved plan, please explain		
23	W . D . 101 D . D		
	g Waste Removal Closure For Closed-loop System		Ground Steel Tanks or Haul-off Bins Only:_ tings were disposed. Use attachment if more than two facilities
were utilized.	y me facility of facilities for more the signias, arms	ong jimus unu urm cm	ings were unsposed. Ose underiment if more than two facilities
Disposal Facility Name	:	Disposal Faci	lity Permit Number
Disposal Facility Name		Disposal Faci	lity Permit Number
	ystem operations and associated activities performed of	on or in areas that will i	not be used for future service and opeartions?
Yes (If yes, please	demonstrate compliane to the items below)	No	
	areas which will not be used for future service and op	erations	
	Photo Documentation)		
=	d Cover Installation Incation Rates and Seeding Technique		
Re-vegetation App	incation Rates and Seeding Technique		
24 D	and an and Charletted at the second Charletted at the second Charletted at the second Charletted at the second		
the box, that the docum		owing items must be a	ttached to the closure report. Please indicate, by a check mark in
	Notice (surface owner and division)		
Proof of Deed N	otice (required for on-site closure)		
Plot Plan (for on	-site closures and temporary pits)		
Confirmation Sa	mpling Analytical Results (if applicable)		
Waste Material S	Sampling Analytical Results (if applicable)		
	Name and Permit Number		
Soil Backfilling	and Cover Installation		
_	pplication Rates and Seeding Technique		
=	(Photo Documentation)		
On-site Closure I	·	Longitude:	NAD 1927 1983
25			
Operator Closure Cert	tification:		
			e and complete to the best of my knowledge and belief. I also certify that
the closure complies with a	all applicable closure requirements and conditions spe	ecified in the approved	closure plan.
Name (Print):		Title:	
Signature:		Date:	
e-mail address:		Telephone:	

Form C-144 Oil Conservation Division

Burlington Resources Oil & Gas Company, LP Closed-loop Plans

Closed-loop Design Plan

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

Closed-loop Operating and Maintenance Plan

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

Closed-loop Closure Plan

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.