District I

1625 N French Dr., Hobbs, NM 88240

District II

1301 W Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 CLEZ July 21, 2008 closed-loop systems that only use above

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure. submit to the appropriate NMOCD District Office

37	9	(\mathcal{C}
		•	Ţ,

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance

environment. Nor does approval relieve the operator of its responsibility to comply with an	other applicable government	al authority's rules, regulations or ordinances.
t. Operator:McElvain Oil and Gas Properties	OGRID #: 22044	RCVD JUL 29 '09
Address: P.O. Box 5610. Farmington, NM, 87402		ብክምል <i>ታ</i> ውያን ዜ ቅምን ዋኒ ሞን በ
Facility or well name: Ora #8		
API Number: _30-039-29702 OCD Permit		
U/L or Qtr/Qtr M Section 15 Township 25N		
Center of Proposed Design: Latitude36.39374N Longitude	de107.13768W	NAD: 🗵 1927 📘 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment		
2. ☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation: ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities wh ☐ Above Ground Steel Tanks or ☐ Haul-off Bins	ich require prior approval of	a permit or notice of intent)
Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24". 2" lettering, providing Operator's name, site location, and emergency te ☐ Signed in compliance with 19.15.3.103 NMAC	lephone numbers	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of Instructions: Each of the following items must be attached to the application. Plea attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of Closure Plan (Please complete Box 5) - based upon the appropriate requirement Previously Approved Design (attach copy of design) API Number:	se indicate, by a check mar	
Previously Approved Operating and Maintenance Plan API Number:		
s. <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stanstructions: Please indentify the facility or facilities for the disposal of liquids, dri facilities are required.</u>	eel Tanks or Haul-off Bins lling fluids and drill cutting	s. Use attachment if more than two
Disposal Facility Name:Agua Moss		
	·	r:NM01-005
Will any of the proposed closed-loop system operations and associated activities occu ☐ Yes (If yes, please provide the information below) ☒ No		be used for future service and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate re Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 c Site Reclamation Plan - based upon the appropriate requirements of Subsection	quirements of Subsection H of 19.15.17.13 NMAC	of 19.15.17.13 NMAC

6. Operator Application Certification:	
I hereby certify that the information submitted with this application	is true, accurate and complete to the best of my knowledge and belief.
Name (Print):William A. Merrick	Title: _District Engineer
Signature Signat	Date: 7-37-09
e-mail address:artm@mcelvain.com	Telephone:505-327-2679
OCD Approval: Permit Application (including closure plan)	Closure Plan (only)
OCD Representative Signature:	Approval Date: 8-14-09
Title: Enviro Spec	OCD Permit Number:
	e plan prior to implementing any closure activities and submitting the closure report. 1 60 days of the completion of the closure activities. Please do not complete this
	Closure Completion Date:
Instructions: Please indentify the facility or facilities for where the two facilities were utilized. Disposal Facility Name:Agua Moss	Disposal Facility Permit Number:NM01-005
belief. I also certify that the closure complies with all applicable clo	this closure report is true, accurate and complete to the best of my knowledge and sure requirements and conditions specified in the approved closure plan. Title:
e-mail address:	Telephone:

McElvain Oil & Gas Properties, Inc. San Juan Basin Closed-Loop System Maintenance and Operating Plan

In accordance with Rule 19.15.12 NMAC the following describes the below grade tank operation and maintenance plan for the McElvain Oil & Gas Properties, Inc (MOG) on the Ora #8, Section 15 T25N R3W Rio Arriba, Co. NM

General Plan:

The closed-loop tank will be operated and maintained to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. To attain the goal the following steps will be followed.

- 1. The liquids will be vacuumed out and disposed of at the Agua Moss Disposal facility. An alternative for liquids disposal will be at Basin Disposal Inc.
- 2. While no solids are anticipated, solids in the closed-loop tank will be vacuumed out and disposed of at IEI (Permit NM01-0010B) or at Envirotech (Permit NM01-0011) on a periodic basis to prevent over topping.
- 3. No hazardous waste, miscellaneous solids, water or debris will be discharged into, or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 4. The division district office will be notified within 48 hours of the discovery of comprised integrity of the closed-loop tank. Upon discovery of the compromised tank, repairs will be enacted immediately.
- 5. All of the above operations will be inspected and a log will be signed and dated daily during rig operations.

McElvain Oil & Gas Properties, Inc. San Juan Basin Closed-Loop System Closure Plan

In accordance with Rule 19.15.11 NMAC the following describes the closure requirements of the closed-loop system on the McElvain Oil & Gas Properties, Inc (MOG) Ora #8, Section 15 T25N R3W Rio Arriba, Co. NM

General Plan

The closed-loop tank will be closed in accordance with 19.15.17.13 NMAC. This will be done by transporting cuttings and all remaining sludge to IEI (Permit NM01-0010B) immediately following rig operations.

All remaining liquids will be transported and disposed at Agua Moss Facilities. All specifications, limitations, and rules within the New Mexico Administrative Codes regulating this transfer of liquids will be strictly adhered to. In the event that Agua Moss is unable to take the water, then Basin Disposal (Permit NM01-005) will be used.

The tanks will be removed from the location as part of the rig move. At the time of the well abandonment the site will be reclaimed and re-vegatated to pre-existing condition when possible.

McElvain Oil & Gas Properties, Inc. San Juan Basin Closed-Loop System Design and Construction Plan

In accordance with Rule 19.15.11NMAC the following describes the design construction of closed-loop system on McElvain Oil & Gas Properties, Inc (MOG) Foster No. 2R, Section 17 T26N R7W Rio Arriba, Co. NM

General Plan:

Our closed-loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will entail an above ground tank suitable for holding the cutting and fluids from rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. A flow back tank for flow back of frac fluids will also be utilized.
- 2. The well is signed in compliance with 19.15.3.103 NMAC.