District I 1625 N French Dr , Hobbs, NM 88240

State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II 1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410

1220 S St Francis Dr , Santa Fe, NM 87505

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

District IV

# Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	X Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system below-grade tank, or proposed alternative method

Operator: Burlington Resources Oil & Gas Company, LP	OGRID#: <b>14538</b>
Address: PO Box 4289, Farmington, NM 87499	
acility or well name: Summit 4	
API Number: 30-045-07725	OCD Permit Number:
I/L or Qtr/Qtr: A(NE/NE) Section: 33 Township:	29N Range: 11W County: San Juan
Penter of Proposed Design: Latitude: 36.6868	°N Longitude: 107.99044 °W NAD: X 1927 1983
urface Owner: X Federal State Private	e Tribal Trust of Indian Allotment
Pit: Subsection F or G of 19 15 17 11 NMAC	
Temporary: Drilling Workover	
Permanent Emergency Cavitation P&A	
Lined Unlined Liner type: Thickness	mil LLDPE HDPE PVC Other
String-Reinforced	
Liner Seams: Welded Factory Other	Volume:bbl Dimensions Lx Wx D
	volume: on Dimensions L x w x D
	Volume: Our Dimensions L x w x D
X Closed-loop System: Subsection H of 19.15.17.11 NMAC  Type of Operation: X P&A Drilling a new well Wo	orkover or Drilling (Applies to activities which require prior approval of a permit or
Type of Operation: X P&A Drilling a new well Wonnote	orkover or Drilling (Applies to activities which require prior approval of a permit or tice of intent)
X   Closed-loop System: Subsection H of 19.15.17.11 NMAC  Type of Operation:   X   P&A   Drilling a new well   Wonoti  Drying Pad   X   Above Ground Steel Tanks   Haul-off	orkover or Drilling (Applies to activities which require prior approval of a permit or tice of intent)
Type of Operation: X P&A Drilling a new well Wonoti  Drying Pad X Above Ground Steel Tanks Haul-off Lined Unlined Liner type: Thickness	orkover or Drilling (Applies to activities which require prior approval of a permit or tice of intent)
X   Closed-loop System: Subsection H of 19.15.17.11 NMAC  Type of Operation:   X   P&A   Drilling a new well   Wonoti  Drying Pad   X   Above Ground Steel Tanks   Haul-off	orkover or Drilling (Applies to activities which require prior approval of a permit or tice of intent)  Bins Other PVD Other HDPE PVD Other
Type of Operation: X P&A Drilling a new well Wonoti Drying Pad X Above Ground Steel Tanks Haul-off Lined Unlined Liner type: Thickness Liner Seams: Welded Factory Other	orkover or Drilling (Applies to activities which require prior approval of a permit or tice of intent)  Bins Other PVD Other HDPE PVD Other
Type of Operation: X P&A Drilling a new well Wonoti Drying Pad X Above Ground Steel Tanks Haul-off Lined Unlined Liner type: Thickness Liner Seams: Welded Factory Other  Below-grade tank: Subsection I of 19.15.17.11 NMAC	orkover or Drilling (Applies to activities which require prior approval of a permit or tice of intent)  Bins Other PVD Other HDPE PVD Other
X   Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation:   X   P&A   Drilling a new well   Wonoti   Drying Pad   X   Above Ground Steel Tanks   Haul-off     Lined   Unlined   Liner type: Thickness     Liner Seams:   Welded   Factory   Other     Below-grade tank: Subsection I of 19.15.17.11 NMAC   Volume   bbl   Type of fluid	orkover or Drilling (Applies to activities which require prior approval of a permit or tice of intent)  Bins Other PVD Other HDPE PVD Other
X	orkover or Drilling (Applies to activities which require prior approval of a permit or tice of intent)  Bins Other PVD Other HDPE PVD Other
X	orkover or Drilling (Applies to activities which require prior approval of a permit or tice of intent)  Bins Other PVD Other HDPE PVD Other
X	orkover or Drilling (Applies to activities which require prior approval of a permit or tice of intent)  I Bins Other  mil LLDPE HDPE PVD Other  RECEIVE  SEP 2009  OII CONS. DIV. DIS

Fencing: Subsection D of 19,15.17.11 NMAC (Applies to permanent pii, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of baibed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of baibed wire evenly spaced between one and four feet  Alternate. Please specify					
Netting: Subsection E of 19 15.17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Scieen Netting Other  Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19.15 3 103 NMAC					
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.  (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	Yes	□No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes	□No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	∐NA				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes	□No			
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Yes	No			
<ul> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	Yes	□No			
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	□No			
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	∏No ·			
Within a 100-year floodplain - FEMA map	Yes	□No			

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15 17 9 NMAC		
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19 15.17 9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
12		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17.10 NMAC		
X Design Plan - based upon the appropriate requirements of 19.15.17 11 NMAC		
X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC		
X Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17 9		
NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design)  API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15 17 9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Climatological Factors Assessment  Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC		
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17.11 NMAC		
Ouality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15 17.11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19.15 17.13 NMAC		
14 P		
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type. Drilling Workover Emergency Cavitation XP&A Permanent Pit Below-grade Tank X Closed-loop System		
Alternative		
Proposed Closure Method: Waste Excavation and Removal    X   Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfull and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NIMAC		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17.13 NMAC		

Form C-144 Oil Conservation Division Page 3 of 5

Mast Removal Cleaner For Cheschen's Statum, That Utilities, Above, Ground Steel Tarske or Hand of Binn Chibt, (1) 5.17.13 NMAC	16						
Disposal Facility Name	Instructions: Please identify the facility or facilities for the disposal of liquids, drilling			,			
Wall any of the prospected closed-loop system operations and associated activities occur on or in areas that wrill not be used for foture service and upon plants   Vest (First plants per visit of formation   No.	Disposal Facility Name: Envirotech / JFJ Landfarm % IEI	Disposal Facility Permit # NM-01	-0011 / NM-01-0010B	_			
Yes   Subsection   No.	Disposal Facility Name. Basin Disposal Facility	Disposal Facility Permit #: NM-01	-005	<del></del>			
Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.33 NMAC		s occur on or in areas that will not be	used for future service	and operations?			
Stime Criterian Researching on-site closure methods only: 19.13.17.10 NMAC  Minternance State State parties regarding changes are the closure good methods and the state of the state figures are substanted to the Samue Fe Environmental butterns and the constitution of quality and the constitution of progression and the state of the state figures are substanted to the Samue Fe Environmental Butterns and the constitution of deportation are argument. Please refer to 19.15 17 10 NMAC for guidance.  Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - IWATERS disables search; USGS: Data obtained from nearby wells.  Ground water is between 50 and 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - IWATERS disables search; USGS: Data obtained from nearby wells  Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - IWATERS disables search; USGS: Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse on lakebed, sinkhole, or plays lake (increasers of from the fragment residence, school, hospital, institution, or church in existence at the time of initial application  - Visual inspection (certification) of the proposed site  Within 500 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application  - Visual inspection (certification) of the proposed site  Within 500 horizonal feet of a provate, domestic fresh water well or spring that less than five households use for domestic or stock watering purpose, or within 1000 horizonal level of any other field water well or spring that less than five households use for domestic or stock watering purpose, or within 1000 horizonal feet of a provate, domestic fresh water well or spring that less than five households use for domestic or stock watering purpose, or within 1000 horizonal feet of a provate,	Soil Backfill and Cover Design Specification - based upon the appropria  Re-vegetation Plan - based upon the appropriate requirements of Subsection	tion I of 19.15.17 13 NMAC	9.15.17.13 NMAC				
Torontowater is the sting current requires a domentariation of complaints as the closure plan. Recommendations of acceptable some natural are prevaled below. Expects, responsible comments are internal are prevaled below. Expects, responsible comments are internal are prevaled below. Expects, responsible comments are internal are prevaled below. Expects responsible to the contract of the Samue Fe Emironamental Mineral Planes refer to 19.15 7 10 MAAC for guidance.  Ground water is less than 50 feet below the bottom of the buried waste.  NNO (ffice of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells.  NNO (ffice of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells.  NNO (ffice of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells.  NNO (ffice of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells.  NNO (ffice of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells.  NNO (ffice of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells.  NNO (ffice of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells.  NNO (ffice of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells.  NNO (ffice of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells.  NNO (ffice of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells.  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse on lackbeds, sinkhole, or playa lake (ensemble of the ordinary lugh-water mask).  - Topographic map: Visual inspection (certification) of the proposed site.  Within 300 feet for a permanent residence, school, Assyral, institution, or church in existence at the time of initial application.  - NNO (ffice of the State Engineer - IWATERS database, visual inspection (certification) of the proposed site.	17		<del>_</del>				
NM Office of the State Engineer - IWATERS database search; USGS: Data obtained from nearby wells  NM Office of the State Engineer - IWATERS database search; USGS: Data obtained from nearby wells  NM Office of the State Engineer - IWATERS database search; USGS: Data obtained from nearby wells  NM Office of the State Engineer - IWATERS database search; USGS: Data obtained from nearby wells  NM Office of the State Engineer - IWATERS database search; USGS: Data obtained from nearby wells  NM Office of the State Engineer - IWATERS database search; USGS: Data obtained from nearby wells  Within 300 feet for a continuously flowing watercourse, or 200 feet of any other significant watercourse of lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  **Topographic mary: Nasal negociation (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application  - Visual inspection (certification) of the proposed site, Actual photo: satellite image    Yes   No	Instructions: Each siting criteria requires a demonstration of compliance in the closure plan I certain siting criteria may require administrative approval from the appropriate district office.	Recommendations of acceptable source mater or may be considered an exception which mus	st be submitted to the Santa F				
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells    Ves	Ground water is less than 50 feet below the bottom of the buried waste.			Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells    N/A	- NM Office of the State Engineer - iWATERS database search; USGS, Data obta	ined from nearby wells		N/A			
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - IWATERS database scarch; USGS; Data obtained from nearby wells  Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary logh-water mark).  - Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application  - Visual inspection (certification) of the proposed site.  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application  - Visual inspection (certification) of the proposed site.  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fielt water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of making purposes, or within 1000 horizontal feet of any other fielt water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of the state Engineer in NTERS database.  Within 500 horizontal feet of a private, domestic feet water well or spring that less than five households use for domestic or stock watering purposed of the state Engineer.  Within 500 feet of a wetland  - Written confirmation or verification from the municipality, Written approach defended from the municipality.  Within 500 feet of a w	Ground water is between 50 and 100 feet below the bottom of the buried waste		ĺſ	Yes No			
NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells  Wathin 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a perimanent residence, school, hospital, institution, or church in existence at the time of finitial application - Visual inspection (certification) of the proposed site; Aerial photo: satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application - NM Office of the State Engineer - IWATERS database, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification or map. Topographic map: Visual inspection (certification) of the proposed site Within the aca overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area.  - Eagineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map  Within a 100-year floodplain.  - FEMA map  Is  On-Site Closure Plan Cheedist; (19 15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a cheek mark in the box, that the documents are attached.  Siting Criteria Compliance Demons	- NM Office of the State Engineer - (WATERS database search; USGS; Data obtain	ned from nearby wells		N/A			
Within 300 feet of a continuously howing watercourse, or 200 feet of any other significant watercourse of lakebed, sinkhole, or playa lake (measured from the ordinary high-water mask).  Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a perimanent residence, school, hospital, institution, or church in existence at the time of initial application Visual inspection (certification) of the proposed site; Aetial photo; satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other firsh water well or spring, in existence at the time of the initial application No Office of the State Engineer - IWATERS daubase, Visual inspection certification of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well feld covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  Within 500 feet of a wetland Use Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine.  Within a unstable area.  Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map Within a 100-year floodplain.  PEAM map   **Bon-Site Closure Plan Checklist; (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Crieria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.13 NMAC  Construction/Design Plan of Burnial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC  Construction/Design Plan of Burnial Trench (if applicable) based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Samplin	Ground water is more than 100 feet below the bottom of the buried waste.		ļ	Yes No			
(measured from the ordunary high-water mark).  Topographic map; Visual inspection (certification) of the proposed site  Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application  Visual inspection (certification) of the proposed site; Actual photo; satellite image  Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other firesh water well or spring, in existence at the time of the initial application  NMO office of the State Engineer - (NATERS database, Visual inspection (certification) of the proposed site  Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  Within 500 feet of a wetland  US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  Within at the area overlying a subsurface mine.  Within a multiple of the visual dentification or map from the NM EMNRD-Mining and Mineral Division  Within an unstable area.  Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map  Within a 100-year floodplain.  FEMA map  Topographic map  Topographic map  Within a 100-year floodplain.  FEMA map  Topographic map  Construction/Design Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.13 NMAC  Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  Construction/Design	- NM Office of the State Engineer - iWATERS database search; USGS; Data obtain	ned from nearby wells	ÌĪ	N/A			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application  - Visual inspection (certification) of the proposed site; Aerial photo; satellite image    Yes   No	, ,	ant watercourse or lakebed, sinkhole, or	playa lake	Yes No			
Visial inspection (certification) of the proposed site; Aerial photo; satellite image   Yes   No    Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application   NM Office of the State Engineer - it WATERS database. Visual inspection (certification) of the proposed site   Within incorporated municipal tordinance or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.   Written confirmation or verification from the municipality, Written approval obtained from the municipality   Within 500 feet of a wetland   Yes   No   US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site   Yes   No   Within the area overlying a subsurface mine.   Yes   No   Within an unstable area.   Yes   No   Highin an individual in the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map   Within a 100-year floodplain.   Yes   No   FEMA map   Yes   No    18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.13 NMAC   Onstruction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC   Protocols and Procedures - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC   Waste Material Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC   Waste Mat	- Topographic map; Visual inspection (certification) of the proposed site						
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other feesh water well or spring, in existence at the time of the mutual application  NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site  Within fine for the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site  Within 500 feet of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site  Within 500 feet of a wetland  - Written confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mune.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division  Within an unstable area.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Resources, USGS; NM Geological Society, Topographic map  Within a 100-year floodplain.  - FEMA map  18  On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC  Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of	•	existence at the time of initial application		Yes No			
purposes, or withun 1000 hoizontal fee of any other fresh water well or spring, in existence at the time of the mitial application - NM Office of the State Engineer - IWATERS database, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mune Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map Within a 100-year floodplain FEMA map  18  On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC  Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC			L	YesNo			
pursuant to NMSA 1978, Section 3-27-3, as amended.  Witten confirmation or verification from the municipality, Written approval obtained from the municipality  Within 500 feet of a wetland  US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division  Within an unstable area.  Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map  Within a 100-year floodplain.  FEMA map  18  On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist	ence at the time of the initial application	ck watering				
Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map  Within a 100-year floodplain.  - FEMA map   18  On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.    Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.13 NMAC    Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC    Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC    Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC    Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC    Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	pursuant to NMSA 1978, Section 3-27-3, as amended.	·	ance adopted	Yes No			
Within the area overlying a subsurface mine.  - Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map  Within a 100-year floodplain.  - FEMA map  18  On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.    Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.13 NMAC    Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC    Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 17.11 NMAC    Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC    Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC    Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	Within 500 feet of a wetland	• •		Yes No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division  Within an unstable area.  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map  Within a 100-year floodplain.  - FEMA map  18  On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.    Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC    Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC    Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC    Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC    Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		the second secon	l r	∃Yes □No			
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society, Topographic map  Within a 100-year floodplain.  - FEMA map    Yes		Ineral Division					
Within a 100-year floodplain.  FEMA map    Topographic map	Within an unstable area.		[	Yes No			
Within a 100-year floodplain FEMA map  18  On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 17.11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		neral Resources, USGS; NM Geological	Society,	1			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 17.11 NMAC  Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	Within a 100-year floodplain.			Yes No			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 17.11 NMAC  Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate,						
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 17.11 NMAC  Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	prints.	requirements of 19 15 17 10 NMAC	<u>.</u>				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 17.11 NMAC  Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15.17.11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		•					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15.17.11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	Construction/Design Plan of Burial Trench (if applicable) based upon the	e appropriate requirements of 19.15	17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC							
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC							
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)							
	Disposal Facility Name and Permit Number (for liquids, drilling fluids a						
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC							
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC							

Form C-144 Oil Conservation Division Page 4 of 5

Derator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print). Rhonda Roger) Title: Staff Regulatory Technician
Signature: Date: 8/27/2009
e-mail address: rogerrs@conocophillus.com Telephone. 505-599-4018
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) OCD Representative Signature: Approval Date: 9-30-09
Title: OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
Closure Completion Date:
22 Closure Method: Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
23 Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name: Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below) No
Required for impacted areas which will not be used for future service and operations.  Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location Latitude: Longitude: NAD 1927 1983
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Title:
Signature. Date:
e-mail address: Telephone:

## Burlington Resources Oil & Gas Company, LP Closed-loop Plans

#### **Closed-loop Design Plan**

BR's closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will include an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1. Fencing is not required for an above ground closed-loop system
- 2. It will be signed in compliance with 19.15.3.103 NMAC
- 3. A frac tank will be on location to store fresh water

### **Closed-loop Operating and Maintenance Plan**

BR's closed-loop tank will be operated and maintained to contain liquids and solids in order to prevent contamination of fresh water sources, in order to protect public health and the environment. To ensure the operation is maintained the following steps will be followed:

- 1. The liquids will be vacuumed out and disposed of at the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) on a periodic basis to prevent over topping.
- 2. No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cutting used or generated by rig operations will be placed or stored in the tank.
- 3. The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately

#### **Closed-loop Closure Plan**

The closed-loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit # NM-01-0011) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B) immediately following rig operations. All remaining liquids will be transported and disposed of in the Basin Disposal facility (Permit # NM-01-005) or JFJ Landfarm % Industrial Ecosystem Inc. (Permit # NM-01-0010B). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.