## District I

1625 N French Dr , Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Biazos Rd , Aztec, NM 87410

<u>District IV</u> 1220 S St Francis Dr , Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources

Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe. NM 87505

July 21, 2008

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

4150

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
	X Modification to an existing permit
	Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the avironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances

environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources Oil & Gas Company, LP OGRID#: 14538
Address: PO Box 4289, Farmington, NM 87499
Facility or well name: SAN JUAN 28-6 UNIT 181N
API Number: 30-039-30627 OCD Permit Number:
U/L or Qtr/Qtr: G(SW/NE) Section: 14 Township: 027N Range: 006W County: Rio Arriba
Center of Proposed Design: Latitude: 36.576792 °N Longitude: 107.435911 °W NAD: X 1927 1983
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
X   Pit: Subsection F or G of 19 15 17 11 NMAC     Temporary:   X   Drilling   Workover     Permanent   Emergency   Cavitation   P&A     X   Lined   Unlined   Liner type: Thickness   12   mil   X   LLDPE   HDPE   PVC   Other     X   String-Reinforced     Liner Seams:   X   Welded   X   Factory   Other   Volume:   4400   bbl   Dimensions L   65'   x   W   45'   x   D   10'
Closed-loop System: Subsection H of 19.15.17.11 NMAC   Type of Operation
Below-grade tank: Subsection I of 19.15.17.11 NMAC  Volume: bbl Type of fluid:  Tank Construction material:  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other  Liner Type: Thickness mil HDPE PVC Other
Alternative Method:  Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19 15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.  Netting: Subsection E of 19.15.17 11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)					
Signs: Subsection C of 19.15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19 15.3 103 NMAC					
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required Please refer to 19.15.17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval.  (Fencing/BGT Liner)  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	∏Yes ∏NA	No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	ا الـا <sup>،</sup> ،،،				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	No			
<ul> <li>Visual inspection (certification) of the proposed site; Aerial photo; Satellite image</li> <li>Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.</li> </ul>	Yes	No			
<ul> <li>NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.</li> <li>Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended</li> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> </ul>	Yes	□No			
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site  Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes Yes	□No			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No			
Within a 100-year floodplain - FEMA map	Yes	No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API  or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
String Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15 17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17 10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
☐ Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17 11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC				
14 Provided Character and Char				
Proposed Closure: 19.15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System  Alternative				
Proposed Closure Method. Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee Instructions Please identify the facility or facilities for the disposal of liquids, drilling	e <mark>l Tanks or Haul-off Bins Only:</mark> (19 15 17 13 D NMAC) fluds and drill cuttings	cultures					
are required.  Disposal Facility Name	Disposal Facility Permit #:						
Disposal Facility Name.  Disposal Facility Name.	Disposal Facility Permit #-						
	Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?						
Required for impacted areas which will not be used for future service and operations.  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC							
Siting Criteria (Regarding on-site closure methods only: 19.15.17 10 NMAI Instructions: Each siting criteria requives a demonstration of compliance in the closure planterian siting criteria may require administrative approval from the appropriate district office for consideration of approval Justifications and/or demonstrations of equivalency are required.	Recommendations of acceptable source material are provided belos or may be considered an exception which must be submitted to the :						
Ground water is less than 50 feet below the bottom of the buried waste - NM Office of the State Engineer - 1WATERS database search, USGS. Data obta	amed from nearby wells	Yes No					
Ground water is between 50 and 100 feet below the bottom of the buried waster.  NM Office of the State Engineer - iWATERS database search, USGS; Data obta		Yes No					
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS, Data obta	nned from nearby wells	∐Yes ∐No ∏N/A					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other signifi (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No						
Within 300 feet from a permanent residence, school, hospital, institution, or church in	existence at the time of initial application.	Yes No					
- Visual inspection (certification) of the proposed site; Aerial photo; satellite image		Yes No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less th purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exis - NM Office of the State Engineer - iWATERS database; Visual inspection (certifi							
Within incorporated municipal boundaries or within a defined municipal fresh water v pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No						
<ul> <li>Written confirmation or verification from the municipality, Written approval obtwithin 500 feet of a wetland</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspections.</li> </ul>		Yes No					
Within the area overlying a subsurface mine.  Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division		Yes No					
Within an unstable area  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society;		Yes No					
- Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USOS; NM Geological Society;  Topographic map  Within a 100-year floodplain.		Yes No					
- FEMA map							
18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items must bee attached to the closur	e plan. Please indicate,					
Siting Criteria Compliance Demonstrations - based upon the appropriate Proof of Surface Owner Notice - based upon the appropriate requirements	nts of Subsection F of 19.15.17.13 NMAC						
Construction/Design Plan of Burial Trench (if applicable) based upon t  Construction/Design Plan of Temporary Pit (for in place burial of a dry		0 15 17 11 NMΔC					
Protocols and Procedures - based upon the appropriate requirements of	19 15.17.13 NMAC	2.13.17.11 NWAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate							
Waste Material Sampling Plan - based upon the appropriate requirement		anot he achieved)					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC							
Re-vegetation Plan - based upon the appropriate requirements of Subse	ction I of 19.15.17.13 NMAC						

Operator Application (	Contifications			
Operator Application ( I hereby certify that the inf	ormation submitted with this application is true,	accurate and complete to the	best of my knowledge and belief.	
Name (Print).	Tamra Sessions	Title.	Staff Regulatory Technician	
Signature.	-Tombeson	Date:	10-13-09	
e-mail address:	sessitd@conocophillips.com	Telephone:	505-326-9834	
•	Permit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment)	,
OCD Representative S	ignature: But Sull		Approval Date: 10-21-05	_
Title:	Enviro/spec	OCD Perm	nit Number:	
Instructions. Operators are report is required to be sub-		tor to implementing any closi detion of the closure activitie en completed.	tre activities and submutting the closure report. The closure s. Please do not complete this section of the form until an c Completion Date:	
Closure Method:  Waste Excavation  If different from ap	and Removal On-site Closure Methor	d Alternative Closure	Method Waste Removal (Closed-loop systems only)	
Instructions: Please identifications: Please identification  Disposal Facility Name  Disposal Facility Name  Were the closed-loop sy  Yes (If yes, please  Required for impacted of Site Reclamation (I)  Soil Backfilling and		drilling fluids and drill cutti Disposal Facility Disposal Facility ned on or in areas that will no	ngs were disposed. Use attachment if more than two facilities  Permit Number:  Permit Number:	
he box, that the docum Proof of Closure Proof of Deed No Plot Plan (for on- Confirmation Sar Waste Material S Disposal Facility Soil Backfilling a Re-vegetation Ap	nents are attached.  Notice (surface owner and division)  otice (required for on-site closure)  site closures and temporary pits)  inpling Analytical Results (if applicable)  ampling Analytical Results (if applicable)  Name and Permit Number  ind Cover Installation  plication Rates and Seeding Technique  (Photo Documentation)	following items must be atta	ched to the closure report. Please indicate, by a check mark i	in
			and complete to the best of my knowledge and belief I also ce losure plan.	rtify that
Name (Print):	•	Title:		
Signature:		Date:		
e-mail address:		Telephone -		

## Burlington Resources Oil & Gas Company, LP San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Pit Closure Extension

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- BR did not meet the closure requirements specified in the referenced rule due to a deficiency in the system. Closure will be scheduled and initiated as soon as the sampling results are reviewed and pass for onsite closure.
- <u>(Revised Closure Date of 01/07/10)</u> is requested to complete closure activities.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.

BR realizes this does not relieve any of the requirements of Part 17.