District I 1625 N French Dr., Hobbs, NM 88240

1301 W Grand Ave , Artesia, NM 88210 District III

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr.

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

Form C-144

tanks, submit to the appropriate NMOCD District Office

1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	For permanent pits and exceptions submit to the Santa Fe
District IV 1220 S St Francis Dr., Santa Fe, NM 87505		Environmental Bureau office and provide a copy to the appropriate NMOCD District Office
UISU P	rit, Closed-Loop System, Below-Gr	
Propos	ed Alternative Method Permit or C	losure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grad	de tank, or proposed alternative method
	Closure of a pit, closed-loop system, below-gra	de tank, or proposed alternative method
<u>X</u>	Modification to an existing permit	•
	Closure plan only submitted for an existing per- below-grade tank, or proposed alternative meth	mitted or non-permitted pit, closed-loop system, and
Instructions: Please submit one appl		-loop system, below-grade tank or alternative request
	s request does not relieve the operator of liability should operator the operator of its responsibility to comply with any other applic	
1 Operator: Burlington Resources Oil &		OGRID#: 14538
Address: PO Box 4289, Farmington, N		
Facility or well name: HOWELL M 1F		
	45-34861 OCD Permit Nu	ımber.
U/L or Qtr/Qtr; C(NE/NW) Section:	31 Township: 030N Range:	008W County: San Juan
Center of Proposed Design: Latitude:	36.773133 °N Longitude:	107.717652 °W NAD: X 1927 1983
Surface Owner: X Federal	State Private Tribal Trust or In	ndian Allotment
X Pit: Subsection F or G of 19 15 17.11 Temporary: X Drilling Workov Permanent Emergency Cavin X Lined Unlined Liner X String-Reinforced Liner Seams: X Welded X Facto	er tation P&A type: Thickness 12 mil X LLDPE	HDPE PVC Other 1400 bbl Dimensions L 65' x W 45' x D 10'
	H of 19.15.17.11 NMAC Prilling a new well Workover or Drilling (Applie notice of intent)	es to activities which require prior approval of a permit or
Drying Pad Above Ground S Lined Unlined Liner ty Liner Seams: Welded Facto	Steel Tanks Haul-off Bins Other pe: Thickness mil LLDPE	
Below-grade tank: Subsection I of Volume:bbl	19.15.17.11 NMAC Type of fluid:	OIL CONS. DIV. DIST
Tank Construction material: Secondary containment with leak detect Visible sidewalls and liner Liner Type: Thickness	ion Visible sidewalls, liner, 6-inch lift and Visible sidewalls only Other mil HDPE PVC Other	
5 Alternative Method:		

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19 15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)					
Subsection 5 of 15 15.17.11 MMINE (Applies to permanent pit, temporary plus, and octors grade trans)					
Chain link, six feet in height, two strands of baibed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)					
Four foot height, four strands of barbed wire evenly spaced between one and four feet					
X Alternate Please specify 4' hogwire fence with a single strand of barbed wire on top.					
Netting: Subsection E of 19 15.17 11 NMAC (Applies to permanent puts and permanent open top tanks)					
Screen Netting Other					
Monthly inspections (If netting or screening is not physically feasible)					
8	***				
Signs: Subsection C of 19.15 17.11 NMAC					
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers					
X Signed in compliance with 19.15.3.103 NMAC					
9					
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance.					
Please check a box if one or more of the following is requested, if not leave blank:					
Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval (Fencing/BGT Liner)					
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.					
10					
Siting Criteria (regarding permitting): 19.15.17.10 NMAC					
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the	ı				
appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for	ı				
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Yes	□No			
- NM Office of the State Engineer - 1WATERS database search; USGS; Data obtained from nearby wells	□Vas				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).					
- Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	□No			
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	□NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No			
(Applied to permanent pits)	∐NA				
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	∐No			
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	∐No			
 Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. 	□Yes	□No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site					
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No			
Within an unstable area.	Yes	No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map		_			
Within a 100-year floodplain - FEMA map	Yes	No			

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17.9 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.					
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC					
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19 15 17 9					
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of					
19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API or Permit					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17.9					
Situng Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17.10 NMAC					
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC					
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC					
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15 17.9					
NMAC and 19 15.17.13 NMAC					
Previously Approved Design (attach copy of design) API					
Previously Approved Operating and Maintenance Plan API					
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC Sting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Limer Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nussance or Hazardous Odors, including H2S, Prevention Plan Gil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion					
14					
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative					
Proposed Closure Method Waste Excavation and Removal					
. Waste Removal (Closed-loop systems only)					
On-site Closure Method (only for temporary pits and closed-loop systems)					
☐ In-place Burnal ☐ On-site Trench					
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)					
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
1 L-1					

Form C-144 Oil Conservation Division Page 3 of 5

16				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Stee Instructions Please identify the facility or facilities for the disposal of liquids, drilling are required.		schues		
Disposal Facility Name:	Disposal Facility Permit #			
Dısposal Facility Name:	Disposal Facility Permit #			
Will any of the proposed closed-loop system operations and associated activities Yes (If yes, please provide the information No	es occur on or in areas that will not be used for future se	ervice and operations?		
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specification - based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate requirements of Subsection Plan - based upon the appropriate Plan - based upon the appr	ction I of 19.15.17.13 NMAC			
Siting Criteria (Regarding on-site closure methods only: 19.15.17 10 NMAI Instructions Each siting criteria requires a demonstration of compliance in the closure plant certain siting criteria may require administrative approval from the appropriate district office for consideration of approval Justifications and/or demonstrations of equivalency are required.	Recommendations of acceptable source material are provided belo or may be considered an exception which must be submitted to the			
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - twATERS database search; USGS Data obtained to the state of the s	ained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried waste	,	☐ ☐Yes ☐No		
- NM Office of the State Engineer - 1WATERS database search; USGS; Data obta		□N/A		
Ground water is more than 100 feet below the bottom of the buried waste.		☐ ☐Yes ☐No		
NM Office of the State Engineer - 1WATERS database search; USGS; Data obta	uned from nearby wells	□N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant	Yes No			
(measured from the ordinary high-water mark) - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo, satellite image		Yes No		
ristan inspection (estate attor) of the proposed site, sterial proto, satellite image		☐Yes ☐No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted Yes No				
pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality Widow 500 feet of a wester d.		□Yes □No		
 Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site 				
Within the area overlying a subsurface mine. - Written confirantion or verification or map from the NM EMNRD-Mining and I	Mineral Division	∐Yes ∐No		
Within an unstable area - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society,		Yes No		
Topographic map	<i>y</i>			
Within a 100-year floodplain FEMA map		Yes No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each by a check mark in the box, that the documents are attached.	of the following items must bee attached to the closur	e plan. Please indicate,		
·	te requirements of 19.15.17.10 NMAC			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17 11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
Site Rectamation Plan - based upon the appropriate requirements of Subsection G of 19.13.17.13 NMAC				

19 Operator Application Ce	ertification:				
I hereby certify that the infor	mation submitted with this application is true, acc	curate and complete to the	best of my knowledge and belief		
Name (Print):	Tamta Sessions	Title:	Staff Regulatory Technician		
Signature.	Tantem	Date	10-13-09		
e-mail address	sessitd@conocophillips.com	Telephone:	505-326-9834		
-	rmit Application (including closure plan)	Closure Plan (only)	OCD Conditions (see attachment)		
OCD Representative Sig	nature:		Approval Date:		
Title:	Ensin Spec	OCD Pern	nit Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed Closure Completion Date:					
22					
Closure Method: Waste Excavation an If different from appu	d Removal On-site Closure Method roved plan, please explain.	Alternative Closure	Method Waste Removal (Closed-loop systems only)		
23					
	Waste Removal Closure For Closed-loop System	ms That Utilize Above G	ound Steel Tanks or Haul-off Bins Only:		
	the facility or facilities for where the liquids, dr	illing fluids and drill cutti	ngs were disposed. Use attachment if more than two facilities		
were utilized. Disposal Facility Name:		Disposal Facility	Permit Number		
Disposal Facility Name:		Disposal Facility			
	tem operations and associated activities performed	•			
	emonstrate complilane to the items below)	No	•		
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation)					
Soil Backfilling and	Cover Installation				
Re-vegetation Applic	cation Rates and Seeding Technique				
24 Closure Report Attac the box, that the docume		llowing items must be atte	nched to the closure report. Please indicate, by a check mark in		
Proof of Closure N	otice (surface owner and division)				
=	ce (required for on-site closure)				
Plot Plan (for on-si	te closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)					
=	mpling Analytical Results (if applicable)				
l ≔ '	ame and Permit Number				
· ==	d Cover Installation				
	lication Rates and Seeding Technique				
On-site Closure Lo	Photo Documentation) cation: Latitude-	Longitude:	NAD 1927 1983		
Sit-site Closure Di					
Operator Closure Certification:					
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print):		Title:			
Signature:		Date:			
e-mail address		Telephone:			

Form C-144

BURLINGTON RESOURCES OIL & GAS COMPANY, LP San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Pit Closure Extension

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- BR did not meet the closure requirements specified in the referenced rule due to a deficiency in the system. Closure will be scheduled and initiated as soon as the sampling results are reviewed and pass for onsite closure.
- <u>(Revised Closure Date of 12/22/09)</u> is requested to complete closure activities.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.
- BR is waiting on sample results from Envirotech.

BR realizes this does not relieve any of the requirements of Part 17.