

DISTRICT I
1625 N. French Dr., Hobbs, N.M. 88240

DISTRICT II
1301 West Grand Avenue, Artesia, N.M. 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, N.M. 87410

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised October 12, 2005

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

"AS DRILLED PLAT"

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-34885	² Pool Code 71599 / 72319	³ Pool Name BASIN DAKOTA/BLANCO MESAVERDE
⁴ Property Code 7260	⁵ Property Name LEWIS PARK	⁶ Well Number 1M
⁷ OGRID No. 14538	⁸ Operator Name BURLINGTON RESOURCES OIL & GAS COMPANY LP	⁹ Elevation 6834'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	13	31-N	8-W		2445'	NORTH	1760'	EAST	SAN JUAN

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
I	13	31-N	8-W		2490'	SOUTH	730'	EAST	SAN JUAN

¹² Dedicated Acres DK 320.0 ACRES E 1/2 MV 320.0 ACRES E 1/2	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No. RCVD NOV 20 '09 OIL CONS. DIV.
---	-------------------------------	----------------------------------	--

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

¹⁶ SURFACE LAT: 36°53.8461' N. LONG: 107°37.4312' W. NAD 1927 LAT: 36.897439° N. LONG: 107.624463° W. NAD 1983	BLM "54" BC GLO "13" BC USA NM-82815 SURFACE 2572.79' N 89° 14' 51" W S 1° 51' 59" W 2445' 2600.07' 1760' 1085.4' S 77° 11' 43" E 730' 2490' 2561.48' N 0° 39' 42" W 2621.06' N 89° 25' 50" W W.C.	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or a working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Crystal Tafoya</i> 11/18/09 Signature Crystal Tafoya 11/18/09 Printed Name
¹⁸ BOTTOM HOLE		¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 5-2-08 Date of Survey Signature NEW MEXICO 15703 LICENSED PROFESSIONAL SURVEYOR <i>John W. Russell</i> Certificate Number 15703

Operator BURLINGTON RESOURCES OIL & GAS COMPANY LP	Legal WellName LEWIS PARK #1M	API / UWI 3004534885	County SAN JUAN	State/Province NEW MEXICO
Surface Legal Location 013-031N-008W-G	N/S Dist (ft) 2,445.00	N/S Ref FNL	E/W Dist (ft) 1,760.00	E/W Ref FEL

Survey Data

Date	MD (ftKB)	Incl (°)	Method	Survey Company
8/12/2009	267.00	0.14	MWD	Scientific Drilling
8/12/2009	298.00	0.35	MWD	Scientific Drilling
8/13/2009	328.00	0.20	MWD	Scientific Drilling
8/13/2009	359.00	0.36	MWD	Scientific Drilling
8/13/2009	389.00	0.85	MWD	Scientific Drilling
8/13/2009	420.00	1.70	MWD	Scientific Drilling
8/13/2009	451.00	2.60	MWD	Scientific Drilling
8/13/2009	481.00	3.42	MWD	Scientific Drilling
8/13/2009	512.00	4.17	MWD	Scientific Drilling
8/13/2009	543.00	4.81	MWD	Scientific Drilling
8/13/2009	573.00	5.53	MWD	Scientific Drilling
8/13/2009	604.00	6.18	MWD	Scientific Drilling
8/13/2009	634.00	6.79	MWD	Scientific Drilling
8/13/2009	664.00	7.30	MWD	Scientific Drilling
8/13/2009	695.00	7.90	MWD	Scientific Drilling
8/13/2009	744.00	8.84	MWD	Scientific Drilling
8/13/2009	834.00	10.33	MWD	Scientific Drilling
8/13/2009	879.00	10.82	MWD	Scientific Drilling
8/13/2009	924.00	11.63	MWD	Scientific Drilling
8/13/2009	969.00	12.24	MWD	Scientific Drilling
8/13/2009	1,014.00	13.02	MWD	Scientific Drilling
8/13/2009	1,059.00	13.83	MWD	Scientific Drilling
8/13/2009	1,104.00	14.60	MWD	Scientific Drilling
8/13/2009	1,149.00	15.57	MWD	Scientific Drilling
8/13/2009	1,194.00	16.66	MWD	Scientific Drilling
8/13/2009	1,239.00	17.65	MWD	Scientific Drilling
8/13/2009	1,284.00	18.96	MWD	Scientific Drilling
8/13/2009	1,329.00	19.60	MWD	Scientific Drilling
8/13/2009	1,374.00	20.44	MWD	Scientific Drilling
8/13/2009	1,419.00	20.99	MWD	Scientific Drilling
8/13/2009	1,464.00	21.13	MWD	Scientific Drilling
8/13/2009	1,509.00	21.43	MWD	Scientific Drilling
8/13/2009	1,554.00	21.59	MWD	Scientific Drilling
8/13/2009	1,599.00	21.41	MWD	Scientific Drilling
8/13/2009	1,644.00	21.14	MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data

Date	MD (ftKB)	Incl (°)	Method	Survey Company
8/13/2009	1,689.00	21.40	MWD	Scientific Drilling
8/13/2009	1,734.00	21.79	MWD	Scientific Drilling
8/13/2009	1,779.00	21.66	MWD	Scientific Drilling
8/13/2009	1,824.00	21.93	MWD	Scientific Drilling
8/13/2009	1,870.00	22.19	MWD	Scientific Drilling
8/13/2009	1,915.00	22.00	MWD	Scientific Drilling
8/13/2009	1,960.00	21.83	MWD	Scientific Drilling
8/13/2009	2,005.00	20.87	MWD	Scientific Drilling
8/13/2009	2,050.00	20.51	MWD	Scientific Drilling
8/13/2009	2,095.00	20.37	MWD	Scientific Drilling
8/13/2009	2,140.00	20.46	MWD	Scientific Drilling
8/13/2009	2,140.00	20.46	MWD	Scientific Drilling
8/13/2009	2,185.00	21.05	MWD	Scientific Drilling
8/13/2009	2,185.00	21.05	MWD	Scientific Drilling
8/13/2009	2,230.00	20.96	MWD	Scientific Drilling
8/13/2009	2,230.00	20.96	MWD	Scientific Drilling
8/13/2009	2,275.00	20.82	MWD	Scientific Drilling
8/13/2009	2,275.00	20.82	MWD	Scientific Drilling
8/13/2009	2,320.00	20.64	MWD	Scientific Drilling
8/13/2009	2,320.00	20.64	MWD	Scientific Drilling
8/13/2009	2,365.00	20.88	MWD	Scientific Drilling
8/13/2009	2,410.00	20.93	MWD	Scientific Drilling
8/13/2009	2,455.00	21.43	MWD	Scientific Drilling
8/13/2009	2,510.00	22.04	MWD	Scientific Drilling
8/13/2009	2,545.00	21.27	MWD	Scientific Drilling
8/13/2009	2,590.00	20.96	MWD	Scientific Drilling
8/14/2009	2,635.00	20.55	MWD	Scientific Drilling
8/14/2009	2,680.00	20.21	MWD	Scientific Drilling
8/14/2009	2,725.00	20.72	MWD	Scientific Drilling
8/14/2009	2,770.00	21.81	MWD	Scientific Drilling
8/14/2009	2,816.00	22.10	MWD	Scientific Drilling
8/14/2009	2,861.00	21.70	MWD	Scientific Drilling
8/14/2009	2,905.00	21.64	MWD	Scientific Drilling
8/14/2009	2,951.00	22.13	MWD	Scientific Drilling
8/14/2009	2,996.00	22.44	MWD	Scientific Drilling
8/14/2009	3,041.00	22.52	MWD	Scientific Drilling
8/14/2009	3,086.00	22.23	MWD	Scientific Drilling
8/14/2009	3,131.00	22.15	MWD	Scientific Drilling
8/14/2009	3,176.00	22.18	MWD	Scientific Drilling

I, the undersigned, certify that I acting in my capacity as _____ for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.

Subscribed and sworn to me this _____

Notary Public in and for San Juan County, New Mexico

My Commission expires _____

Survey Data

Date	MD (ftKB)	Incl. (°)	Method	Survey Company
8/14/2009	3,221.00	22.46	MWD	Scientific Drilling
8/14/2009	3,266.00	22.31	MWD	Scientific Drilling
8/14/2009	3,311.00	21.64	MWD	Scientific Drilling
8/14/2009	3,356.00	21.25	MWD	Scientific Drilling
8/14/2009	3,404.00	19.85	MWD	Scientific Drilling
8/14/2009	3,446.00	18.10	MWD	Scientific Drilling
8/14/2009	3,491.00	16.49	MWD	Scientific Drilling
8/14/2009	3,536.00	14.87	MWD	Scientific Drilling
8/14/2009	3,581.00	13.24	MWD	Scientific Drilling
8/14/2009	3,626.00	12.65	MWD	Scientific Drilling
8/14/2009	3,671.00	12.16	MWD	Scientific Drilling
8/14/2009	3,716.00	11.25	MWD	Scientific Drilling
8/14/2009	3,761.00	10.44	MWD	Scientific Drilling
8/14/2009	3,806.00	8.62	MWD	Scientific Drilling
8/14/2009	3,851.00	7.52	MWD	Scientific Drilling
8/14/2009	3,896.00	5.98	MWD	Scientific Drilling
8/14/2009	3,941.00	5.43	MWD	Scientific Drilling
8/14/2009	3,986.00	4.79	MWD	Scientific Drilling
8/14/2009	4,032.00	4.16	MWD	Scientific Drilling
8/27/2009	8,515.00	1.25	FINAL BHS	PHOENIX

RCVD NOV 20 '09

OIL CONS. DIV.

DIST. 3

I, the undersigned, certify that I acting in my capacity as Drilling Engineer for ConocoPhillips Company, am authorized by said Company to make this report; and that said report was prepared under my supervision and directions, and that the facts stated herein are true to the best of my knowledge and belief.


[Signature]

Subscribed and sworn to me this Nov 12, 2009

[Signature: Crystal L. Tapaya]

Notary Public in and for San Juan County, New Mexico

My Commission expires 10/12/2010



Scientific Drilling

RCVD NOV 20 '09

OIL CONS. DIV.

DIST. 3

BURLINGTON RESOURCES


Field: Lewis Park
Site: SEC 13-T31N-R8W
Well: Lewis Park #1M
Wellpath: DH - Job #33D0809136
Survey: 08/12/09-08/15/09
API # 30.045.34885

This survey is correct to the best of my knowledge
and is supported by actual field data.

.....*Richardson*..... Company Representative

Notorized this date 22nd of September, 2009.

Carrie Reed
Notary Signature
County of Midland
State of Texas





Scientific
Drilling

Scientific Drilling International COP Survey Report

Company: BURLINGTON RESOURCES	Date: 09/21/2009	Time: 12:12:57	Page: 1
Field: Lewis Park	Co-ordinate(NE) Reference:	Site: SEC 13-T31N-R8W, True North	
Site: SEC 13-T31N-R8W	Vertical (TVD) Reference:	System: Mean Sea Level	
Well: Lewis Park #1M	Section (VS) Reference:	Well (0.00N,0.00E,102.89Azi)	
Wellpath: DH - Job #33D0809136	Survey Calculation Method: Minimum Curvature	Db: Sybase	

Survey: 08/12/09-08/15/09	Start Date: 08/12/2009
E-field 0'-4228'	
Company: Scientific Drilling Internatio	Engineer: Lowe/Richey/Lockard/Kasbaum
Tool: E-field;E-field	Tied-to: From Surface

Site: SEC 13-T31N-R8W

Site Position:	Northing: 2145997.38 ft	Latitude: 36 53 50.927 N
From: Map	Easting: 561253.45 ft	Longitude: 104 7 25.866 W
Position Uncertainty: 0.00 ft	North Reference: True	
Ground Level: 6834.00 ft	Grid Convergence: 0.13 deg	

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
267.00	0.14	333.55	267.00	-0.21	0.29	-0.15	0.05	0.33	333.55
298.00	0.35	314.41	298.00	-0.31	0.39	-0.23	0.72	0.45	329.63
328.00	0.24	347.55	328.00	-0.42	0.52	-0.31	0.66	0.60	329.18
359.00	0.36	95.18	359.00	-0.35	0.57	-0.23	1.58	0.62	338.47
389.00	0.85	96.86	389.00	-0.03	0.54	0.09	1.63	0.54	9.40
420.00	1.70	97.91	419.99	0.65	0.45	0.77	2.74	0.89	59.98
451.00	2.60	102.83	450.97	1.81	0.23	1.91	2.96	1.93	83.23
481.00	3.42	103.87	480.93	3.39	-0.14	3.45	2.74	3.45	92.30
512.00	4.17	104.40	511.86	5.44	-0.64	5.44	2.42	5.47	96.72
543.00	4.81	105.48	542.76	7.87	-1.27	7.78	2.08	7.88	99.26
573.00	5.53	104.90	572.64	10.57	-1.98	10.39	2.41	10.57	100.76
604.00	6.18	104.89	603.48	13.73	-2.79	13.44	2.10	13.73	101.72
634.00	6.79	105.59	633.29	17.11	-3.68	16.71	2.05	17.11	102.42
664.00	7.30	105.51	663.06	20.79	-4.67	20.26	1.70	20.79	102.97
695.00	7.90	105.12	693.79	24.89	-5.75	24.21	1.94	24.89	103.35
744.00	8.84	103.27	742.26	32.02	-7.49	31.13	2.00	32.02	103.53
789.00	9.77	101.08	786.67	39.29	-9.02	38.24	2.21	39.29	103.27
834.00	10.33	101.26	830.98	47.14	-10.54	45.94	1.25	47.14	102.92
879.00	10.82	100.79	875.22	55.39	-12.12	54.05	1.11	55.39	102.64
924.00	11.63	100.17	919.36	64.14	-13.71	62.66	1.82	64.15	102.34
969.00	12.24	99.10	963.38	73.43	-15.27	71.84	1.44	73.44	102.00
1014.00	13.02	98.44	1007.29	83.25	-16.76	81.56	1.76	83.27	101.61
1059.00	13.83	99.35	1051.06	93.67	-18.38	91.89	1.86	93.71	101.31
1104.00	14.60	99.19	1094.69	104.70	-20.16	102.79	1.71	104.75	101.10
1149.00	15.57	101.12	1138.13	116.40	-22.23	114.32	2.43	116.46	101.01
1194.00	16.66	102.30	1181.37	128.88	-24.77	126.55	2.53	128.95	101.08
1239.00	17.65	102.80	1224.36	142.15	-27.66	139.50	2.22	142.22	101.21
1284.00	18.96	102.07	1267.09	156.29	-30.70	153.30	2.96	156.35	101.32
1329.00	19.60	103.38	1309.56	171.14	-33.97	167.79	1.72	171.20	101.45
1374.00	20.44	106.23	1351.84	186.54	-37.92	182.68	2.86	186.58	101.73
1419.00	20.99	106.69	1393.93	202.42	-42.43	197.95	1.27	202.44	102.10
1464.00	21.13	105.47	1435.93	218.57	-46.90	213.48	1.02	218.58	102.39
1509.00	21.43	104.59	1477.86	234.89	-51.14	229.26	0.97	234.89	102.57
1554.00	21.59	104.40	1519.73	251.38	-55.27	245.23	0.39	251.38	102.70
1599.00	21.41	103.84	1561.59	267.87	-59.29	261.23	0.61	267.87	102.79
1644.00	21.14	102.59	1603.53	284.20	-63.03	277.12	1.17	284.20	102.81
1689.00	21.40	101.39	1645.46	300.52	-66.42	293.09	1.13	300.52	102.77
1734.00	21.79	101.32	1687.30	317.07	-69.68	309.33	0.87	317.08	102.69
1779.00	21.66	101.85	1729.11	333.73	-73.02	325.64	0.52	333.73	102.64
1824.00	21.93	101.99	1770.89	350.43	-76.47	341.99	0.61	350.44	102.60
1870.00	22.19	101.84	1813.52	367.71	-80.04	358.89	0.58	367.71	102.57



Scientific Drilling International


COP Survey Report

Company: BURLINGTON RESOURCES
 Field: Lewis Park
 Site: SEC 13-T31N-R8W
 Well: Lewis Park #1M
 Wellpath: DH - Job #33D0809136

Date: 09/21/2009 Time: 12:12:57 Page: 2
 Co-ordinate(NE) Reference: Site: SEC 13-T31N-R8W, True North
 Vertical (TVD) Reference: System: Mean: Sea Level
 Section (VS) Reference: Well (0.00N,0.00E,102.89Azi)
 Survey Calculation Method: Minimum Curvature Db: Sybase


Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
1915.00	22.00	102.79	1855.22	384.63	-83.65	375.43	0.90	384.64	102.56
1960.00	21.83	102.03	1896.97	401.43	-87.26	391.83	0.73	401.43	102.55
2005.00	20.87	101.04	1938.88	417.80	-90.54	407.88	2.28	417.81	102.51
2050.00	20.51	101.05	1980.98	433.69	-93.58	423.49	0.80	433.71	102.46
2095.00	20.37	100.21	2023.14	449.40	-96.48	438.93	0.72	449.41	102.40
2140.00	20.46	100.79	2065.32	465.08	-99.34	454.37	0.49	465.10	102.33
2185.00	21.05	100.78	2107.40	481.01	-102.33	470.03	1.31	481.04	102.28
2230.00	20.96	101.37	2149.41	497.14	-105.42	485.86	0.51	497.17	102.24
2275.00	20.82	101.99	2191.45	513.18	-108.67	501.58	0.58	513.21	102.22
2320.00	20.64	102.19	2233.53	529.11	-112.01	517.15	0.43	529.14	102.22
2365.00	20.88	103.30	2275.61	545.06	-115.53	532.71	1.02	545.09	102.24
2410.00	20.93	102.40	2317.65	561.11	-119.10	548.36	0.72	561.15	102.25
2455.00	21.43	101.99	2359.61	577.37	-122.53	564.25	1.16	577.40	102.25
2500.00	21.42	101.84	2401.50	593.80	-125.93	580.34	0.12	593.84	102.24
2545.00	21.27	102.14	2443.41	610.18	-129.33	596.36	0.41	610.22	102.24
2590.00	20.96	101.63	2485.39	626.39	-132.67	612.22	0.80	626.43	102.23
2635.00	20.55	100.53	2527.47	642.33	-135.73	627.87	1.26	642.37	102.20
2680.00	20.21	104.72	2569.66	657.99	-139.15	643.15	3.33	658.04	102.21
2725.00	20.72	102.18	2611.82	673.72	-142.81	658.45	2.28	673.76	102.24
2770.00	21.81	102.45	2653.75	690.04	-146.29	674.40	2.43	690.08	102.24
2816.00	22.10	102.21	2696.42	707.24	-149.96	691.20	0.66	707.28	102.24
2861.00	21.70	101.87	2738.17	724.02	-153.46	707.62	0.93	724.06	102.24
2905.00	21.64	101.55	2779.06	740.26	-156.76	723.52	0.30	740.31	102.22
2951.00	22.13	101.89	2821.75	757.40	-160.24	740.31	1.10	757.46	102.21
2996.00	22.44	104.92	2863.39	774.46	-164.20	756.91	2.64	774.51	102.24
3041.00	22.52	104.11	2904.97	791.66	-168.51	773.56	0.71	791.71	102.29
3086.00	22.23	104.03	2946.58	808.79	-172.68	790.18	0.65	808.83	102.33
3131.00	22.15	103.09	2988.25	825.78	-176.66	806.70	0.81	825.82	102.35
3176.00	22.18	102.40	3029.92	842.76	-180.41	823.26	0.58	842.80	102.36
3221.00	22.46	101.92	3071.55	859.85	-184.01	839.97	0.74	859.88	102.36
3266.00	22.31	101.67	3113.16	876.98	-187.51	856.74	0.39	877.02	102.35
3311.00	21.64	100.74	3154.89	893.81	-190.79	873.26	1.68	893.86	102.32
3356.00	21.25	100.82	3196.77	910.25	-193.86	889.42	0.87	910.30	102.30
3401.00	19.85	103.38	3238.91	926.04	-197.16	904.86	3.70	926.10	102.29
3446.00	18.10	104.73	3281.46	940.67	-200.71	919.06	4.01	940.72	102.32
3491.00	16.49	105.25	3324.43	954.04	-204.17	931.98	3.59	954.08	102.36
3536.00	14.87	104.83	3367.75	966.19	-207.32	943.73	3.61	966.23	102.39
3581.00	13.24	103.17	3411.40	977.12	-209.98	954.33	3.73	977.15	102.41
3626.00	12.65	102.50	3455.26	987.20	-212.22	964.15	1.35	987.23	102.41
3671.00	12.16	101.69	3499.21	996.86	-214.24	973.61	1.16	996.90	102.41
3716.00	11.25	100.53	3543.27	1005.99	-216.01	982.56	2.09	1006.03	102.40
3761.00	10.44	97.40	3587.47	1014.43	-217.33	990.92	2.22	1014.48	102.37
3806.00	8.62	94.03	3631.85	1021.82	-218.09	998.33	4.23	1021.87	102.32
3851.00	7.52	95.50	3676.40	1028.08	-218.61	1004.63	2.49	1028.14	102.28
3896.00	5.98	98.70	3721.09	1033.34	-219.25	1009.87	3.52	1033.40	102.25
3941.00	5.43	101.42	3765.86	1037.80	-220.03	1014.28	1.36	1037.87	102.24
3986.00	4.79	105.05	3810.68	1041.81	-220.94	1018.18	1.59	1041.87	102.24
4032.00	4.16	110.59	3856.54	1045.38	-222.02	1021.60	1.66	1045.44	102.26
4077.00	3.51	117.76	3901.44	1048.33	-223.24	1024.34	1.79	1048.39	102.29
4122.00	2.83	124.82	3946.37	1050.69	-224.51	1026.47	1.74	1050.74	102.34
4167.00	2.51	124.97	3991.33	1052.63	-225.71	1028.19	0.71	1052.68	102.38
4228.00	2.22	124.56	4052.27	1054.97	-227.15	1030.26	0.48	1055.00	102.43




Scientific
Drilling

Field: Lewis Park
Site: SEC 13-T31N-R8W
Well: Lewis Park #1M
Wellpath: DH - Job #33D0809136
Survey: 08/12/09-08/15/09



South(-)/North(+) [200ft/in]



West(-)/East(+) [200ft/in]


LEWIS PARK #1M

Burlington Resources Oil & Gas Company, LP

Most Recent Job

Jobs	Primary Job Type	Secondary Job Type	Actual Start Date	End Date
Job Category	INITIAL COMPLETION	INITIAL COMPLETION	9/2/2009	11/4/2009
COMPLETIONS				

Well Config: DEVIATED - Original Hole, 11/11/2009 7:18:37 AM



RCVD NOV 20 '09
OIL CONS. DIV.
DIST. 3