District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W Grand Ave , Artesia, NM 88210

District III

1000 Rio Biazos Rd , Aztec, NM 87410

District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 July 21, 2008 For temporary pits, closed-loop sytems, and below-grade

tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

U	70	١
٦	\rightarrow \cap	١

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

	Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method X Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instru	ons: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the vironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
i Operator:	urlington Resources Oil & Gas Company, LP OGRID#: 14538
Address:	O Box 4289, Farmington, NM 87499
Facility o	ell name: LESTER 100S
API Nun	:: 30-045-34893 OCD Permit Number:
U/L or Q	
	posed Design: Latitude: 36.84569 °N Longitude: 107.97212 °W NAD: 1927 X 1983
Surface C	er: Federal State X Private Tribal Trust or Indian Allotment
X Strir Liner S	einforced s: X Welded X Factory Other Volume: 4400 bbl Dimensions L 65' x W 45' x D 10'
Type of	eration: Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
D Liner Se	g Pad Above Ground Steel Tanks Haul-off Bins Other Unlined Liner type: Thickness mil LLDPE HDPE PVD Other Welded Factory Other
Volume	
Seco	bbl
	native Method: an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19 15 17 11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of bailed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of bailed wire evenly spaced between one and four feet X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top. Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible) Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
Signed in compliance with 19.15.3.103 NMAC			
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system. Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa	☐Yes ☐No		
lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No NA Yes No NA		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - 1WATERS database search; Visual inspection (certification) of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain	Yes No Yes No Yes No Yes No Yes No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.13.17.11 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19 15.17 9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
12				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions. Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15 17 9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17 12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19 15 17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC				
14				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative Proposed Closure Method. Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures, based when the appropriate requirements of 10.15.17.13 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
Site Resignation Figure - based upon the appropriate requirements of Subsection C of 17.13.17 13 1491AC				

Form C-144 Oil Conservation Division Page 3 of 5

Mask Remoyal Cloquer For Cloquid-loop Systems That Ullina Above Ground Seed Tanks or Tanks	16				
Disposal Facility Name. Disposal Facility	Instructions: Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will now be used for future service and operations? Yes. [Iys., blaze provide the information No No Required for impreted areas which will now he used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection of 19 15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection of 19 15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection of 19 15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection of 19 15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection of 19 15.17.13 NMAC Instructions: Subsection For 19.15.17.13 NMAC Proposed Activation of the Proposed size Proposed Subsection of the Courter Plan Proposed Activation of the Courter Plan Proposed Activation of the Courter Plan Proposed Activation Proposed Proposed Activation P	Disposal Facility Name: Disposal Facility Permit #:				
Yes (If yes, Iplease provide the information No	Disposal Facility Name Disposal Facility Permit #				
Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection 1 of 19 15 17 13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection F of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection F of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of 19 15 17 18 NMAC Size Reclamation Plan - based upon the appropriate requirements of Subsection		be used for future service and	operations?		
Sition Criteria (Regarding on-site closure methods only; 1) 15.17.10 NMAC Instructure. Each situs creame requires a demonstration of compliance in the closure plan. Recommendations of incerptable sources material are provided below. Requests regarding, changes to certificate many require administrative approach from the oppositive district office or must be considered as exceptions which must be submitted to the Santa Fe Enterronmonth flureats office or must be considered as exceptions which must be submitted to the Santa Fe Enterronmonth flureats office or must be considered as exceptions which must be submitted to the Santa Fe Enterronmonth flureats office or must be considered as exceptions which must be submitted to the Santa Fe Enterronmonth flureats office or must be considered as exceptions which must be submitted to the Santa Fe Enterronmonth flureats office or must be considered as exceptions which must be submitted to the Santa Fe Enterronmonth flureats office or must be considered as exceptions which must be submitted from feel below the Bottom of the buried waste. NAM Office of the State Engineer - WATERS database search; USGS: Data obtained from nearby wells NAM Office of the State Engineer - WATERS database search; USGS: Data obtained from nearby wells NAM Writhin 300 feet of a continuously flowing watercurume, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake Writhin 100 feet of the Santa Engineer - WATERS database search; USGS: Data obtained from nearby wells Writhin 100 feet of may appear and the submitted of the proposed site. Area photo, satellite unage Writhin 100 feet of may appear and the submitted of the initial application. - Visual inspection (certification) of the proposed site. Area photo, satellite unage Writhin 100 horizontal feet of any other fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 100 horizontal feet of any other fresh water well or spring in tested to the createst o	Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15.17.13 NMAC				
Sting Criteria (Regarding on-site closure methods only: 19 15.17.10 NMAC homeans to be taked greater require a demonstration of consideration and completes that create the consideration of acceptable source meterial are provided below. Requesting a characterial and provided provide					
NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells Ground water is between 50 and 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS: Data obtained from nearby wells NMA Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet for an permanent residence, school, hospital, institution, or church in existence at the time of unital application. Visual inspection (certification) of the proposed site, Aerial photo, satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the unital application. NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site Within neoporated municapal boundaries or within a defined municipal fresh water well fresh ovater well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Within 500 feet of a welland Us Fish and Widthir Welfand Identification from the municipality, Written approval obtained from the municipality Within the area overlying a subsurface mine. Within the area overlying as subsurface mine. Within an unstable area. Engineering measures incorporated into the design: NM Bureau of Geology & Mineral Resources; USGS: NM Geological Society; Tepographic map Within a 100-year floodplain. Engineering measures incorporated into the design: NM Bureau of Geology & Mineral Resourc	Siting Criteria (Regarding on-site closure methods only: 19 15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan-Recommendations of acceptable source material are provided below-Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office				
Ground water is between 50 and 100 feet below the bottom of the buried waste NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells NNA Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or takebed, sinkhole, or playa take (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site, Aerial photo, satellite image Yes No Within 500 horizontal feet of a private, domestic fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - IWATERS database. Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - IWATERS database. Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978. Section 3-27-3, as amended. Writen confirmation or verification from the municipality, Writen approval obtained from the municipality Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within an unstable area. Writen confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within a nunstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geologica		∐Y	es [No		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Ground water is more than 100 feet below the bottom of the burned waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic mair; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of imitial application. - Visual inspection (certification) of the proposed site, Aerial photo, satellite image Yes	- NM Office of the State Engineer - tWATERS database search; USGS: Data obtained from nearby wells	l []N	'A		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - (WATERS database search; USGS; Data obtained from nearby wells. Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site, Aerial photo, satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - (WATERS database, Visual inspection) (certification) of the proposed site Within incorporated municipal boundanes or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface misne. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. - FEMA map - Sitie Closure Plan Checklist; (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the document	Ground water is between 50 and 100 feet below the bottom of the buried waste	Γ	es No		
NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site, Aerial photo, satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - IWATERS database, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society: Topographic map Within a 100-year floodplain. FEMA map Within the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC	- NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	l 🔲	/A		
NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site, Aerial photo, satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - IWATERS database, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society: Topographic map Within a 100-year floodplain. FEMA map Within the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC	Ground water is more than 100 feet below the hottom of the buried waste		es \square_{No}		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site, Aerial photo, satellite image Yes No					
(measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site, Aerial photo, satellite image Yes	•		^ _		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site, Aerial photo, satellite image Yes	(measured from the ordinary high-water mark).	or playa lake	es No		
Visual inspection (certification) of the proposed site, Aerial photo, satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. NM Office of the State Engineer - IWATERS database, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Within 500 feet of a wetland - Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. - FEMA map 18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application. - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mune. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. - FEMA map - FEMA map - Is On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.13 NMAC		Y	es No		
pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality, Written approval obtained from the municipality Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (cettification) of the proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. FEMA map Bon-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC	Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application.				
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. - FEMA map 18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC	pursuant to NMSA 1978, Section 3-27-3, as amended.				
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. - Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. - FEMA map 18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC	* * *		s □No		
- Written confirantion or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. - FEMA map 18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC					
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. - FEMA map 18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC	Within the area overlying a subsurface mine.	П	es No		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain FEMA map 18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC	- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division		_		
Topographic map Within a 100-year floodplain. - FEMA map 18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC	Within an unstable area.	Y	es No		
Within a 100-year floodplain. - FEMA map 18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC	· · · · · · · · · · · · · · · · · · ·	cal Society;			
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC	Within a 100-year floodplain.	Y	es No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must bee attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC	18	- <u> </u>			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC		tached to the closure plan. Pl	ease indicate,		
	Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC				
	Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17 13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15.17.11 NMAC					
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15 17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drıll cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					

Form C-144 Oil Conservation Division Page 4 of 5

19	, , , , , , , , , , , , , , , , , , ,				
Operator Application Certify that the information	dication: tion submitted with this application is true, ac	curate and complete to the	best of my knowledge and belief		
Name (Print)	Tamra Sessions	Title.	Staff Regulatory Technician		
Signature:	Tomaseria	Date	11-409		
e-mail address.	sessitd@conocophillips.com	Telephone.	505-326-9834		
	it Application (including closure plan)	-	OCD Conditions (see attachment)		
OCD Representative Signa	ture:		Approval Date: ///24/04		
Title:	Enviro Ispec	OCD Perm	uit Number:		
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed Closure Completion Date:					
22					
Closure Method: Waste Excavation and F If different from approve	——	Alternative Closure	Method Waste Removal (Closed-loop systems only)		
	- Praint Praint - Pra				
	aste Removal Closure For Closed-loop Syste e facility or facilities for where the liquids, di		ound Steel Tanks or Haul-off Bins Only: ngs were disposed. Use attachment if more than two facilities		
Disposal Facility Name:		Disposal Facility	Permit Number:		
Disposal Facility Name:		Disposal Facility	Permit Number:		
Were the closed-loop system	operations and associated activities performe	d on or in areas that will no	be used for future service and operations?		
Yes (If yes, please demo	onstrate complilane to the items below)	No			
Required for impacted areas Site Reclamation (Photo	which will not be used for future service and Documentation)	operations:	(n		
Soil Backfilling and Co					
Re-vegetation Applicati	on Rates and Seeding Technique				
the box, that the documents Proof of Closure Notice Proof of Deed Notice Plot Plan (for on-site of Confirmation Sampling Waste Material Sampling Disposal Facility Name Soil Backfilling and Confirmation Application	are attached. ce (surface owner and division) (required for on-site closure) closures and temporary pits) ag Analytical Results (if applicable) ting Analytical Results (if applicable) ae and Permit Number cover Installation attion Rates and Seeding Technique	ollowing items must be atta	ched to the closure report. Please indicate, by a check mark in		
Site Reclamation (Pho		* *	NAD [] 1027 [] 1022		
On-site Closure Locat	ion. Latitude.	Longitude:	NAD		
25					
Operator Closure Certification: Thereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan					
Name (Print):		Title:			
Signature:		Date:			
e-mail address:		Telephone:			

Burlington Resources Oil & Gas Company, LP San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Pit Closure Extension

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- BR did not meet the closure requirements specified in the referenced rule due to a deficiency in the system. Closure will be scheduled and initiated as soon as the sampling results are reviewed and pass for onsite closure.
- <u>(Revised Closure Date of 02/03/10)</u> is requested to complete closure activities.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.
- BR is waiting on sampling results from Envirotech.

BR realizes this does not relieve any of the requirements of Part 17.