District I

1625 N. French Dr., Hobbs, NM 88240

District II

District III

1301 W. Grand Ave., Artesia, NM 88210

1000 Rio Brazos Rd, Aztec, NM 87410

State of New Mexico Energy Minerals and Natural Resources

> Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office.

Form C-144

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	•	appropriate NMOCD District Of	ffice
47711	Pit, Closed-Loop System	, Below-Grade Tank, or	,
Prop		Permit or Closure Plan Application	<u>n</u> ·
Type of action:	Permit of a pit, closed-loop sys	stem, below-grade tank, or proposed alternative	method
		stem, below-grade tank, or proposed alternative	
	X Modification to an existing per	mit	
	Closure plan only submitted for below-grade tank, or proposed	or an existing permitted or non-permitted pit, clo alternative method	osed-loop system,
Instructions: Please submit one a	pplication (Form C-144) per individ	dual pit, closed-loop system, below-grade tank	or alternative request
		oility should operations result in pollution of surface water, ground that any other applicable governmental authority's rules, regulat	
1 Operator: ConocoPhillips Compan	y	OGRID#: 217817	
Address: PO Box 4289, Farmington			
Facility or well name: SAN JUAN	30-5 UNIT 96M & 96N		
API Number: 3003930	0695 & 3003930630	OCD Permit Number:	
U/L or Qtr/Qtr: E(SW/NW) Secti	on: 28 Township: 30N	Range: 5W County: Rio Arr	iba
Center of Proposed Design: Latitud	e: 36.784746 °N	Longitude: 107.371085 °W N	IAD: 1927 X 1983
Surface Owner: X Federal	State Private Tr	ribal Trust or Indian Allotment	
Permanent Emergency C X Lined Unlined L X String-Reinforced	7.11 NMAC rkover Cavitation P&A iner type: Thickness 20 mil factory Other	X LLDPE HDPE PVC Other Volume: 7700 bbl Dimensions L 120'	x W <u>55'</u> x D <u>12'</u>
Type of Operation: P&A Drying Pad Above Ground Lined Unlined Line	tion H of 19.15.17 11 NMAC Drilling a new well Workover o notice of int and Steel Tanks Haul-off Bins er type: Thickness mil	or Drilling (Applies to activities which require prior a tent) Other LLDPE HDPE PVD Other	BECEN (7-2)
Below-grade tank: Subsection Volume: Tank Construction material:	I of 19.15.17.11 NMAC	3101127	OIL CONS. DIV. DIST. 3
Secondary containment with leak d Visible sidewalls and liner Liner Type: Thickness		er, 6-inch lift and automatic overflow shut-off ther Other	153420
Alternative Method:	211111111111111111111111111111111111111		
Submittal of an exception request is re-	quired. Exceptions must be submitted to	the Santa Fe Environmental Bureau office for consi	deration of approval

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
Signs: Subsection C of 19.15.17.11 NMAC 12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC	-			
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval. (Fencing/BGT Liner) Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		6		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No		
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applied to permanent pits)	Yes	No		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No		
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes	No		
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	Yes	No		
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	□No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	∐No		
Within a 100-year floodplain - FEMA map	Yes	No		

Form C-144 Oil Conservation Division Page 2 of 5

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment ChecklistSubsection B of 19.15.17.9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached Hydrogeologic Penort (Polovy grade Tenks), become upon the requirements of Penggraph (4) of Subsection P. of 10.15.17.0 NIMAC				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Situng Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogoologic Data (only for an either leaves), based upon the requirements of Personnah (2) of Subsection P. of 10.15.17.0				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API				
Previously Approved Operating and Maintenance Plan API				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC				
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.				
Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16 '				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground	Steel Tanks or Haul-off Bins Only: (19.15 17.13.D NMAC)			
Instructions Please identify the facility or facilities for the disposal of liquids, drill facilities are required	ing fluids and drill cultings. Use altachment if more than two	'		
Disposal Facility Name:	Disposal Facility Permit #:	İ		
Disposal Facility Name:				
Will any of the proposed closed-loop system operations and associated act				
Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specification - based upon the appr		IMAC		
Re-vegetation Plan - based upon the appropriate requirements of Sub	•	IMAC		
Site Reclamation Plan - based upon the appropriate requirements of S				
	7,000			
17 Siting Criteria (Regarding on-site closure methods only: 19 15.17 10 NM Instructions Each string criteria requires a demonstration of compliance in the closure plan certain string criteria may require administrative approval from the appropriate district office office for consideration of approval Justifications and/or demonstrations of equivalency are	Recommendations of acceptable source material are provided below or may be considered an exception which must be submitted to the S			
Ground water is less than 50 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - tWATERS database search; USGS. Data	obtained from nearby wells	N/A		
Ground water is between 50 and 100 feet below the bottom of the buried w	vaste	Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS; Data of	btained from nearby wells	□N/A		
Ground water is more than 100 feet below the bottom of the buried waste.		Yes No		
- NM Office of the State Engineer - iWATERS database search, USGS; Data of	btained from nearby wells	N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign (measured from the ordinary high-water mark).	nificant watercourse or lakebed, sinkhole, or playa lake	☐Yes ☐No		
- Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church	••	Yes No		
- Visual inspection (certification) of the proposed site; Aerial photo; satellite im	age	□Vec □No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less purposes, or within 1000 horizontal fee of any other fresh water well or spring, in e. - NM Office of the State Engineer - iWATERS database, Visual inspection (cer	xistence at the time of the initial application.			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality		Yes No		
Within 500 feet of a wetland	obtained from the municipality	□Yes □No		
- US Fish and Wildlife Wetland Identification map; Topographic map, Visual i	nspection (certification) of the proposed site			
Within the area overlying a subsurface mine.		Yes No		
- Written confiramtion or verification or map from the NM EMNRD-Mining an	d Mineral Division			
Within an unstable area.		Yes No		
 Engineering measures incorporated into the design, NM Bureau of Geology & Topographic map 	Mineral Resources; USGS, NM Geological Society;			
Within a 100-year floodplain FEMA map		Yes No		
18				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Eaby a check mark in the box, that the documents are attached.	ch of the following items must bee attached to the clo	sure plan. Please indicate,		
Siting Criteria Compliance Demonstrations - based upon the approp	priate requirements of 19.15.17.10 NMAC			
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate require	<u>. </u>			
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Su				
Site Reclamation Plan - based upon the appropriate requirements of	Subsection G of 19 15 17 13 NMAC			

Form C-144 Oil Conservation Division Page 4 of 5

19 ·
Decrator Application Certification: I hereby certify that the information submitted with this application is true facculate and complete to the best of my knowledge and belief.
Name (Print): \$taff Regulatory Technician
Signature: Date: 14 10
e-mail address: marle e paramillo@conocophillips.com Telephone: 505-326-9865
20 OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Approval Date: 3/15/10
Title: Enviro/5pec OCD Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17 13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:
22
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
23 <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24 <u>Closure Report Attachment Checklist:</u> Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude: NAD 1927 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Title:
Signature: Date:
e-mail address: Telephone:

Form C-144 Oil Conservation Division Page 5 of 5

ConocoPhillips Company San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- As required by the Surface Owner and/or Surface Managing Agency (e.g. BLM, USFS, Tribal), COP can not conduct construction or similar activities during Seasonal Closures and therefore can not meet the closure requirements specified in the referenced rule. Completion of the well and Closure will be scheduled and initiated as soon as the Seasonal Closure is lifted.
- <u>(Revised Closure 02/24/10)</u> needed due to Surface Owner restriction and limitation.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.

COP realizes this does not relieve any of the requirements of Part 17.