1625 N French Dr , Hobbs, NM 88240

District II

 $1301\;W\;$  Grand Ave , Artesia, NM  $\;88210\;$ 

District III

1000 Rio Brazos Rd, Aztec, NM 87410

## State of New Mexico **Energy Minerals and Natural Resources**

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008 For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

Form C-144

For permanent pits and exceptions' submit to the Santa Fe

<u>District IV</u> 1220 S St Francis Dr , Santa Fe, NM 87505			OCD District Office
4779	Pit, Closed-Loop Syste	m, Below-Grade Tank, or	•
Prop	osed Alternative Method	l Permit or Closure Plan A	<u>application</u>
Type of action:	Permit of a pit, closed-loop s	ystem, below-grade tank, or propose	d alternative method
	Closure of a pit, closed-loop	system, below-grade tank, or propos	ed alternative method
	X Modification to an existing p	ermit	
		for an existing permitted or non-perm	nitted pit, closed-loop system,
Landau adama Diama at 1	below-grade tank, or propose		
		Viauai pii, closea-loop system, belot liability should operations result in pollution of	w-grade tank or alternative request
		ly with any other applicable governmental author	· <del>-</del>
1 Operator: ConocoPhillips Compar	nv	OGRID#: 2	217817
Address: PO Box 4289, Farmingt		OGRID#. <u>2</u>	17617
Facility or well name: SAN JUAN			
	30-039-30708	OCD Permit Number.	
U/L or Qtr/Qtr: D(NW/NW) Sect	<del></del>		aty: Rio Arriba
Center of Proposed Design: Latitud			7412 °W NAD: 1927 X 1983
Surface Owner: X Federal	State Private	Tribal Trust or Indian Allotment	
Permanent Emergency X Lined Unlined I X String-Reinforced	orkover  Cavitation P&A  Liner type Thickness 20 m  Factory Other		C Other sions L, <u>120'</u> x W <u>55'</u> x D <u>12'</u>
Type of Operation P&A Drying Pad Above Gro	ction H of 19 15 17 11 NMAC  Drilling a new well Workove notice of und Steel Tanks Haul-off Bins ter type Thickness miles	Other	require prior approval of a permit or  Other  RECENTION
Liner Seams Welded I	Factory Other		RECEIVED TO
4 Below-grade tank: Subsection Volume Tank Construction material.	I of 19 15 17 11 NMAC bbl Type of fluid:		Shut-off Secrit Secret
Secondary containment with leak d  Visible sidewalls and liner  Liner Type Thickness		oner, 6-inch lift and automatic overflow s Other Other	chut-off FS ESI — 1E OE 61
5 Alternative Method:	The state of the s	1 11 2	

Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

6				
Fencing: Subsection D of 19 15 17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)				
Cham link any fact in bought two strands of bashed wine of tan (Passived Manufal within 1000 feet of a name with an day of bashed within a native to				
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)				
Four foot height, four strands of barbed wire evenly spaced between one and four feet  X Alternate Please specify 4' hogwire fence with a single strand of barbed wire on top.				
X Alternate Please specify 4' hogwire fence with a single strand of barbed wire on top.				
7				
Netting: Subsection E of 19 15 17 11 NMAC (Applies to permanent pits and permanent open top tanks)				
Screen Netting Other				
Monthly inspections (If netting or screening is not physically feasible)				
8				
Signs: Subsection C of 19 15 17 11 NMAC				
12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
X Signed in compliance with 19.15 3 103 NMAC				
Expigned in compitance with 17.12 3 to 3 to 4.47.6				
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 10.15.17 NIMAC for guidance.				
Justifications and/or demonstrations of equivalency are required Please refer to 19 15.17 NMAC for guidance				
Please check a box if one or more of the following is requested, if not leave blank:	donation of an	n.m.n.v.n.l		
Administrative approval(s) Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consi (Fencing/BGT Liner)	deration of ap	provai		
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval				
10				
Siting Criteria (regarding permitting). 19.15.17.10 NMAC				
Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable				
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for				
consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria				
does not apply to drying pads or above grade-tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.	Пyes	$\square_{N_0}$		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	L 1 40	<b>□</b> .™		
		□No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).		□140		
- Topographic map, Visual inspection (certification) of the proposed site	•			
Within 300 fact from a normanant recidence calcal basnital institution or shurch in existence at the time of initial	∏ <sub>Vec</sub>	$\square_{N_0}$		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.				
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	Пиа			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	│ <b>│</b>			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	∐No		
(Applied to permanent pits)	∐NA			
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	l			
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering	Yes	□No		
purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.				
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.				
• • • • • • • • • • • • • • • • • • • •		□v.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended	Yes	∐No		
- Written confirmation or verification from the municipality, Written approval obtained from the municipality				
Within 500 feet of a wetland.	Yes	No		
- US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	_ <del></del>			
Within the area overlying a subsurface mine.	Yes	□No		
- Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division				
Within an unstable area.	Yes	No		
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological				
Society; Topographic map				
Within a 100-year floodplain - FEMA map	∐ Yes	∐No		

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15.17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC		
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintanance Plan - based upon the appropriate requirements of 19.15.17.13 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Places complete Power 14 through 18 if applicable) based upon the appropriate requirements of Subsection C of		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17 13 NMAC		
Previously Approved Design (attach copy of design) API or Permit		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9		
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC		
Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC		
Operating and Maintenance Plan - based upon the appropriate requirements of 19 15.17.12 NMAC		
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design)  API		
Previously Approved Operating and Maintenance Plan API		
13		
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.		
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC		
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC		
Climatological Factors Assessment		
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC		
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC		
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC		
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan		
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC		
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC		
Nuisance or Hazardous Odors, including H2S, Prevention Plan		
Emergency Response Plan		
Oil Field Waste Stream Characterization		
Monitoring and Inspection Plan		
Erosion Control Plan  Character Conference of Subsection Conference of 10.15.17.13.20MAC		
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19 15.17.13 NMAC		
Proposed Closure: 19 15 17 13 NMAC		
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.		
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System		
Alternative		
Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only)		
On-site Closure Method (only for temporary pits and closed-loop systems)		
In-place Burial On-site Trench		
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)		
15 '		
Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan.		
Please indicate, by a check mark in the box, that the documents are attached.		
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC		
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Real-fill and Cayes Design Specifications, heard upon the appropriate requirements of Subsection H of 10.15.17.13 NIMAC		
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC		
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC		
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		

16 West Description For Classification States That I William About Compiler Little Land Compiler Compi				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19 15 17 13 D NMAC) Instructions Please identify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two	,			
facilities are required				
Disposal Facility Name. Disposal Facility Permit #:				
Disposal Facility Name Disposal Facility Permit #.				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and  Yes (If yes, please provide the information No				
Required for impacted areas which will not be used for future service and operations.  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subsection H of 19 15 17 13 NM.	AC			
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19 15 17 13 NMAC	ne .			
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17.13 NMAC				
17				
Siting Criteria (Regarding on-site closure methods only: 19 15 17 10 NMAC				
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan—Recommendations of acceptable source material are provided certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to				
office for consideration of approval. Justifications and/or demonstrations of equivalency are required Please refer to 19 15 17 10 NMAC for guidance.	o me gama re Environmental bareas			
Ground water is less than 50 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS Data obtained from nearby wells	N/A			
Ground water is between 50 and 100 feet below the bottom of the buried waste	☐ ☐Yes ☐No			
- NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells				
Ground water is more than 100 feet below the bottom of the buried waste	Yes No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	N/A			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Yes No			
- Topographic map, Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application	Yes No			
- Visual inspection (certification) of the proposed site, Aerial photo; satellite image				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering				
purposes, or within 1000 horizontal fee of any other fresh water well or spring, in existence at the time of the initial application  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	Yes No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland  - US Fish and Wildlife Wetland Identification map, Topographic map; Visual inspection (certification) of the proposed site	Yes No			
Within the area overlying a subsurface mine	☐Yes ☐No			
- Written confiramtion or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area	Yes No			
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society;				
Topographic map  Within a 100-year floodplain.	Yes No			
- FEMA map				
18				
On-Site Closure Plan Checklist: (19 15 17.13 NMAC) Instructions: Each of the following items must bee attached to the clos by a check mark in the box, that the documents are attached.	sure plan. Please indicate,			
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15.17.11 NMAC				
Construction/Design Plan of Temporary Pit (for in place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC				
Protocols and Procedures - based upon the appropriate requirements of 19 15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17.13 NMAC				
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)				
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15 17 13 NMAC				

। <b>भ</b> े				
Operator Application Certification:				
I hereby certify that the information submitted with this application is true, a decirate and complete to the best of my knowledge and belief  Name (Print)    Marie E. Jaraphilo   Title   Staff Regulatory Technician				
111/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/				
e-mail address				
20				
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)				
OCD Representative Signature: 83/15/10				
- Approvariant. St. 5				
Title: CCD Permit Number:				
21				
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17 13 NMAC				
Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure				
report is required to be submitted to the division within 60 days of the completion of the closure activities Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.				
Closure Completion Date:				
22 Closure Method:				
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)				
If different from approved plan, please explain				
23				
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:				
Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities				
were utilized.  Disposal Facility Name  Disposal Facility Permit Number				
Disposal Facility Name Disposal Facility Permit Number				
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?				
Yes (If yes, please demonstrate compliane to the items below)				
Required for impacted areas which will not be used for future service and operations.				
Site Reclamation (Photo Documentation)				
Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique				
24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in				
the box, that the documents are attached.				
Proof of Closure Notice (surface owner and division)				
Proof of Deed Notice (required for on-site closure)				
Plot Plan (for on-site closures and temporary pits)				
Confirmation Sampling Analytical Results (if applicable)				
Waste Material Sampling Analytical Results (if applicable)				
Disposal Faculity Name and Permit Number				
Soil Backfilling and Cover Installation				
Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation)				
On-site Closure Location. Latitude Longitude NAD 1927 1983				
On-site closure boundin. Earnade Longitude 1727				
25				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that				
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print). Title				
Signature Date:				
e-mail address: Telephone				

Form C-144

## ConocoPhillips Company San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- As required by the Surface Owner and/or Surface Managing Agency (e.g. BLM, USFS, Tribal),
  COP can not conduct construction or similar activities during Seasonal Closures and therefore
  can not meet the closure requirements specified in the referenced rule. Completion of the well
  and Closure will be scheduled and initiated as soon as the Seasonal Closure is lifted.
- <u>(Revised Closure 04/05/10)</u> needed due to Surface Owner restriction and limitation.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.

COP realizes this does not relieve any of the requirements of Part 17.