District 1 . 1625 N French Dr., Hobbs, NM 88240 District II
1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District 1V 1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

4	9		16
١.		١.	<i>_</i> _ \

9701	Pit, Closed-Loop System, Below-Grade Tank, or				
Proposed Alternative Method Permit or Closure Plan Application					
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method					
Please be advised that appro	val of this request does no	t relieve theoperator of liability	should operations result in p	, below-grade tank or alternative request collution of surface water, ground water or the rnmental authority's rules, regulations or ordinar	nces.
Operator <u>Energen Res</u>	ources_		OGRID #:	162928	
Address: 2010 Afton	Place, Farmington, New	Mexico 87401			
Facility or well name:	Atlantic 206		***	<u>.</u>	
API Number: <u>30045</u>	26992	OCD Permit N	umber:		
ì				San Juan	
Center of Proposed Desig	n: Latitude <u>36.8808</u>	Longitude _	-107.87604	NAD: □1927 ⊠ 1983	
		Tribal Trust or Indian Allotr		,	
2.	- C - C 10 15 17 11 NIMA	C		RCVD JAN 19'10	
Pit: Subsection F or		C		OIL CONS. DIV.	
Temporary Drilling		Ο &τ Δ			
Permanent Emerge	ency 🔲 Cavitation 🔲 F		HDDE T DVC T Othe	DIST. 3	
Permanent Emerge	ency 🔲 Cavitation 🔲 F		HDPE ☐ PVC ☐ Othe		
☐ Permanent ☐ Emerge ☐ Lined ☐ Unlined ☐ String-Reinforced	ency Cavitation F Liner type: Thickness	mil		DIST. 3	_
☐ Permanent ☐ Emerge ☐ Lined ☐ Unlined ☐ String-Reinforced	ency Cavitation F Liner type: Thickness	mil		DIST. 3	_
☐ Permanent ☐ Emerge ☐ Lined ☐ Unlined ☐ String-Reinforced Liner Seams: ☐ Welded	ency	mil LLDPE		DIST. 3	_
☐ Permanent ☐ Emerged☐ Lined ☐ Unlined☐ String-Reinforced☐ Liner Seams: ☐ Welded☐ 3. ☐ Closed-loop System:	Cavitation F Liner type: Thickness Factory Other Subsection H of 19.15	mil LLDPE 17 11 NMAC	Volume:bbl	DIST. 3	
Permanent	Cavitation F Liner type: Thickness Factory Other Subsection H of 19.15 &A Drilling a new w ve Ground Steel Tanks	mil	Volume:bbl	DIST. 3 r x W x D n require prior approval of a permit or notice or	
Permanent	Cavitation F Liner type: Thickness Factory Other Subsection H of 19.15 &A Drilling a new w ve Ground Steel Tanks	mil LLDPE mil LLDPE 17 11 NMAC rell Workover or Drilling	Volume:bbl	DIST. 3 r x W x D n require prior approval of a permit or notice or	
Permanent	ency Cavitation F Liner type: Thickness Other Subsection H of 19.15 &A Drilling a new w ve Ground Steel Tanks ner type: Thickness	mil	Volume:bbl (Applies to activities which	DIST. 3 r x W x D n require prior approval of a permit or notice or	
Permanent	Cavitation Factory Other Subsection H of 19.15 A Drilling a new wow Ground Steel Tanks ner type: Thickness Factory Other Other	mil	Volume:bbl (Applies to activities which	DIST. 3 r x W x D n require prior approval of a permit or notice or	
☐ Permanent ☐ Emerged☐ Lined ☐ Unlined☐ String-Reinforced☐ Liner Seams: ☐ Welded☐ 3. ☐ Closed-loop System: Type of Operation: ☐ Pointent)☐ Drying Pad ☐ Abo☐ Lined☐ Unlined☐ Liner Seams: ☐ Welded☐ 4. ※ Below-grade tank: String Str	Cavitation F Liner type: Thickness Factory Other Subsection H of 19.15 A Drilling a new w Ve Ground Steel Tanks Iner type: Thickness Factory Other Subsection I of 19.15.17.1	mil	Volume:bbl (Applies to activities which	DIST. 3 r x W x D n require prior approval of a permit or notice of the prior approval of the p	
☐ Permanent ☐ Emerged☐ Lined ☐ Unlined☐ String-Reinforced☐ Liner Seams: ☐ Welded☐ 3. ☐ Closed-loop System: Type of Operation: ☐ Pointent)☐ Drying Pad ☐ Abo☐ Lined☐ Unlined☐ Liner Seams: ☐ Welded☐ 4. ※ Below-grade tank: String Str	Cavitation F Liner type: Thickness Factory Other Subsection H of 19.15 A Drilling a new w Ve Ground Steel Tanks ner type: Thickness Factory Other Subsection I of 19.15.17.1 bbl Type of fl	mil	Volume:bbl (Applies to activities which	DIST. 3 r x W x D n require prior approval of a permit or notice of the prior approval of the p	
Permanent	Ency Cavitation F Liner type: Thickness I Factory Other Subsection H of 19.15 &A Drilling a new w ve Ground Steel Tanks iner type: Thickness I Factory Other Subsection I of 19.15.17.1 bbl Type of fl al:	mil	Volume:bbl (Applies to activities which HDPE PVC C	DIST. 3 r x W x D prequire prior approval of a permit or notice of the prior approval of the pr	
Permanent Emerger Energer Elined Unlined String-Reinforced Einer Seams: Welded String-Reinforced Einer Seams: Welded String-Reinforced Einer Seams: Pintent) Drying Pad Abo Elined Unlined Ei Einer Seams: Welded String Elow-grade tank: Elow-grade tank: String Elow-grade tank: String Elow-grade tank: String Elow-grade tank: Elow-grade tank: String Elow-grade tank: String Elow-grade tank: String Elow-grade tank: Elow-	Ency Cavitation F Liner type: Thickness Factory Other Subsection H of 19.15 A Drilling a new w Ve Ground Steel Tanks Iner type: Thickness I Factory Other Subsection I of 19.15.17.1 bbl Type of flat: ent with leak detection Enter type: Thickness	mil	Volume:bbl (Applies to activities which HDPE PVC C	DIST. 3 r x W x D prequire prior approval of a permit or notice of ther flow shut-off	
□ Permanent □ Emerge □ Lined □ Unlined □ String-Reinforced Liner Seams: □ Welded 3. □ Closed-loop System: Type of Operation: □ Pintent) □ Drying Pad □ Abo □ Lined □ Unlined Li Liner Seams: □ Welded 4. ※ Below-grade tank: S Volume: □ Tank Construction materi □ Secondary containmed □ Visible sidewalls and	Cavitation F Liner type: Thickness Factory Other Subsection H of 19.15 A Drilling a new w Ve Ground Steel Tanks Iner type: Thickness Factory Other Subsection I of 19.15.17.1 bbl Type of float: ent with leak detection Liner X Visible sidewa	mil	Volume:bbl (Applies to activities which HDPE PVC C	DIST. 3 r x W x D Dimensions: L x W x D require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of a permit or notice of the require prior approval of the require prior approval of a permit or notice of the require prior approval of the require pri	

Form C-144

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)	hospital,
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	
7.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers	
Signed in compliance with 19.15.3.103 NMAC	
Signed in compliance with 15.15.5.105 NMAC	
9. Administrative Approvals and Exceptions:	
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of the following is requested, if not leave blank:	office for
consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
10,	
Siting Criteria (regarding permitting): 19 15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	☐ Yes ☐ No
- Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map	Yes No
Within'a 100-year floodplain - FEMA map .	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19 15 17 9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC
and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12. Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13.
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached.
☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
 □ Leak Detection Design - based upon the appropriate requirements of 19.15.17 11 NMAC □ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
 □ Nuisance or Hazardous Odors, including H₂S, Prevention Plan □ Emergency Response Plan
Oil Field Waste Stream Characterization
Monitoring and Inspection Plan
☐ Erosion Control Plan ☐ Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Closure Plan - based upon the appropriate requirements of Subsection C of 19.13.17.9 NMAC and 19.13.17.13 NMAC
14. Proposed Closure: 19.15.17.13 NMAC
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type Drilling Workover Emergency Cavitation P&A Permanent Pit X Below-grade Tank Closed-loop System
Alternative Proposed Closure Method: X Waste Excavation and Removal
Waste Removal (Closed-loop systems only)
On-site Closure Method (Only for temporary pits and closed-loop systems)
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15.
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the
closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15 17 13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.I Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if the state of the disposal of liquids and drill cuttings.		
facilities are required.		
Disposal Facility Name: Disposal Facility Permit Number:		
Disposal Facility Name: Disposal Facility Permit Number:		
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future ser Yes (If yes, please provide the information below) No	vice and operations?	
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	С	
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist. considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justi demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be	
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality, Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15.17.11 NMAC	

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate an	d complete to the best of my knowledge and belief.
Name (Print): Title:	·
Signature:	Date:
e-mail address: Telephone:	
OCD Approval: Permit Application (including closure plan) Closure Plan (o	nly)
OCD Representative Signature:	Approval Date:
Title: OC	D Permit Number:
Closure Report (required within 60 days of closure completion): Subsection K of Instructions: Operators are required to obtain an approved closure plan prior to imp The closure report is required to be submitted to the division within 60 days of the consection of the form until an approved closure plan has been obtained and the closure	plementing any closure activities and submitting the closure report. In the closure activities. Please do not complete this activities have been completed.
X	Closure Completion Date: 12/2/09
Closure Method: X Waste Excavation and Removal On-Site Closure Method Alternative If different from approved plan, please explain.	Closure Method Waste Removal (Closed-loop systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Instructions: Please indentify the facility or facilities for where the liquids, drilling I two facilities were utilized. Disposal Facility Name. NO WASTE DISPOSAL NECESSARY Disposal Facility Name: Dis Were the closed-loop system operations and associated activities performed on or in ar Yes (If yes, please demonstrate compliance to the items below) No Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation	posal Facility Permit Number:posal Facility Permit Number:
Re-vegetation Application Rates and Seeding Technique 24. Closure Report Attachment Checklist: Instructions: Each of the following items in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude	
25. Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure report belief. I also certify that the closure complies with all applicable closure requirements	
Name (Print): Ed Hasely	Title: Sr. Environmental Engineer .
Signature: Some Many	Date: 1/13/10
The state of the s	Telephone: (505) 224 4121

Approved Bel Pell Nunco 3/15/10

BELOW-GRADE TANK CLOSURE REPORT

ENERGEN RESOURCES Atlantic #206

CLOSURE STEPS: (Closure Report information is in **bold**)

- (1) Notify the surface owner by certified mail, return receipt requested, of the plans to close the below-grade tank.

 Attached
- (2) Notify the Aztec OCD office (Brandon Powell -334-6178, Ext 15) verbally or by other means at least 72 hours, but not more than one week, prior to the planned closure operation.

Attached

- (3) Remove liquids from the below-grade tank. Dispose of the liquids and sludge in a division-approved facility.

 No disposal of liquids was required.
- (4) Remove the below-grade tank for re-use in an above-ground setup or for disposal in a division-approved manner.

 Tank removed.
- (5) Unless the equipment is required for some other purpose, remove any on-site equipment associated with the below-grade tank.

All remaining equipment is required for operations.

- (6) Test the soils beneath the below-grade tank to determine whether a release has occurred.
 - Collect, at a minimum, a five point, composite sample;
 Composite sample was collected.
 - Collect individual grab samples from any area that is wet, discolored or showing other evidence of a release:

No additional sampling was necessary.

Analyze for BTEX, TPH and chlorides to demonstrate:

- Benzene concentration does not exceed 0.2 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- Total BTEX concentration does not exceed 50 mg/kg, as determined by EPA SW-846 methods 8021B or 8260B
- TPH concentration does not exceed 100 mg/kg, as determined by EPA method 418.1
- Chloride concentration does not exceed 250 mg/kg, as determined by EPA method 300.1 or the background concentration, whichever is greater.

Constituent	Limit (mg/kg)	Actual Results (mg/kg)
Benzene	0.2	0.002
Total BTEX	50.0	0.027
TPH (418.1)	100	37.7
Chlorides	250	180

(7) <u>IF the soil analyses show that the soils meet the concentrations specified in (6) above</u>, backfill the excavation with compacted, non-waste containing, earthen material in a manner that will prevent ponding or erosion. If the area will not be needed for operations, reclaim the area as described in the "RECLAMATION" section.

Excavation was backfilled w/ non-waste containing, earthen material in a manner that will prevent ponding and erosion, including one foot on top soil.

(8) <u>IF the soil analyses show that the soils exceed one or more of the concentrations specified in (6) above, notify the Aztec OCD office (Brandon Powell – 334-6178, Ext 15) and proceed per 19.15.29 & 30 NMAC.</u>

Not applicable.

NOTE: If groundwater is encountered at any time during the closure process, the OCD office will be notified and a specific closure plan will be submitted to the Aztec and Santa Fe OCD offices for approval.

Not applicable.

FINAL CLOSURE REPORT:

Within 60 days of closure completion, submit a closure report on form C-144, with necessary attachments to document all closure activities including sampling results.

This submittal is the closure report.

RECLAMATION:

If the area is not needed for operations, reclaim the area to a safe and stable condition that blends with the surrounding undisturbed area. Restore the impacted surface area to the condition that existed prior to oil and gas operations by placement of the soil cover, recontour the location and associated areas to a contour that approximates the original contour and blends with the surrounding topography and re-vegetate.

- (A) Construct the soil cover to the site's existing grade and prevent ponding of water and erosion of the cover material. The soil cover shall consist of the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.
- **(B)** Seed or plant the disturbed areas the first growing season after closing the below-grade tank. Drill on the contour whenever practical or by other division-approved methods. The goal is to obtain vegetative cover that equals 70% of the native perennial vegetative cover (un-impacted by overgrazing, fire or other intrusion damaging to native vegetation) consisting of at least three native plant species, including at least one grass, but not including noxious weeds, and maintain that cover through two successive growing seasons. During the two successive growing seasons that prove viability, there shall be no artificial irrigation of the vegetation.
 - (C) Repeat seeding or planting until it successfully achieves the required vegetative cover.
- **(D)** If conditions are not favorable for the establishment of vegetation, such as periods of drought, contact the Aztec OCD office to discuss possibly delaying seeding or planting until soil moisture conditions become favorable or using additional techniques such as mulching, fertilizing, irrigating, fencing or other practices.
- **(E)** Notify the Aztec OCD office (Brandon Powell 334-6178, Ext 15) when the area has been seeded or planted <u>and</u> when it successfully achieves re-vegetation.

Area is needed for operations. Upon abandonment, seeding will be deferred to the BLM / Tribal requirements per the BLM / OCD MOU.



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics **Total Petroleum Hydrocarbons**

Client:	Energen	Project #:	03022-0001
Sample ID:	Atlantic #206	Date Reported:	02-03-09
Laboratory Number:	48856	Date Sampled:	01-29-09
Chain of Custody No:	6245	Date Received:	01-30-09
Sample Matrix:	Soil	Date Extracted:	01-30-09
Preservative:	Cool	Date Analyzed:	02-02-09
Condition:	Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments: **BGT**



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Energen	Project #:	03022-0001
Sample ID:	Atlantic #206	Date Reported:	02-03-09
Laboratory Number:	48856	Date Sampled:	01-29-09
Chain of Custody:	6245	Date Received:	01-30-09
Sample Matrix:	Soil	Date Analyzed:	02-02-09
Preservative:	Cool	Date Extracted:	01-30-09
Condition:	Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Damana	2.4	0.0	
Benzene Toluene	2.1 8.8	0.9 1.0	
Ethylbenzene	0.0 1.7	1.0	
p,m-Xylene	10.5	1.2	
o-Xylene	4.3	0.9	
Total BTEX	27.4		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
2 4004	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

BGT

Analyst

Musting Weeter

EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Energen	Project #:	03022-0001
Sample ID:	Atlantic #206	Date Reported:	02-03-09
Laboratory Number:	48856	Date Sampled:	01-29-09
Chain of Custody No:	. 6245	Date Received:	01-30-09
Sample Matrix:	Soil	Date Extracted:	01-30-09
Preservative:	Cool	Date Analyzed:	01-30-09
Condition:	Intact	Analysis Needed:	TPH-418.1

		Det.
	Concentration	Limit
Parameter	(mg/kg)	(mg/kg)

Total Petroleum Hydrocarbons

37.7

5.0

ND = Parameter not detected at the stated detection limit.

References:

Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water

and Waste, USEPA Storet No. 4551, 1978.

Comments:

BGT.

Analyst

Mustere of Wallers Review



Chloride

03022-0001 Project #: Client: Energen Sample ID: Atlantic #206 Date Reported: 02-03-09 01-29-09 48856 Date Sampled: Lab ID#: Sample Matrix: Soil Date Received: 01-30-09 02-03-09 Preservative: Cool Date Analyzed: Condition: Intact Chain of Custody: 6245

Parameter

Concentration (mg/Kg)

Total Chloride

180

Reference:

U.S.E.P.A., 4500B, "Methods for Chemical Analysis of Water and Wastes", 1983. Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

BGT.



October 13, 2009


Bureau of Land Management 1235 La Plata Highway Farmington, New Mexico 87401 Attn: Mr. Jim Lavoto

Re:

Below Grade Tank Closure

Atlantic #206

Dear Mr. Lavoto:



Energen Resources plans to close below grade tank located on the subject well location. You are on record as the surface owner where this well is located. New Mexico Oil Conservation Division (NMOCD) rules require notification to the surface owner of our plans to close the below grade tanks. NMOCD rules and guidelines will be followed. The well is located in San Juan County as follows:

Atlantic #206 - Unit Letter L, Section 22, Township 31N, Range 10W

If there are any questions or concerns, please contact me at 505-330-3584.

Sincerely,

Ed Hasely Sr. Environmental Engineer **Energen Resources** COMPLETE THIS SECTION ON DELIVERY SENDER: COMPLETE THIS SECTION. A. Signature Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. □ Agent Print your name and address on the reverse ☐ Addressee so that we can return the card to you. C. Date of Delivery Attach this card to the back of the mailpiece. or on the front if space permits. Cc: Well File 1. Article Addressed to: If YES, enter delivery address below: Correspondence Burea of Land Mangement 1235 La Plata Huy Farmington, NM 87401 Service Type Certified Mail ☐ Express Mail Atr. Jim Lausto ☐ Registered ☐ Return Receipt for Merchandise ☐ Insured Mail ☐ C.O.D. 4. Restricted Delivery? (Extra Fee) ☐ Yes

(Transfer from servic

Energen Resources Corporation, an En. 2. Article Number

7007 2680 0002 5579 6365

Ed Hasely

From: Ed Hasely

Sent: Tuesday, October 13, 2009 2:33 PM

To: 'Powell, Brandon, EMNRD'

Subject: Atlantic #206

Brandon - this is to notify you that Energen plans to close the below grade tank on the subject location in the near future. The well is located in Unit Letter L, Section 22 - T31N - R10W in San Juan County.

Ed Hasely

Energen Resources Corporation

Sr. Environmental Engineer ed.hasely@energen.com
Office: (505) 324-4131
Cell. (505) 330-3584

) 5 6 ¥