## District I 1625 N French Dr., Hobbs, NM 88240

State of New Mexico Energy Minerals and Natural Resources Form C-144 July 21, 2008

District II 1301 W Grand Ave , Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop sytems, and below-grade tanks, submit to the appropriate NMOCD District Office

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the

District	IV							
1220 S	St	Francis	Dr.,	Santa	Fe,	NM	87505	
								_

1220 S St Francis Dr., Santa Fe, NM 87505	appropriate NMOCD District Office
5536 Prop	Pit, Closed-Loop System, Below-Grade Tank, or osed Alternative Method Permit or Closure Plan Application
Type of action:	Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Please be advised that approval	application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request of this request does not relieve the operator of hability should operations result in pollution of surface water, ground water or the never the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: Burlington Resources O Address: PO Box 4289, Farmingt	
Facility or well name: LIVELY 25	N .
API Number: 3	<b>0-045-34910</b> OCD Permit Number.
U/L or Qtr/Qtr: N(SE/SW) Sect Center of Proposed Design: Latitud Surface Owner: X Federal	
Permanent Emergency X  X Lined Unlined L  X String-Reinforced	rkover Cavitation P&A ciner type: Thickness 20 mil X LLDPE HDPE PVC Other  Factory Other Volume: 7700 bbl Dimensions L 120' x W 55' x D 12'
Type of Operation: P&A   Drying Pad Above Gro  Lined Unlined Line	tion H of 19.15 17.11 NMAC  Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)  and Steel Tanks Haul-off Bins Other  er type: Thickness mil LLDPE HDPE PVD Other  RECEIVED
	actory Other RECEIVED  I of 19.15.17.11 NMAC  obl Type of fluid:  etection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls only Other  mil HDPE PVC Other
Submittal of an exception request is re	quired. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pit, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution of the light, four strands of barbed wire evenly spaced between one and four feet  X Alternate. Please specify 4' hogwire fence with a single strand of barbed wire on top.  Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)	tion or church	)
Signs: Subsection C of 19 15.17.11 NMAC  12" X 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  X Signed in compliance with 19.15.3 103 NMAC		
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district of the Santa Fe Environmental Bureau office for consideration of approval  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval	deration of app	roval.
Siting Criteria (regarding permitting) 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau Office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above grade-tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes	No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes	□No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	Yes	No
(Applies to temporary, emergency, or cavitation pits and below-grade tanks)	│	
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	_	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applied to permanent pits)	Yes NA	∐No
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image		
Within 500 horizonal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes	No
- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site.		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  Written confirmation or verification from the municipality. Written conveyed obtained from the municipality.	Yes	No
<ul> <li>Written confirmation or verification from the municipality; Written approval obtained from the municipality</li> <li>Within 500 feet of a wetland.</li> <li>US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site</li> </ul>	Yes	No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD - Mining and Mineral Division	Yes	No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	Yes	No
Within a 100-year floodplain - FEMA map	Yes	No

Temporary Pits, Emergency Pits and Below-grade Tanks Permit Application Attachment Checklist Subsection B of 19.15.17 9 NMAC				
Instructions Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached				
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC				
Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17 10 NMAC				
Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of				
19.15.17.9 NMAC and 19.15.17.13 NMAC  Previously Approved Design (attach copy of design) API or Permit				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17 9 NMAC Instructions Each of the following items must be attached to the application Please indicate, by a check mark in the box, that the documents are attached				
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15 17 9				
String Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC				
Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC				
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC				
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9  NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design)  API				
Previously Approved Operating and Maintenance Plan API				
13				
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.				
Hydrogeologic Report - based upon the requirements of Paragraph (I) of Subsection B of 19.15.17.9 NMAC				
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15 17.10 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design: based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15 17.11 NMAC  Ouglity Control/Quality Assurance Construction and Installation Plan				
Quality Control/Quality Assurance Construction and Installation Plan  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
Nuisance or Hazardous Odors, including H2S, Prevention Plan				
Emergency Response Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17 13 NMAC				
14				
Proposed Closure: 19.15 17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.				
Type. Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System				
Alternative				
Proposed Closure Method: Waste Excavation and Removal				
Waste Removal (Closed-loop systems only)				
On-site Closure Method (only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)				
15				
Waste Excavation and Removal Closure Plan Checklist (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan.  Please indicate, by a check mark in the box, that the documents are attached.				
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC				
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC				
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)				
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

Form C-144 Oil Conservation Division Page 3 of 5

16 .				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground St Instructions Please identify the facility or facilities for the disposal of liquids, drilling facilities are required.	eel Tanks or Haul-off Bins Only:(19.15 17 13 D NMAC) g fluids and drill cuttings—Use attachment if more than two			
Disposal Facility Name	Disposal Facility Permit #:			
Disposal Facility Name:	Disposal Facility Permit #:			
Will any of the proposed closed-loop system operations and associated active Yes (If yes, please provide the information No		<del></del>		
Required for impacted areas which will not be used for future service and operations  Soil Backfill and Cover Design Specification - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate requirements of Subset Site Reclamation Plan - based upon the appropriate Reclamation Plan - b	priate requirements of Subsection H of 19.15.17.13 N ection I of 19 15 17 13 NMAC	MAC .		
17 Siting Criteria (Regarding on-site closure methods only: 19 15 17.10 NMA Instructions Each string criteria (equives a demonstration of compliance in the closure plan Receitain siting criteria may require administrative approval from the appropriate district office of office for consideration of approval. Justifications and/or demonstrations of equivalency are rec	ecommendations of acceptable source material are provided below r may be considered an exception which must be submitted to the Si			
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - 1WATERS database search, USGS: Data ob	tained from nearby wells	Yes No		
Ground water is between 50 and 100 feet below the bottom of the buried water.  NM Office of the State Engineer - tWATERS database search, USGS; Data obt		∏Yes ∏No ∏N/A		
•	(3			
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - tWATERS database search, USGS; Data obt	ained from nearby wells	∐Yes ∐No ∏N/A		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake				
(measured from the ordinary high-water mark)  - Topographic map: Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site, Aerial photo, satellite image		Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less the purposes, or within 1000 horizontal fee of any other fresh water well or spring, in exist.  - NM Office of the State Engineer - iWATERS database, Visual inspection (certification).	stence at the time of the initial application	YesNo		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.				
<ul> <li>Written confirmation or verification from the inunicipality, Written approval ob</li> <li>Within 500 feet of a wetland</li> <li>US Fish and Wildlife Wetland Identification map, Topographic map, Visual ins</li> </ul>		Yes No		
Within the area overlying a subsurface mine.  - Written confirantion or verification or map from the NM EMNRD-Mining and	Mineral Division	Yes No		
Within an unstable area.  - Engineering measures incorporated into the design: NM Bureau of Geology & N		☐Yes ☐No		
Topographic map Within a 100-year floodplain FEMA map		Yes No		
18 On-Site Closure Plan Checklist: (19 15.17.13 NMAC) Instructions: Each	h of the following items must bee attached to the clo	sure plan. Please indicate,		
by a check mark in the box, that the documents are attached.				
Siting Criteria Compliance Demonstrations - based upon the appropri	-			
Proof of Surface Owner Notice - based upon the appropriate requirem				
Construction/Design Plan of Burial Trench (if applicable) based upon				
Construction/Design Plan of Temporary Pit (for in place burial of a d  Protocols and Procedures - based upon the appropriate requirements of		01.19.13.17.11 NMAC		
Confirmation Sampling Plan (if applicable) - based upon the appropria		AC		
Waste Material Sampling Plan - based upon the appropriate requirem				
Disposal Facility Name and Permit Number (for liquids, drilling fluid		s cannot be achieved)		
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC				
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Site Reclamation Plan - based upon the appropriate requirements of S	Subsection G of 19.15.17.13 NMAC	ì		

F 10
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief
Name (Print): Marie E Jaranillo / // Title: Staff Regulatory Technician
Signature: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
e-mail address: mane e.jaramillo@conocophilips.com Telephone: 505-326-9865
20 \( \tau_{\text{o}} \)
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Dell Sell Approval Date: 4-16-10
Title: Euslo (5pcc OCD Permit Number:
Title: OCD Permit Number:
31
21
Closure Report (required within 60 days of closure completion): Subsection K of 19 15 17.13 NMAC Instructions. Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure
report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an
approved closure plan has been obtained and the closure activities have been completed
Closure Completion Date:
Closure Method:
Waste Excavation and Removal On-site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
If different from approved plan, please explain
Classica Papart Pagarding Wasta Pamayal Classica For Classical Ioan Systems That Utiliza Above Cround Steel Tanks on Haul off Pine Only
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:  Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities
were utilized.
Disposal Facility Name: Disposal Facility Permit Number
Disposal Facility Name Disposal Facility Permit Number.
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?
Yes (If yes, please demonstrate compliane to the items below)  No
<u> </u>
Required for impacted areas which will not be used for future service and operations
Site Reclamation (Photo Documentation)
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
24
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in
the box, that the documents are attached.
Proof of Closure Notice (surface owner and division)
Proof of Deed Notice (required for on-site closure)
Plot Plan (for on-site closures and temporary pits)
Confirmation Sampling Analytical Results (if applicable)
Waste Material Sampling Analytical Results (if applicable)
Disposal Facility Name and Permit Number
Soil Backfilling and Cover Installation
Re-vegetation Application Rates and Seeding Technique
Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude: Longitude: NAD 1927 1983
L
25
Operator Closure Certification:
I hereby certify that the information and attachments submitted with this closure report is ture, accurate and complete to the best of my knowledge and belief. I also certify that
the closure complies with all applicable closure requirements and conditions specified in the approved closure plan
Name (Print). Title:
Name (11me).
Signature: Date
e-mail address. Telephone:

## Burlington Resources Oil & Gas Company, LP San Juan Basin

Modification for a temporary pit Drilling/Completion and Workover

## Pit Closure Extension

Extension for three months to meet closure/cover requirements in Rule 19.15.17.13.A(6)

- BR did not meet the closure requirements specified in the referenced rule due to a deficiency in the system. Closure will be scheduled and initiated as soon as the sampling results are reviewed and pass for onsite closure.
- <u>(Revised Closure Date of 05/24/10)</u> is requested to complete closure activities.
- Other than the revised closure date there will be no modifications to the design, operation and maintenance, or closure plans for this location.
- BR is waiting on sampling results.

BR realizes this does not relieve any of the requirements of Part 17.