RECEIVED

Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR AUG 1 6 2010 BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No 1004-0137

Expires March 31, 2007

SUNDR Do not use th abandoned we	5. Lease Serial No NMSF 078768 6. If Indian, Allotto	ee or Tribe Name			
St	7. If Unit of CA/Agreement, Name and/or No Rosa Unit				
1. Type of Well Oil Well] Gas Well 🔀 Otl	ner SWD			
				8. Well Name and No. Rosa Unit SWD #2	
Name of Operator Williams Production Compa	9 API Well No. 30-039-30812				
3a Address PO Box 640 Aztec, NM 87410		3b. Phone No. <i>(include area code)</i> 505-634-4208		10. Field and Pool or Exploratory Area Entrada	
4. Location of Well (Footage, 2460' FNL & 2095' FWL, sec	11. Country or Parish, State Rio Arriba				
9 12 CHEC	CK THE APPROPRIATE	BOX(ES) TO INDICATE NA	TURE OF NOTICE, R	EPORT OR OTHE	R DATA
TYPE OF SUBMISSION		T	YPE OF ACTION		
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production (Sta	rt/Resume)	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandon	Recomplete Temporarily Al	Other BOP Change	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal	Disposal . r	
all pertinent markers and subsequent reports must b recompletion in a new int	poposal is to deepen directizones. Attach the Bond urbe filed within 30 days follerval, a Form 3160-4 mus	state all pertinent details, incluonally or recomplete horizonta der which the work will be per owing completion of the involta- te filed once testing has been	lly, give subsurface loc formed or provide the ved operations. If the o completed. Final Abar	ations and measured Bond No. on file with peration results in a adonment Notices m	I and true vertical depths of th BLM/BIA. Required multiple completion or ust be filed only after all


Williams Production requests authorization to change to use a 3000# annular BOP with drilling spool as per the attached schematic diagram in lieu of the double ram BOP system permitted. Due to the large diameter casing design on this well there are safety concerns in nippling up a double ram BOP stack under the small sub structure. We would request that this BOP system be used from spud thru TD of the well.

SEE ATTACHED FOR CONDITIONS OF APPROX

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Larry Higgins	Title Permit Supervisor	DIST. 3			
	Date 8/16/2010				
THIS SPACE FOR FEDERAL OR STATE OFFICE USE					
Approved by- Troy L Salyers Conditions of approval, if any, are attached Approval of this notice does not warrant	Title Retroleum Eng	. Date 8/20/2010			
Conditions of approval, if any, are attached Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	or				
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for ar United States any false, fictitious or fraudulent statements or representations and the statements of the statements of the statements of the statement of the		to any department or agency of the			

(Instructions on page 2)





DRILLING CONDITIONS OF APPROVAL

Operator:

Williams Production Company

Lease No.:

NMSF-078768

Well Name:

Rosa Unit SWD #2

Well Location:

Sec.25, T31N, R5W; 2460' FNL & 2095' FWL

1) Since no BOPE test pressures were proposed, it is recommended that Williams Production test the BOP and related equipment according to Onshore Order No. 2 Minimum Standards and Enforcement Provisions For Well Control Equipment Testing.



After hour contact: Troy Salyers 505-360-9815