District I 1625 N. French Dr., Hobbs, NM 88240 1301 W. Grand Avenue, Artesia, NM 88210 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and **below-grade tanks**, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

101	2
U	5

### Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:    X   Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method   Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method   Modification to an existing permit   X   Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Dugan Production Corp. OGRID#: 006515
Lennon Com #1
API Number: 30-045-35/49 OCD Permit Number:
U/L or Qtr/Qtr A Section 19 Township 22N Range 8W County: San Juan
Center of Proposed Design: Latitude 36.12887 N Longitude 107.71834 W NAD: 1927 X 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment
Surface Owner redetai State Private Tribat Trust of Indian Anothient
2.  V D'4. Colon En C. (C10 15 17 11 NIMAC)
X Pit: Subsection F or G of 19.15.17.11 NMAC
Temporary: 🖾 Drilling 🗌 Workover
Permanent Emergency Cavitation P&A
Lined Unlined Liner type: Thickness 20 mil LLDPE HDPE PVC Other
∑ String-Reinforced
Liner Seams: Welded X Factory Other Volume: 600 bbl Dimensions: L 76' x W 13' x D 8'
3.
Closed-loop System: Subsection H of 19.15.17.11 NMAC
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Other
691022
Liner Seams: Welded Factory Other
Little sealifs. Welded Fractory Other
Lined Unlined Liner type: Thicknessmil
······································
Volume:bbl Type of fluid: OIL CONS. DIV. DIST. 3
Tank Construction material:
Tank Construction material:  Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off  Visible sidewalls and liner Visible sidewalls only Other
Liner type: Thicknessmil
5.
Alternative Method:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)	hospital,
☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet	
X Alternate. Please specify 4-foot hogwire	
7.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
internally inspections (if feeting of serecting is not physically feasible)	
s. Signs: Subsection C of 19.15.17.11 NMAC	
<ul><li>IZ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers</li></ul>	
☐ Signed in compliance with 19.15.3.103 NMAC	
9.	
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:	
☑ Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.	office for
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
10.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept	table source
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a	
Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dryi	
above-grade tanks associated with a closed-loop system.	☐ Yes ☒ No
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).	☐ Yes 🗓 No
- Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☒ No ☐ NA
<ul> <li>(Applies to temporary, emergency, or cavitation pits and below-grade tanks)</li> <li>Visual inspection (certification) of the proposed site: Aerial photo; Satellite image</li> </ul>	7117
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☒ No ☐ NA
(Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	1V/1
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yes ☒ No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes X No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within 500 feet of a wetland.	[
- US Fish and Wildlife Wetland Identification map: Topographic map; Visual inspection (certification) of the proposed site	Yes X No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes X No
Within an unstable area.	Yes X No
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	
Society: Topographic map	

The state of the s
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC  Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: 30-045- or Permit Number:
12.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan   Emergency Response Plan   Oil Field Waste Stream Characterization   Monitoring and Inspection Plan     Erosion Control Plan     Erosion Control Plan     Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: X Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems)  In-place Burial On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.1 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.						
Disposal Facility Name: Disposal Facility Permit Number:						
Disposal Facility Name: Disposal Facility Permit Number:						
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future ser   Yes (If yes, please provide the information below)  No						
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMA Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	C					
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable south provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate disting considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be					
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☒ NA					
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search: USGS; Data obtained from nearby wells	Yes No					
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	X Yes No					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes 🗓 No					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☒ No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes 🖾 No					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes X No					
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☒ No					
Within the area overlying a subsurface mine.  Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🗵 No					
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; Topographic map</li> </ul>	☐ Yes 🗓 No					
Within a 100-year floodplain FEMA map	☐ Yes ☒ No					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15.17.11 NMAC					

P	
Operator Application Certification:  I hereby certify that the information submitted with this application	on is true, accurate and complete to the best of my knowledge and belief.
	Title: Vice President, Exploration
Signature: Kurt Fzgralin	Date:5-14-2009
e-mail address: kfagrelius@duganproduction.com	Telephone: 505-325-1821
OCD Approval: Permit Application (including closure plan)	Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature: Branchon De	Approval Date: 1/3/11
Title: Fruiro/spa	Approval Date: 1/3/11 OCD Conditions (see attachment)  OCD Permit Number:
Closure Report (required within 60 days of closure completion Instructions: Operators are required to obtain an approved close	n): Subsection K of 19.15.17.13 NMAC ure plan prior to implementing any closure activities and submitting the closure report. whin 60 days of the completion of the closure activities. Please do not complete this ined and the closure activities have been completed.
	Closure Completion Date:
22. Closure Method: Waste Excavation and Removal On-Site Closure Metho If different from approved plan, please explain.	d  Alternative Closure Method  Waste Removal (Closed-loop systems only)
Instructions: Please indentify the facility or facilities for where two facilities were utilized.  Disposal Facility Name:  Disposal Facility Name:  Were the closed-loop system operations and associated activities proceed by Yes (If yes, please demonstrate compliance to the items below the Required for impacted areas which will not be used for future serving Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	Disposal Facility Permit Number:
mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (required for one Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location: Latitude	the following items must be attached to the closure report. Please indicate, by a check  on-site closure)  Longitude NAD:1927 1983
25. Operator Closure Certification:	
I hereby certify that the information and attachments submitted wi	th this closure report is true, accurate and complete to the best of my knowledge and closure requirements and conditions specified in the approved closure plan.
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone:

District I 1625 N. French Dr., Hobbs, NM 88240

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-102 Revised October 12, 2005 Instructions on back

District II 1301 W. Grand Avenue, Artesia, NM 88210

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

District III 1000 Rio Brazos Rd., Aztec. NM 87410 District IV 1220 S St Francis Dr., Santa Fe. NM 87505


AMENDED REPORT

#### WELL LOCATION AND ACREAGE DEDICATION PLAT

'API Number 'Pool			Pool Coo	ode ³Pool Name						
71629					BASIN FRUITLAND COAL					
Property Code					³Property Name			<sup>5</sup> Well Number		
					LENNON COM			1		
).	*Operator Name							*Elevation		
5	DUGAN PRODUCTION CORPORATION							6687 '		
			-	<sup>10</sup> Surface	Location					
Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County		
19	55N	8W		1300	NORTH	1300	EAST	SAN JUAN		
	11 B	ottom	Hole L	ocation I	f Different	From Surf	ace			
Sect 100	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County		
				19 toigt on Infill	14 Concolidation Code	15 Cordon, No.				
320	.0 Acres	5 - (E	/2)	30111C GI 1111111	CONSULTOR COOR	Ur dei 140.				
	Section 19	Section Township 19 22N  11 B Section Township	Section Township Range 19 22N 8W  11 Bottom Section Township Range	DUGAN  Section Township Range Lot Idn  19 22N 8W  11 Bottom Hole L	LENNON  O. Operator DUGAN PRODUCTION  10 Surface  Section Township Range Lot Idn Feet from the 19 22N 8W 1300  11 Bottom Hole Location I Section Township Range Lot Idn Feet from the	LENNON COM  "Operator Name DUGAN PRODUCTION CORPORATI  "OSURFACE LOCATION Section Township Range Lot Idn Feet from the North/South line 19 22N 8W 1300 NORTH  "11 Bottom Hole Location If Different Section Township Range Lot Idn Feet from the North/South line  "15 Joint or Infill M Consolidation Code	LENNON COM  Operator Name  DUGAN PRODUCTION CORPORATION  10 Surface Location  Section Township Range Lot Idn Feet from the North/South line Feet from the 19 22N 8W 1300 NORTH 1300  11 Bottom Hole Location If Different From Surfection Township Range Lot Idn Feet from the North/South line Feet from the 19 Joint or Infill Maconsolidation Code 15 Order No.	LENNON COM  O. Operator Name  DUGAN PRODUCTION CORPORATION  10 Surface Location  Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line 19 22N 8W 1300 NORTH 1300 EAST  11 Bottom Hole Location If Different From Surface  Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line  13 Joint or Infill M Consolidation Code 15 Order No.		

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16 . 29	1311.75 ' LOT 1	1322.97	1322.97	1322.97 ·	17 OPERATOR CERTIFICATION  I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom-hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.
2644.6	LOT 2	-		LAT: 36.12887 N LONG: 107.71834 W DATUM: NAD1983	Sunt Egylin 5-15-09- Signature Date  Hurt Fagrelius Printed Name  18 SURVEYOR CERTIFICATION
	LOT		9 - — — 	5257.56	I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief  Date of Survey: APRIL 10, 2009  Signature and Seal of Professional Surveyor
2629.44	3				THE SECOND SECON
	LOT 4 1317.36	1316.70	264	: : 3.30	ASON C. EDWARDS Centificate Number 15269



#### Lennon Com #1 Hydrogeologic Data

The Lennon Com #1 temporary pit is located on Navajo Allotted land on the Chaco Slope area in San Juan County, New Mexico. The region is characterized by broad, gentle, arid mesas bordered by "badlands topography" on surface shale that is dissected by numerous, small, deep cutting arroyos and larger, southwesterly trending valleys drained by large washes (Escavada Wash). There is only minimal if any vegetative cover on the "badlands" areas and sparse grass, sage and isolated stands of pinon and juniper on the mesa tops.

A records search of the NM Office of the State Engineer –iWATERS database was conducted on a three square mile area centered on the Lennon Com #1 location (Exhibit 2). No water wells were located in the area. The results of the search are shown on Exhibit 1.

The main source of stock water in the region is encountered in valley-fill deposits in existing arroyos at shallow depths of approximately 15-50 feet below the surface and stock tanks constructed on surface shale at the confluences and upper reaches of arroyos. The temporary pit is not located in an arroyo; the closest arroyo is 800-feet north, the nearest stock tank is 4,000-feet to the north and there is a spring 3,500-feet to the east (Exhibit 2).

The Ojo Alamo Sandstone extends from the surface down to approximately 70-feet and is comprised of a coarse grained alluvial sandstone inter-bedded with lenses of mudstone and occasional conglomeratic sandstone. The Ojo Alamo may yield marginal quantities of water for livestock, however, the water quality is typically greater than 1,000 ppm total dissolved solids and high in sulfate (Stone, 1983). The Ojo Alamo (surface) is breeched by erosion ½-mile to the southeast and south.

The Kirtland Shale ranges approximately 70-feet down to 355-feet and is comprised of an upper shale member, middle sandstone member (Farmington Ss.) and a lower shale member. The middle sandstone interval is either absent or not developed in the area. There are no reservoir rocks in the section and the Kirtland is not expected to contain groundwater. The Kirtland Shale is breeched down to a depth of 180-feet feet 1/2-3/4 miles to the southeast and south.

The Fruitland Coal and Pictured Cliffs Sandstone from 680-860 feet contain groundwater and natural gas. The water quality is very poor (>10,000 ppm TDS). Water that is recovered with natural gas production is disposed of in nearby salt water disposal wells (analysis of this water is available upon request from Dugan Production)

Based on electric open hole logs, the iWATERS database, literature reviewed, depth to ground water ranges from 15 – 20 feet below the surface in major arroyos and along Escavada Wash. Moving away from the wash, ground water depth drops rapidly to greater than 220-feet below the surface. At the location of the subject temporary pit, lesser amounts of poor quality ground water might be found at depths of approximately 680-860 feet in the Fruitland Coal and Pictured Cliffs Sandstone interval.

This Hydrogeologic Report was prepared by Mr. Kurt Fagrelius, Geologist for Dugan Production. Mr. Fagrelius has been employed as a geologist for Dugan for the past 31-years, received a MS in Geology from NMIMT in Socorro, NM and a BS in Geology from FLC in Durango, CO.

- Stone, W.J., Lyford, F.P., Frenzel, P.F., Mizell, N.H., and Padgett, E.T., 1983, Hydrogeology and water resources of San Juan Basin, New Mexico: New Mexico Bureau of Mines and Mineral Resources Hydrologic Report 6, 70 p.
- Brown, D.R., and Stone, W.J., 1979, Hydrogeology of Aztec quadrangle, San Juan County, New Mexico: New Mexico Bureau of Mines and Mineral Resources Hydrogeologic Sheet 1.
- Levings, G.W., Craigg, S.D., Dam, W.L. Kernodle, J.M., and Thorn, C.R., 1990, Hydrogeology of the San Jose, Nacimiento, and Animas Formations in the San Juan Structural Basin, New Mexico, Colorado, Arizona and Utah: U.S. Geological Survey, Atlas HA-720-A, Sheet 1 and 2.
- Thorn, C.R., Levings, G.W., Craigg, S.D., Dam, W.L., and Kernodle, J.M., 1990, Hydrogeology of the Ojo Alamo Sandstone in the San Juan Structural Basin, New Mexico, Colorado, Arizona and Utah: U.S. Geological Survey, Atlas HA-720-B, Sheet 1 and 2.



# New Mexico Office of the State Engineer Water Column/Average Depth to Water

EXHIBI

No records found.

Basin/County Search:

Basin: San Juan

County: San Juan

PLSS Search:

**Section(s):** 17, 18, 19, 20, 29, 30

Township: 22N

Range: 08W

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



## New Mexico Office of the State Engineer Water Column/Average Depth to Water

No records found.

Basin/County Search:

Basin: San Juan

County: San Juan

PLSS Search:

Section(s): 13, 24, 25

Township: 22N

Range: 09W

#### Siting Criteria for the Lennon Com #1

- 1. Ground water is not less than 50-feet below the bottom of the temporary pit. Ground water is greater than 100-feet below the bottom of the temporary pit.
- 2. The temporary pit is not within 300-feet of a continuously flowing water course, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from ordinary high water mark). See the attached Topographic map (Exhibit 2) and Visual Inspection Certification of the location and area around the subject temporary pit.
- 3. The temporary pit is not within 300-feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. See the attached Satellite Image (Exhibit 3) and Visual Inspection certification of the location and area around the subject temporary pit.
- 4. The temporary pit is not within 500-feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. See the attached NM Office of the State Engineer iWATERS database search (Exhibit 4) and Visual Inspection certification of the location and area around the subject temporary pit.
- 5. The temporary pit is not located within the incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978 Section 3-27-3, as amended. See the attached Topographic map of the location and area around the subject temporary pit.
- 6. The temporary pit is not located within 500-feet of a wetland. See the attached Topographic map and Visual Inspection Certification of the location and area around the subject temporary pit.
- 7. The temporary pit is not located within the area overlying a subsurface mine. See the attached Mine, Mills and Quarry Map of New Mexico (New Mexico, EMND 2008) (Exhibit 5) showing the location and area around the subject pit.
- 8. The temporary pit is not located within an unstable area. See the attached Topographic map of the location and area around the subject temporary pit.
- 9. The temporary pit is not located within a 100-year floodplain area. See the attached FEMA map (Exhibit 6) of the 100 year floodplain showing the location and area around the subject pit.

### Lennon Com #1 Visual Inspection Certification


I, <u>Kurt Fagrelius</u>, Vice President of Exploration for Dugan Production Corp. 709 East Murray Drive, Farmington, New Mexico hereby certify that I or persons under my direct supervision, prepared the attached exhibits and conducted a Visual Inspection of the location and area around the Lennon Com #1 temporary pit (May 11, 2009) and that this application is in full compliance with all siting criteria and standards for temporary pits established by the State of New Mexico, Energy Minerals and Natural Resources Department 19.15.17.10 NMAC.


Kurt Fagnerius

Kurt Fagrelius

May 14, 2009

Date







### New Mexico Office of the State Engineer Water Column/Average Depth to Water

EXHIBIT '

No records found.

Basin/County Search:

Basin: San Juan


County: San Juan

PLSS Search:

Section(s): 19

Township: 22N

Range: 08W




### Mine, Mills and Quarry Map of New Mexico

Dugan Production Corp.

Lennon Com #1

Taken from the New Mexico Energy, Minerals and Natural Resources Department.

Mining and Minerals Division.



Lennon Com #1