District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

	1
90	10

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per in	idividual nit-closed. Ioon system helow_arade tank or alternative realiest					
Please be advised that approval of this request does not relieve the operator of lie	-					
environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.						
Operator:Energen Resources	OGRID #:16298					
Address:2010 Afton Place, Farmington, New Mexico 87401	RCVD JUL 11'08					
Facility or well name:Elkhorn 101S	<u>OIL CON</u> S. DIV.					
API Number:30-039-09812OCD Permit Number:DIST. 3						
U/L or Qtr/QtrASection32Township32N_	U/L or Qtr/QtrASection32 Township32N Range5W County:Rio Arriba					
Center of Proposed Design: Latitude36.94233N Longitude107.37939W NAD: ☐ 1927 ☒ 1983						
Surface Owner: A Federal A State Private Tribal Trust or Indian	Allotment					
Pit: Subsection F or G of 19.15.17.11 NMAC	☑ Closed-loop System: Subsection H of 19.15.17.11 NMAC					
Temporary: Drilling Workover	☐ Drying Pad ☐ Tanks ☐ Haul-off Bins ☐ Other					
☐ Permanent ☐ Emergency ☐ Cavitation ☐ Steel Pit	☐ Lined ☐ Unlined					
Lined Unlined	Liner type: Thicknessmil					
Liner type: Thicknessmil	Other					
Other String-Reinforced	Seams: Welded Factory Other					
Seams: Welded Factory Other	Volume:					
Volume:bbl Dimensions: L x W x D	Dimensions: Length_20 ft x Width12 ft					
Below-grade tank: Subsection I of 19.15.17.11 NMAC						
below-grade tank: Subsection 1 of 19.13.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC					
Volume:bbl	Fencing: Subsection D of 19.15.17.11 NMAC ☐ Chain link, six feet in height, two strands of barbed wire at top					
Volume:bbl	Chain link, six feet in height, two strands of barbed wire at top					
Volume:bbl Type of fluid:	Chain link, six feet in height, two strands of barbed wire at top Four foot height, four strands of barbed wire evenly spaced between one and					
Volume:bbl Type of fluid: Tank Construction material:	Chain link, six feet in height, two strands of barbed wire at top Four foot height, four strands of barbed wire evenly spaced between one and four feet					
Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection	☐ Chain link, six feet in height, two strands of barbed wire at top ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet Netting: Subsection E of 19.15.17.11 NMAC					
Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only	☐ Chain link, six feet in height, two strands of barbed wire at top ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet Netting: Subsection E of 19.15.17.11 NMAC ☐ Screen ☐ Netting ☐ Other					
Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner	Chain link, six feet in height, two strands of barbed wire at top Four foot height, four strands of barbed wire evenly spaced between one and four feet Netting: Subsection E of 19.15.17.11 NMAC Screen Netting Other Monthly inspections					
Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only	☐ Chain link, six feet in height, two strands of barbed wire at top ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet Netting: Subsection E of 19.15.17.11 NMAC ☐ Screen ☐ Netting ☐ Other ☐ Monthly inspections Signs: Subsection C of 19.15.17.11 NMAC					
Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other	Chain link, six feet in height, two strands of barbed wire at top Four foot height, four strands of barbed wire evenly spaced between one and four feet Netting: Subsection E of 19.15.17.11 NMAC Screen Netting Other Monthly inspections Signs: Subsection C of 19.15.17.11 NMAC 12'x24', 2' lettering, providing Operator's name, site location, and					
Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Inter type: Thicknessmil HDPE PVC Alternative Method:	Chain link, six feet in height, two strands of barbed wire at top Four foot height, four strands of barbed wire evenly spaced between one and four feet Netting: Subsection E of 19.15.17.11 NMAC Screen Netting Other Monthly inspections Signs: Subsection C of 19.15.17.11 NMAC 12'x24', 2' lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC Administrative Approvals and Exceptions:					
Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thicknessmil HDPE PVC Other Alternative Method: Submittal of an exception request is required. Exceptions must be	Chain link, six feet in height, two strands of barbed wire at top Four foot height, four strands of barbed wire evenly spaced between one and four feet Netting: Subsection E of 19.15.17.11 NMAC Screen Netting Other Monthly inspections Signs: Subsection C of 19.15.17.11 NMAC 12'x24', 2' lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC					
Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thicknessmil HDPE PVC Other Alternative Method: Submittal of an exception request is required. Exceptions must be	Chain link, six feet in height, two strands of barbed wire at top Four foot height, four strands of barbed wire evenly spaced between one and four feet Netting: Subsection E of 19.15.17.11 NMAC Screen Netting Other Monthly inspections Signs: Subsection C of 19.15.17.11 NMAC 12'x24', 2' lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave					
Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thicknessmil HDPE PVC Other Alternative Method: Submittal of an exception request is required. Exceptions must be	Chain link, six feet in height, two strands of barbed wire at top Four foot height, four strands of barbed wire evenly spaced between one and four feet Netting: Subsection E of 19.15.17.11 NMAC Screen Netting Other Monthly inspections Signs: Subsection C of 19.15.17.11 NMAC 12'x24', 2' lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank:					
Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thicknessmil HDPE PVC Other Alternative Method: Submittal of an exception request is required. Exceptions must be	Chain link, six feet in height, two strands of barbed wire at top Four foot height, four strands of barbed wire evenly spaced between one and four feet Netting: Subsection E of 19.15.17.11 NMAC Screen Netting Other Monthly inspections Signs: Subsection C of 19.15.17.11 NMAC 12'x24', 2' lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for					
Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thicknessmil HDPE PVC Other Alternative Method: Submittal of an exception request is required. Exceptions must be	Chain link, six feet in height, two strands of barbed wire at top Four foot height, four strands of barbed wire evenly spaced between one and four feet Netting: Subsection E of 19.15.17.11 NMAC Screen Netting Other Monthly inspections Signs: Subsection C of 19.15.17.11 NMAC 12'x24', 2' lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.					
Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off Visible sidewalls and liner Visible sidewalls only Other Liner type: Thicknessmil HDPE PVC Other Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Chain link, six feet in height, two strands of barbed wire at top Four foot height, four strands of barbed wire evenly spaced between one and four feet Netting: Subsection E of 19.15.17.11 NMAC Screen Netting Other Monthly inspections Signs: Subsection C of 19.15.17.11 NMAC 12'x24', 2' lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for					

Form C-14100 OIL CONS. DIV. DIST. 3

♥Oil Conservation Division

Page 1 of 4

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - (WA TREX database search; USGS, Data obtained from nearby wells within 300 feet of continuously lowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or plays lake (measured from the ordinary high-water mark). Topographic map, Visual impection (certification) of the proposed site within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tends) Visual impection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Applies to temporary emergency or within 1000 feet from the municipal residence of the proposed site of the pr	Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.					
lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aarif alphoto; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aarif alphoto; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aarif alphoto; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring; in existence at the time of initial application. NM Office of the State Engineer. IN-ATERS database search, Visual inspection certification of the proposed site. Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance doped pursuant to NNSA 1978, Section 3.27.3, as amended. Within a non-proper of a wettand. US Fish and Widliffe Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site. Within a unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. FEMA map Temporary Fiss. Emergency Piss. and Below-grade Tanks Permit Application. Place is the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Previously Approved Design (attach copy of design) A PI Number: Clo						
Applies to temporary, emergency, or cavitation pits and below-grade tanks - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Applies to permanent pits - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer- iWATERS database search; Visual inspection (certification) of the proposed site Yes No adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Yes No Written are overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Yes No Written and the same properties of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Sting Criteria Compliance Demonstrations - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.1 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Ope	lake (measured from the ordinary high-water mark).					
NA Visual inspection (certification) of the proposed site; Aerial photo; Satellite image NA Visual inspection (certification) of the proposed site; Aerial photo; Satellite image NA Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Na Visual inspection (certification) of the proposed site Ves No No Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Ves No No Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Ves No Advited confirmation or verification from the municipality; Written approval obtained from the municipality Ves No Written confirmation or verification map; Topographic map; Visual inspection (certification) of the proposed site Ves No Ves No Ves Written confirmation or verification map; Topographic map; Visual inspection (certification) of the proposed site Ves No Ves No Ves Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Ves No Ve	(Applies to temporary, emergency, or cavitation pits and below-grade tanks)					
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. FEMA map Immorary Pits, Emergency Pits, and Below-grade Tanks Permit Application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Sting Criticria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of Plas. 17.12 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of Plas. 17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of Plas. 17.12 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.11 NMAC O	(Applies to permanent pits)					
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. FEMA map Temporary Pits, Emeryency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC String Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Previously Approved Design (attach copy of design) API Number: Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.13 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.12 NM	watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.	Yes No				
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. FEMA map Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number: Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Goologic and Hydrogeologic Data (required for on-site closure) - based upon the appropriate requirements of Paragraph (3) of Subsection B of 19.15.17.9 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - bas	adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	☐ Yes ☐ No				
Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. FEMA map Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Stiing Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.17.10 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.19 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Gologic and Hydrogeologic Data (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.19 NMAC and 19.15.17.13 NMAC		☐ Yes ☐ No				
Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map Within a 100-year floodplain. FEMA map Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Previously Approved Design (attach copy of design) API Number: Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC and 19.15.17.13 NMAC Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Coperating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Coperating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.19 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.19 NMAC		☐ Yes ☐ No				
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number:	- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological	☐ Yes ☐ No				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC NMAC		Yes No				
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number:						
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number: or Permit Number: Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		ocuments are				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC					
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	Previously Approved Design (attach copy of design) API Number: or Permit Number:					
Previously Approved Design (attach copy of design) API Number:	Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	19.15.17.9				
	Previously Approved Design (attach copy of design) API Number:					

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do	ocuments are			
attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC				
☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan				
Emergency Response Plan				
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan				
Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC				
Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank Closed-loop System	Alternative			
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only)				
On-site Closure Method (Only for temporary pits and closed-loop systems)				
☐ In-place Burial ☐ On-site Trench Burial				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for con	nsideration)			
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC				
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from				
the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau				
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10				
NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste.	☐ Yes ☐ No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	rom nearby wells			
Ground water is between 50 and 100 feet below the bottom of the buried waste	☐ Yes ☐ No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA			
Ground water is more than 100 feet below the bottom of the buried waste.	☐ Yes ☐ No			
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No			
lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yes ☐ No			
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.				
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No			
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.				
- Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland.	☐ Yes ☐ No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No			
Within an unstable area.				
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No			
	_			
Within a 100-year floodplain. - FEMA map	☐ Yes ☐ No			

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the
closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
 ☑ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) ☑ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings.
Disposal Facility Name: Envirotech.; EUL Canyon SWD#1 Disposal Permit Number: NM-01-0011; API 30-039-26214
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate,
by a check mark in the box, that the documents are attached.
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print):Pat Sanchez Title:District Engineer
Signature:
e-mail address:psanchez@energen.com
OCD Approval: Permit Application (including closure plan) Closure Plan (only)
OCD Approval: Permit Application (including closure plan) Closure Plan (only)
OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only) OCD Representative Signature: ☐ Brundon ☐ Closure Plan (only) Approval Date: 7-(1-08)
OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only) OCD Representative Signature: ☐ Brundon ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Brundon Poll 2/23/4 Approval Date: 7-(1-08 Title: Enviro / Spec OCD Permit Number: Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC
OCD Approval: ☐ Permit Application (including closure plan) ☐ Closure Plan (only) OCD Representative Signature: ☐ Brundon ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
OCD Approval: Permit Application (including closure plan) Closure Plan (onty) OCD Representative Signature: Brundon Policy Approval Date: 7-(1-08 Title: Enviro / Spec OCD Permit Number: Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Closure Completion Date: Approval Date: Closure Method:
OCD Approval: Permit Application (including closure plan) Closure Plan (onty) OCD Representative Signature: Brundon Policy Approval Date: 7-(1-8) Title: Enviro / Spec OCD Permit Number: Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Closure Completion Date: Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method
OCD Approval: Permit Application (including closure plan) Closure Plan (onty) OCD Representative Signature: Brundon Policy Approval Date: 7-(1-08 Title: Enviro / Spec OCD Permit Number: Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Closure Completion Date: Approval Date: Closure Method:
OCD Approval: Permit Application (including closure plan) Closure Plan (onty) OCD Representative Signature: Brundon Policy Approval Date: 7-(1-8) Title: Enviro / Spec OCD Permit Number: Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Closure Completion Date: Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Brandon D. N. 2/23/4 Title: Ending / Spec OCD Permit Number: Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Closure Completion Date: Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method If different from approved plan, please explain. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Provided Plan (only) OCD Representative Signature: Provided Plan (only) OCD Permit Number:
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Profession Policy Approval Date: 7-(1-8) Title: Fosion Spec OCD Permit Number: Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Closure Completion Date: Plan Closure Completion Date: Plan Closure Completion Date: Plan Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method If different from approved plan, please explain. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. NO Proof of Closure Notice Proof of Deed Notice (if applicable)
OCD Approval: Permit Application (including closure plan) Closure Plan (onty) OCD Representative Signature: Brandon Closure Plan (onty) Title: Enviro Spec OCD Permit Number: Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Closure Completion Date: Plan (onty) Closure Method: Alternative Closure Method Alternative Closure Method If different from approved plan, please explain. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Ploof of Closure Notice Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Brandon Plan Plan Plan Plan Plan Plan Plan Pla
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Brandon Following Closure Plan (only) Title: Folio 15 per OCD Permit Number: Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Closure Completion Date: Closure Completion Date: Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method If different from approved plan, please explain. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. NO Proof of Closure Notice Proof of Deed Notice (if applicable) NO Proof of Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Discourse Plan Discourse Plan (only) OCD Representative Signature: Discourse Plan Discourse Plan (only) OCD Permit Number: Discourse Plan Discourse Plan Discourse Plan OCD Permit Number: Discourse Plan Discour
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Brandon Following Closure Plan (only) Title: Folio 15 per OCD Permit Number: Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Closure Completion Date: Closure Completion Date: Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method If different from approved plan, please explain. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. NO Proof of Closure Notice Proof of Deed Notice (if applicable) NO Proof of Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Brandon Plan Pla
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Paulon Plan Plan (only) OCD Permit Number: Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Closure Completion Date: Plan (only) Closure Method: Alternative Closure Method Alternative Closure Method If different from approved plan, please explain. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. Proof of Closure Notice Proof of Deed Notice (if applicable) Note Proof of Closure Notice (if applicable) Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Note Proof of Proof of Rates and Seeding Technique
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Plan Plan
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Province Provi
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature: Standard Stand
OCD Approval: Permit Application (including closure plan) Closure Plan (onty) OCD Representative Signature: Provided Provid
OCD Approval: Permit Application (including closure plan) Closure Plan (onty) OCD Representative Signature: Brandon
OCD Approval: Permit Application (including closure plan) Closure Plan (onty) OCD Representative Signature: Provided
OCD Approval: Permit Application (including closure plan) Closure Plan (onty) OCD Representative Signature: Provided Provid
OCD Approval: Permit Application (including closure plan) Closure Plan (ontry) OCD Representative Signature: Provided

Closed-loop Design Plan:

Our closed loop system will not entail a drying pad, temporary pit, below grade tank or sump. It will entail an above ground tank suitable for holding the cuttings and fluids for rig operations. The tank will be of sufficient volume to maintain a safe free board between disposal of the liquids and solids from rig operations.

- 1) Fencing is not required for an above ground closed-loop system.
- 2) It will be signed in compliance with 19.15.3.103 NMAC.
- 3) A frac tank will be on location to store fresh water.

Closed-loop Operating and Maintenance Plan:

The closed-loop tank will be operated and maintained; to contain liquids and solids, to aid in the prevention of contamination of fresh water sources, in order to protect public health and the environment. To attain this goal the following steps will be followed:

- 1) The liquids will be vaccumed out and disposed of at the Eul Canyon SWD#1 facility (Disposal API Number 30-039-26214). Solids in the closed-loop tank will be vacuumed out and disposed of at Envirotech (Permit Number NM-01-0011) on a periodic basis to prevent over topping.
- 2) No hazardous waste, miscellaneous solid waste or debris will be discharged into or stored in the tank. Only fluids or cuttings used or generated by rig operations will be placed or stored in the tank.
- 3) The division district office will be notified within 48 hours of the discovery of compromised integrity of the closed-loop tank. Upon the discovery of the compromised tank, repairs will be enacted immediately.
- 4) All of the above operations will be inspected and a log will be signed and dated. During rig operations the inspection will be daily.

Closed-loop Closure Plan:

The closed loop tank will be closed in accordance with 19.15.17.13. This will be done by transporting cuttings and all remaining sludges to Envirotech (Permit Number NM-01-0011) following rig operations. All remaining liquids will be transported and disposed of in the Eul Canyon SWD#1 facility (Disposal API number 30-039-26214). The tanks will be removed from the location as part of the rig move. At time of well abandonment, the site will be reclaimed and re-vegetated to pre-existing conditions when possible.

AS DRILLED

District I 1625 N. French Dr., Hobbs, NM 88240

District II
1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV

Dedicated Acres

1220 S. St. Francis Dr., Santa Fe, NM 87505

32N

Joint or Infill

5W

Consolidation Code

State of New Mexico

Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-102

Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

Rio Arriba

East

X AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

`API Number 'Property Code				Pool Code 71629	'Pool Name Basin Fruitland Coal				
				' Property Name Elkhorn				*Well Number 101S *Elevation 6814 '	
'OGRID 16292		Operator Name Energen Resources Corporation							
					¹⁰ Surface L	ocation		······································	
UL or lot no. A	Section 32	Township 32N	Range 5W	Lot Idn	Feet from the 620	North/South line North	Feet from the 770	East/West line East	County Rio Arriba
			11 Bot	tom Hole	Location If	Different From	Surface		
UL or let no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

South

1886

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the

2528

Order No.

