



RCVD APR 20 '11

OIL CONS. DIV.

DIST. 3

A F F I D A V I T

THIS IS TO CERTIFY that to the best of my knowledge the attached survey report details the deviation tests taken on XTO ENERGY INC'S

OH RANDEL #2R
in UL L, Section 10, T26N, R11W,
API #30-045-34863
San Juan County, New Mexico.

Signed

Brent H. Martin

Printed Name Brent H. Martin

Title

Drilling Manager

THE STATE OF NEW MEXICO)

) SS.

COUNTY OF SAN JUAN)


BEFORE ME, the undersigned authority, on this day personally appeared, Brent H. Martin, known to me to be Drilling Manager for XTO Energy Inc and to be the person whose name is subscribed to the above statement, who, being by me duly sworn on oath, states that he has knowledge of the facts stated herein and that said statement is true and correct.

SUBSCRIBED AND SWORN to before me, a Notary Public in and for said County and State this 25th day of February, 2011.

Notary Public

My Commission Expires:

July 30th, 2013





Survey Report

Well Name: OH Randel 02R

Hint: Enter the date by the survey type for when this survey type started and that will control which surveys appear on the daily report.

Wellbore Name	Deviation Survey	VS Dir (°)	Kick Off Depth (ftKB)	Kick Off Method	Lat/Long Datum	Latitude (DMS)	Longitude (DMS)
Original Hole		0.00					

Deviation Surveys

Date	Description					Declination (°)
2/6/2011	TOTCO					
MD Tie In (ftKB)	Inclination Tie In (°)	Azimuth Tie In (°)	TVD Tie In (ftKB)	NSTie In (ft)	EWTie In (ft)	

Survey Data

MD (ftKB)	Incl (°)	Azm (°)	Bad Data	Override Calc?	TVD (ftKB)	VS (ft)	NS (ft)	EW (ft)	DLS (°/100ft)
150.00	0.25		No	No					
382.00	0.50		No	No					
610.00	0.75		No	No					
1,081.00	0.75		No	No					
1,582.00	1.50		No	No					
2,056.00	3.00		No	No					
2,333.00	1.75		No	No					
2,560.00	2.00		No	No					
2,777.00	1.50		No	No					
3,027.00	1.75		No	No					
3,315.00	1.50		No	No					
3,565.00	2.00		No	No					
3,813.00	1.50		No	No					
4,062.00	2.00		No	No					
4,563.00	1.25		No	No					
5,062.00	1.50		No	No					
5,915.00	2.50		No	No					
6,435.00	2.00		No	No					