


HENRY S. BIRDSEYE

PAGE NO. \_\_\_\_\_

Stella Dysart #2 Community Lease wildcat  
SW SW Sec. 11, T14N, R10W, McKinley Co.

Drill stem test #1 2580-2610. Open 45 min. Good blow, died in 40 min.  
Recovered 90' drilling mud, 1680 feet fresh water.



NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Stella Dysart

Community Lease

(Company or Operator) (Lease)

Well No. 2, in SW 1/4 of SW 1/4, of Sec. 11, T. 14N, R. 10W, NMPM.  
wildcat Pool, McKinley County.  
Well is 330 feet from south line and 330 feet from west line  
of Section 11. If State Land the Oil and Gas Lease No. is  
Drilling Commenced 2 May 1959 Drilling was Completed 17 May 1959  
Name of Drilling Contractor Aspen Drilling Co.  
Address 3010 Monte Vista Blvd., NE, Albuquerque, N. M.  
Elevation above sea level at Top of Tubing Head 7178 ground level The information given is to be kept confidential until August 18, 1959

OIL SANDS OR ZONES

No. 1, from to No. 4, from to  
No. 2, from to No. 5, from to  
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 2580 to 2860 feet. 1700 feet fill-up on DT  
No. 2, from to feet.  
No. 3, from to feet.  
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8	24#	used	507				surface

MUDDING AND CEMENTING RECORD


SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11 1/2	8-5/8	507	300	displacement	8.8	

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation

Depth Cleaned Out



RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 968 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 19.

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was  
was oil; % was emulsion; % water; and % was sediment. A.P.I.  
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.  
Length of Time Shut in.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.	T. Devonian	T. Ojo Alamo
T. Salt.	T. Silurian	T. Kirtland-Fruitland
B. Salt.	T. Montoya	T. Farmington
T. Yates	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash.	T. Mancos
T. San Andres	T. Granite	T. Dakota surface
T. Glorieta	T.	T. Morrison 60
T. Drinkard	T.	T. Penn.
T. Tubbs	T.	T. Todilto 1028
T. Abo	T.	T. Entrada 1075
T. Penn.	T.	T. Chinle 1280
T. Miss.	T.	T. Shinarump 2579

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	60	60	Dakota				
60	1028	968	Morrison-Bluff-Summerv.				
1028	1075	47	Todilto				
1075	1280	205	Entrada				
1280	2579	1299	Chinle				
2579	2660	81	Shinarump				
2660	2968	308	Moenkopi-SanAndres-Glor.				

OIL CONSERVATION COMMISSION  
AZTEC DISTRICT OFFICE  
No. Copies Received 5  
DISTRIBUTION  
NO. FURNISHED  
Operator 1  
Geol. Fe 1  
Transporter 2  
Transporter  
File  
File

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

5/20/59

(Date)

Company or Operator Stella Dysart

Address Box 8294, Albuquerque, N.M.

Name Henry J. Bridgely

Position or Title Consulting Geologist