Form 9-331 (May 1963)	UNITED STATES PARTMENT OF THE INTER	SUBMIT IN TRIPLICATE* (Other instructions on re-	Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION, AND SERIAL NO.
	GEOLOGICAL SURVEY		NM 0536034
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)			6. IN INDIAN, ALLOTTEE OR TRIBE NAME
OIL X GAS WELL	OTHER		7. UNIT AGREUMENT NAME
2. NAME OF OPERATOR			8. FARM OR LEASE NAME
TENNECO OIL COMPANY 3. ADDRESS OF OPERATOR			Hospah "A"
	3		
Suite 1200 Lin 4. LOCATION OF WELL (Report See also spuce 17 below.)	10. FIELD AND POOL, OR WILDCAT		
At surface 2310' FSL	Hospah, South (Upper Sand) 11. SEC., T., B., M., OE BLK. AND SURVEY OR AREA		
	-		0 10 m 17 v n 0 c
14. PERMIT NO.	15. ELEVATIONS (Show whether t		Sec. 12, T-17-N, R-9-W 12. COUNTY OR PARISH 13. STATE
	7036 GR		McKinley New Mexico
16. C	heck Appropriate Box To Indicate	Nature of Notice, Report, or O	ther Data
Notice	OF INTENTION TO:	SUBSEQU	ENT REPORT OF:
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE REPAIR WELL	ABANDON* CHANGE PLANS	(Other)	ABANDONMENT*
(Other)	Recomplete X	(Note: Report results	of multiple completion on Well etion Report and Log form.)
17. DESCRIBE PROPOSED OR COMP proposed work. If well nent to this work.) *	PLETED OPERATIONS (Clearly state all pertine is directionally drilled, give subsurface loc	nt dotails, and give pertinent dates, ations and measured and true vertical	including estimated date of starting any depths for all markers and zones perti-
It is proposed	to perforate additional	sands as per prognosis	attached.
	•		
			RESTURN
	•	RECEIVED	\ .croftAFD/
		KE.C.	DEC 2 1960
	1	2 9 1968	2 1300
	•	MOA	OIL CON. COM.
		U. S. GEOLOGICAL SURVEY	DIST. 3
		n. a Wall	
18. I hereby certify that the f	1 22 1		
signed Jarre	111.12990 TITLE DI	strict Office Supervis	or DATE 11-27-68
(This space for Federal or	State office use)		
APPROVED BY	VAL, IF ANY:		DATE

PROGNOSIS FOR RECOMPLETION October 23, 1968

Well: Hospah A-3

Field: South Hospah

Location: 2310' S. and W. Sec. 12-17N-9W

McKinley County, New Mexico

Elevation: 7036' GR

CSG: $4 \frac{1}{2}$ " 9.5% J-55 @1685' w/60 sks

PERF: 1602-08 w/4 shots per foot

1612-22 w/4 shots per foot

TBG: 2 3/8" 4.7# J-55 EUE @1621'

TRT: SOF 1602-08 1612-22 w/26,220 gal. 40,000 11/23/65

TD: 1690' PBTD: 1647'

Present Status: Producing from Upper Hospah A and B sands.

Procedure:

- (1.) MIRU DDPU
- (2.) Pull rods, pump and TBG
- (3.) Run GR-CCL log perforate Hospah C and D zones w/lJSPF as follows: Gamma ray log depths 1628-36 (9 shots).
- (4.) Rerun TBG
- (5.) Spot 250 gal. Mud Acid on perfs. Let soak for 30 min. then flush into perfs.
- (6.) Rerun rods and pump.
- (7.) Put on production.