

N

PCHE

A blank sheet of graph paper featuring a uniform grid of squares. The grid consists of 10 columns and 8 rows, creating a total of 80 square units. A single vertical line runs down the center, separating the first five columns from the last five columns. This central line serves as a reference axis for plotting functions or graphs.

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). **SUBMIT IN TRIPlicate. FORM C-110-WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.**

PREWITT, AL.

Address

Lease

Well is 2910 feet south of the North line and 1970 feet ~~west~~ west of the ~~East~~ line of 214 ~~214~~

If State land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is SANTA FE PACIFIC RAILROAD CO., Address ALBUQUERQUE, NEW MEXICO

If Government land the permittee is _____, Address _____

The Lessee is PETROLEUM PRODUCTS AFG. AND PRODUCING CO., Address FAIRFAX, D.C.

Drilling commenced 8/13/ 1944 Drilling was completed 9/21/ 1944

Name of drilling contractor **PETROLEUM PRODS. & PRODUCING CO.** Address **HOUSTON, TEX.**

Elevation above sea level at top of casing..... **6943** feet.

The information given is to be kept confidential until September 30, 1944

OIL SANDS OR ZONES

No. 1 from 0 to 1957 No. 4, from 1957 to 1957

1557 to 1561 No. 5. from MAY 04 1989 to

No. 2, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet. MAY 04 1989

No. 2 from _____ to _____ feet. all CON DIV

No. 2, from.....

No. 3, from to 1955.

No. 4, from to feet.

CASING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 1557 feet, and from _____ feet to _____ feet

Cable tools were used from 1557 feet to 1561 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing September 3., 1944

The production of the first 24 hours was 79.82 barrels of fluid of which _____ % was oil; _____ % emulsion; 40 % water; and _____ % sediment. Gravity, Be 28

If gas well, cu. ft. per 24 hours _____ Gallons of gas per 100 cu. ft. of gas

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Wesley Hoyt

_____, Driller _____, Driller

Cecil Acaine

_____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Previtt, N.M.

September 7, 1944

Subscribed and sworn to before me this 7th day of September, 1944

Notary Public.

My Commission expires May 7, 1946

Place

Date

PETROLEUM PRODUCTS MFG. AND PRODUCING CO.

Name _____

Position President

Representing PETROLEUM PRODUCTS MFG. AND PRODUCING CO.

Company or Operator

Previtt, New Mexico

Address _____

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	30	30	Shale
30	89	59	Shale
89	219	130	Sandy shale and coal
219	312	93	Shale
312	345	33	Sand
345	364	19	Sand and coal
364	424	60	Sandy shale
424	543	119	Sandy shale and streaks of coal
543	707	164	Sandy shale
707	907	200	Sand and streaks of shale
907	1015	108	Sandy shale
1015	1220	205	Sandy shale
1220	1330	110	Shale
1330	1446	116	Sandy shale
1446	1508	62	Sand
1508	1555	47	Sandy shale
1555	1557	2	Sand
1557	1565	8	Sand

RECEIVED

MAY 04 1989

OIL CON. DIV
DIST. 3

CHANGING RECORD