



SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

#### PLUGS AND ADAPTERS

Heaving plug—Material \_\_\_\_\_ Length \_\_\_\_\_ Depth Set \_\_\_\_\_  
Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

#### RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment \_\_\_\_\_

**OIL CON. DIV.**  
**DIST. 3**

#### RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

#### TOOLS USED

Rotary tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet  
Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

#### PRODUCTION

Put to producing \_\_\_\_\_ 19\_\_\_\_  
The production of the first 24 hours was May 21, 1942 155.96 barrels of fluid of which 72 % was oil; \_\_\_\_\_ %  
emulsion; \_\_\_\_\_ % water; and \_\_\_\_\_ % sediment. Gravity, Be \_\_\_\_\_  
If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_  
Rock pressure, lbs. per sq. in. \_\_\_\_\_

#### EMPLOYEES

\_\_\_\_\_, Driller \_\_\_\_\_, Driller  
E. C. Coleman, Driller \_\_\_\_\_, Driller  
Willie Shelton

#### FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 25th

day of May, 19 42

Postmaster

**NOTARIAL PUBLIC**

My Commission expires \_\_\_\_\_

Prewitt, New Mexico May 25, 1942

Name \_\_\_\_\_

Position \_\_\_\_\_

Representing Petroleum Products Corporation

Address Prewitt, N.M.

# FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	135	135	Sand rock
135	325	190	Shale
325	375	50	Shale and sand shells
375	465	90	Broken sand and shale
465	560	95	Sandy shale
560	645	85	Sand
645	800	155	Broken sand and shale
800	840	40	Shale
840	865	25	Shale, hard sand
865	900	35	Shale
900	1020	120	Sandy shale
1020	1060	40	Shale
1060	1085	25	Sand
1085	1125	40	Shale and sand
1125	1260	135	Shale and sand
1260	1300	40	Broken sand and shale
1300	1330	30	Shale
1330	1440	110	Sandy shale
1440	1480	40	Sand
1480	1530	50	Broken sand and shale
1530	1590	60	Shale
1590	1729	139	Shale and shells - Top of oil sand
1729	1733	4	Sand (Oil) Drilled with cable tools

**RECEIVED**  
 MAY 04 1989  
 OIL CON. DIV  
 DIST. 3