well file

NEW MEXICO OIL CONSERVATION COMMISSION 1000 RIC BRAZOS ROAD Aztec, New Mexico May 10, 1966

Mr. L. F. Stone

RE: Plugging Reports TOM BOLACK

Gentlemen:

Form (-10	3, Notice of Intention	to Plua.	VOUT Sam	+		K-9-18N-6	W
101 0 10	, notice of meening	,		ase	Well No.		
was appro	ved on	Your	subquent	notice of	plugging	cannot b	3
approved	until a commission repu	resentati	ve has ma	de an insp	ection of	the loca	tion
to see:							
(1)	all pits have been fil	lled and	leveled;				
(2)	a steel marker, 4" in level, must be set in						

section or unit designation, section, township and range numbers, which

(3) the location shall be cleared and cleaned of all junk;

shall be permanently stenciled or welded on the marker;

(4) the dead man wires must be cut.

The above are the minimum requirements.

Please notify us by filling in the blank form below when this work has been done so that our representative will not have to make more than one trip to the location.

OIL CONSERVATION COMMISSION

Fill in below and return:

K-9-18N-6W Santa Fe #9 Lease

Unit-S-T-R

is ready for your inspection and approval.

TOM BOLACK Operator 6 8 1

veelfile

NEW MEXICO OIL CONSERVATION COMMISSION 1000 RIO BRAZOS ROAD Aztec, New Mexico May 10, 1966

Mr. L. F. Stone

RE:	Plugging Reports					
Gentlemen:	TOM BOLACK					
Form C-103, Notice of Intention to Plug, you	r <u>santa Fe #9 K-9-13N-6W</u> Lease Well No. Unit- S-T-R					
was approved on Your sub						
approved until a commission representative h	as made an inspection of the location					
to see:						
(1) all pits have been filled and leve	led;					
level, must be set in concrete, the section or unit designation, sections	a steel marker, 4" in diameter and approximately 4" above mean ground level, must be set in concrete, this marker must have the quarter-quarter section or unit designation, section, township and range numbers, which shall be permanently stenciled or welded on the marker;					
(3) the location shall be cleared and	cleaned of all junk;					
(4) the dead man wires must be cut.	the dead man wires must be cut.					
The above are the minimum requirements.						
Please notify us by filling in the blank for	m below when this work has been done					
so that our representative will not have to	make more than one trip to the location.					
01	L CONSERVATION COMMISSION					
Ву	A.R. Acubich					
Fill in below and return:						
Santa Pa #9 K-9-18N-6W i Lease Well No. Unit-S-T-R	s ready for your inspection and approval					
<u>=ñ</u> +	OM BOLACK					
Up	erator					

Name and title

OIL CONSERVATION COMMISSION

1000 RIO BRAZOS ROAD AZTEC, NEW MEXICO

May 10, 1966

Mr. L. F. Stone Stone Drilling Inc. 422 West Broadway Farmington, New Mexico

Re: Tom Tolack Santa Fe #9,

K-9-18N-6W, McKinley County, N.M.

Dear Mr. Stone:

The location of subject well has not been cleaned of all junk.

Please cause the cans, bottles, pipe, etc. to be removed from the location and nearby areas.

Please sign and return the attached form when the work has been completed.

Yours very truly

ILLEGIBLE

A. R. Kendrick Engineer, District #3

ARK: ks

Attachment

DIC CONSERVATION COMMISSION

1000 RIO BRAZOS ROAD AZTES, NEW MEXICO

Projection (1915) is the Transfer of the Revenue of the State of the S

1000

Leaving 17. The Feed of a speed for ask of few species to leaving a street

ander 1986 k<mark>arom</mark> odo na karo**n bendas karonad karon** odo na odo na electro. 1980 karonia

The respective series

ypito: va .t. ide Netalaet, liaketkalija

21:27

the appropriate

NEW MEXICO OIL CONSERVATION COMMISSION 1000 RIO BRAZOS ROAD Aztec, New Mexico

TOM BOLACK 1010 N. Dustin Ave. Farmington, N.M. 87410 Attn: L. F. Stone

RE: Plugging Reports

Jun A 28

Gentlemen:

Form C-103, Notice of Intention to Plug, your banke Le was approved on 10-1-65. Your subquent notice of plugging cannot be approved until a commission representative has made an inspection of the location to see:

- (1) all pits have been filled and leveled;
- (2) a steel marker, 4" in diameter and approximately 4" above mean ground level, must be set in concrete, this marker must have the quarter-quarter section or unit designation, section, township and range numbers, which shall be permanently stenciled or welded on the marker;
- (3) the location shall be cleared and cleaned of all junk;
- (4) the dead man wires must be cut.

The above are the minimum requirements.

Please notify us by filling in the blank form below when this work has been done so that our representative will not have to make more than one trip to the location.

OIL CONSERVATION COMMISSION

OIL CON. COM

9-184-66 is ready for your inspection and specific

Fill in below and return: