

(SUBMIT IN TRIPLICATE)

Indian Agency  
**Navajo Tribal Council**

**APPROVED**

JUN 1 1958

SAMUEL L. PLUMMER  
DISTRICT ENGINEER

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee  
**14-20-603-2576**  
Lease No.

**RECEIVED**

MAY 15 1958

U.S. GEOLOGICAL SURVEY  
FARMINGTON, NEW MEXICO

**SUNDRY NOTICES AND REPORTS ON WELLS**

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 14

58

Well No. **1-17 Navajo** is located **430** ft. from **[N]** line and **430** ft. from **[S]** line of sec.

**NW NW NW. Sec. 17**  
(1/4 Sec. and Sec. No.)

**19 N**

**5 W**

**NMPM**

**Star Lake**

**McKinley**

**New Mexico**

(Field)

(County or Subdivision)

JUN 5 1958

STATION. COM.  
DIST. 3

The elevation of the derrick floor above sea level is **6614** ft. **G. L.**

**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Run 31.90 ft. 8 5/8" surface csg. landed @ 40.50' below R. B. B. circulated to surface with 35 sacks reg. cement 2% calcium sulphate. Drilled 7 7/8 hole to T. D. of 1949. Run 1949 feet 5 1/7" csg. 15 1/2# to bottom, cement with 100 sacks. Bailed, drg. & tested for water shutoff. Perforated 4 shots/foot 1985-1990. Run 2" tubing swabbed 5 bbls. oil/day natural cut 5% water. Fractured w/14000 gals. lease oil, 16000 lbs. sand. Kicked off and flowed with 9 pulls of swab. Flowed 286 bbls. oil in 12 hrs. Completed flowing 75 bbls. oil 8 bbls. water on 3/8" choke. Shut in for storage.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Caswell Silver**

Address **323 Simms Building**

**Albuquerque, New Mexico**

By **Caswell Silver**  
Operator

Title