
Form	9-331	3
(Feb	. 1951)	



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa Fe
Lease No	079478
Unit	

		REPORTS ON WELLS
TICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF.
TICE OF INTENTION TO CHANGE		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
TICE OF INTENTION TO TEST WA		SUBSEQUENT REPORT OF ALTERING CASING.
TICE OF INTENTION TO RE-DRILL	1 11	SUBSEQUENT REPORT OF RE-DRILLING OB REPAIR
TICE OF INTENTION TO SHOOT O	1 11	SUBSEQUENT REPORT OF ABANDONMENT
TICE OF INTENTION TO PULL OR	1 11	SUPPLEMENTARY WELL HISTORY
TICE OF INTENTION TO ABANDON	1 11	00T 1 4 1959
		T 1000
(INDIC	ATE ABOVE BY CHECK MARK NATU	£ 20 50 8 8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
	•	ranmington yew Mexico 19 pecember 27. 19
l No. 1A-7 is loca	ted	line and 990 ft. from $\frac{E}{E}$ line of sec
* SE SE 5ec. (½ Sec. and Sec. No.)	7 T19N 331 (Twp.) (Range) (Meridian)
¥ ildeat	McKinley	New Marica
(Field)	(County or Subd	
s names of and expected depths t	o objective sands; show sizes, weig	OF WORK ghts, and lengths of proposed casings; indicate mudding jobs, cer
led 7-7/8 sele to a urface with semen 50'; Peint Leekeut	o objective sands; show sizes, weighting points, and all other in 150 T. D. Set 37's. Pictured Cliffs at 2040'. Set 50 fe	shts, and lengths of proposed casings; indicate mudding jobs, comportant proposed work) feet 8-5/8 surface pipe - circulated on surface; Gliffhouse at 550'; Meno lot comeat plugs across contact too
led 7-7/8 sele to a urface with sement 50'; Peint Leekeut it Leekeut 1970'-2	o objective sands; show sizes, weighting points, and all other in 150 T. D. Set 37's. Pictured Cliffs at 2040'. Set 50 fe	shts, and lengths of proposed casings; indicate mudding jobs, comportant proposed work) feet 8-5/8 surface pipe - circulated on surface; Cliffhouse at 550; Mone let comeat plugs across contact top -1500; 520'-570' base of Cliffhouse
led 7-7/8 sele to a urface with sement 50'; Peint Leekeut it Leekeut 1970'-2	o objective sands; show sizes, weight ing points, and all other in 160 T.D. Set 37's. Pictured Cliffs at 2070'. Set 50 for 130', contact 1550'	shts, and lengths of proposed casings; indicate mudding jobs, comportant proposed work) feet 8-5/8 surface pipe - circulated on surface; Cliffhouse at 550; Mone let comeat plugs across contact top -1500; 520'-570' base of Cliffhouse
led 7-7/8 sele to a urface with sement 50'; Peint Leekeut it Leekeut 1970'-2	o objective sands; show sizes, weight ing points, and all other in 160 T.D. Set 37's. Pictured Cliffs at 2070'. Set 50 for 130', contact 1550'	shts, and lengths of proposed casings; indicate mudding jobs, cernportant proposed work) feet 8-5/8 surface pipe - circulated on surface; Cliffbouse at 550; Mone let comeat plugs across contact top -1500', 520'-570' base of Cliffbouse
led 7-7/8 sele to a urface with sement 50'; Peint Leekeut it Leekeut 1970'-2	o objective sands; show sizes, weight ing points, and all other in 160 T.D. Set 37's. Pictured Cliffs at 2070'. Set 50 for 130', contact 1550'	shts, and lengths of proposed casings; indicate mudding jobs, cereportant proposed work) feet 8-5/8 surface pipe - circulated on surface; Cliffhouse at 550; Mone of cement plugs across contact top -1400', \$20'-570' base of Cliffhouse and abandoned.
led 7-7/8 sele to a urface with sement 50'; Peint Leekeut it Leekeut 1970'-2	o objective sands; show sizes, weight ing points, and all other in 160 T.D. Set 37's. Pictured Cliffs at 2070'. Set 50 for 130', contact 1550'	shts, and lengths of proposed casings; indicate mudding jobs, comportant proposed work) feet 8-5/8 surface pipe - circulated on surface; Gliffhouse at 550; Mone let comeat plugs across contact top -1500; 520'-570' base of Cliffhouse
led 7-7/8 sele to a urface with sement 50'; Peint Leekeut it Leekeut 1970'-2	o objective sands; show sizes, weight ing points, and all other in 160 T.D. Set 37's. Pictured Cliffs at 2070'. Set 50 for 130', contact 1550'	shts, and lengths of proposed casings; indicate mudding jobs, comportant proposed work) feet 8-5/8 surface pipe - circulated on surface; Cliffhouse at 550; Mone of cement plugs across contact top -1400', \$20'-579' base of Cliffhouse and abandoned.
led 7-7/8 noie to a urface with semen 30'; Peint Leekeut it Leekeut 1970'-2. across surface pig	o objective sands; show sizes, weiging points, and all other in 180 T. D. Set 37's. Pictured Cliffs at 2040'. Set 50 follows, contact 1550's shoe. Plugged a	shts, and lengths of proposed casings; indicate mudding jobs, comportant proposed work) feet 8-5/8 surface pipe - circulated on surface; Cliffhouse at 550; Mone of cement plugs across contact top -1400', \$20'-579' base of Cliffhouse and abandoned.
led 7-7/8 noie to a urface with semen 30'; Peint Leekeut it Leekeut 1970'-2. across surface pig	o objective sands; show sizes, weight ing points, and all other in the same of	feet 8-5/8 surface pipe - circulated on surface; Gliffhouse at 550; Mene et coment plugs across contact tope-1600', 620'-670' base of Cliffhouse at abandoned. OUT 21 19:3 OIL CON COM. DIST. 3
led 7-7/8 sele to a urface with sement 50'; Peint Leekeut 1970'-2. across surface pig	o objective sands; show sizes, weighting points, and all other in the same of	feet 8-5/8 surface pipe - circulated on surface; Gliffhouse at 550; Mene et coment plugs across contact tope-1600', 620'-670' base of Cliffhouse at abandoned. OUT 21 19:3 OIL CON COM. DIST. 3
led 7-7/8 acts to a urface with sement 50'; Peint Leekeut 1970'-2 across surface pignanderstand that this plan of work apany Caswell 5il ress 323 Simms Br	o objective sands; show sizes, weiging points, and all other in the sands of the sa	ghts, and lengths of proposed casings; indicate mudding jobs, centered for the surface pipe - circulated on surface; Gliffhouse at 550; Mendot commant plugs across contact tope-1600', 620'-670' base of Gliffhouse at abandoned. OCT 21 19-5 OIL CON. COM. DIST. 3 The by the Geological Survey before operations may be commenced.
led 7-7/8 acts to a urface with sement 50'; Peint Leekeut 1970'-2 across surface pignanderstand that this plan of work apany Caswell 5il ress 323 Simms Br	o objective sands; show sizes, weighting points, and all other in the same of	ghts, and lengths of proposed casings; indicate mudding jobs, comportant proposed work) feet 8-5/8 surface pipe - circulated on surface; Gliffhouse at 550'; Mendot commant plugs across contact top-1500', 520'-570' base of Gliffhouse at abandoned. OCT 21 19-5 OIL CON. COM. DIST. 3 pby the Geological Survey before operations may be commenced.
led 7-7/8 acts to a urface with sement 50'; Peint Leekeut 1970'-2 across surface pignanderstand that this plan of work apany Caswell 5il ress 323 Simms Br	o objective sands; show sizes, weiging points, and all other in the sands of the sa	feet 8-5/8 surface pipe - circulated on surface; Gliffhouse at 550'; Mone of commant plugs across contact top -1600', 620'-670' base of Cliffhouse at abandoned. OCT 21 19-3 OIL CON. COM. DIST. 3