

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Budget Bureau 42-R358.3.  
Approval expires 12-31-55.

Land Office Farmington, N.Mex.  
Lease No. SP-079181  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

|   |                                     |   |
|---|-------------------------------------|---|
| NOTICE OF INTENTION TO DRILL.....                   | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF WATER SHUT-OFF.....        |
| NOTICE OF INTENTION TO CHANGE PLANS.....            |                                     | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....     |                                     | SUBSEQUENT REPORT OF ALTERING CASING.....       |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... |                                     | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR..... |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....        |                                     | SUBSEQUENT REPORT OF ABANDONMENT.....           |
| NOTICE OF INTENTION TO PULL OR ALTER CASING.....    |                                     | SUPPLEMENTARY WELL HISTORY.....                 |
| NOTICE OF INTENTION TO ABANDON WELL.....            |                                     |   |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)


Well No. 1 is located 660 ft. from XX line and 1900 ft. from W line of sec. 8  
SE 34/4 of 8 T-19-N R-5-W NMPH  
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
McKinley County New Mexico  
 (Field) (County or Subdivision) (State or Territory)

The elevation of the ~~surface~~ ground above sea level is 6638.9 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Reynolds Mining Corporation proposes to drill a 4000 foot test or to the base of the Morrison or to impenetrable formation, whichever is the lesser depth. It is proposed to set approximately 90 feet of 18 inch conductor and 300 feet of 10 3/4 inch casing with such casing to be completely cemented with cement. All zones showing good signs of possible production will be adequately tested. 5/8 inch casing will be run to the greatest depth of commercial oil or gas production.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Reynolds Mining Corporation  
Oil and Gas Division  
 Address 152 1/2 East Ninth Street  
P. O. Box 1328  
Durango, Colorado  
901

By C. J. Eskridge, Jr.  
 Title District Petroleum Engineer

# 1912

1912

1912

1912

1912

1912

1912

1912

1912

1912

1912

1912

1912

1912

1912

1912

1912

NEW MEXICO  
OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

Date \_\_\_\_\_

Operator REYNOLDS MINING CORPORATION Lease Fed. SF. 079181


Well No. \_\_\_\_\_ Section 8 Township 19 NORTH Range 5 WEST NMPM

Located 660 Feet From the SOUTH Line, 1980 Feet From the WEST Line,

MCKINLEY County, New Mexico. G. L. Elevation 6638.9

Name of Producing Formation \_\_\_\_\_ Pool \_\_\_\_\_ Dedicated Acreage \_\_\_\_\_

(Note: All distances must be from outer boundaries of Section)



SCALE: 1" = 1000'

1. Is this Well a Dual Comp. ? Yes \_\_\_ No X.
2. If the answer to Question 1 is yes, are there any other dually completed wells within the dedicated acreage? Yes \_\_\_ No \_\_\_.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Name Robert J. [Signature]  
Position District Engineer  
Representing Reynolds Mining Corporation  
Address P. O. Box 1328, Durango, Colorado

Date Surveyed February 25, 1956  
James P. [Signature]  
Registered Professional Engineer and/or  
Land Surveyor JAMES P. LEESE  
N. Mex. Reg. No. 1463

