

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office **Santa Fe**  
Lease No. **079181**  
Unit **- - -**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

**September 18**, 19**57**

Well No. **2-8** is located **1650** ft. from **N** line and **1650** ft. from **E** line of sec. **8**

**SW NE SW, Sec. 8** **19N** **5W** **NMPM**  
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Wilcox** **McKinley** **New Mexico**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **6700** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well to test Point Lookout sandstone at depth of 2200'. Drill 13 3/4" surface hole, set 2 joints--60 feet of 8 5/8" surface pipe circulated with 50 sacks of cement. Drill 7 7/8" hole to Point Lookout sandstone at 2200' or production at a lesser depth. Run 5 1/2" casing and test or plug and abandon, as case may be.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company **Caswell Silver and Douglas Corporation**

Address **323 Simms Building**

**Albuquerque, New Mexico**

By *Caswell Silver*

Title **Operator**





NEW MEXICO  
OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

Date 9/16/57

Operator Caswell Silver & Douglas Corporation Lease SF 079181 - Federal


Well No. 2-8 Section 8 Township 19N Range ~~6W~~ 5W NMPM

Located 1650' Feet From South Line, 1650' Feet From West Line,

McKinley County, New Mexico. G. L. Elevation 6700'

Name of Producing Formation Wildcat Pool \_\_\_\_\_ Dedicated Acreage 40

(Note: All distances must be from outer boundaries of Section)



NOTE

This section of form is to be used for gas wells only.



1. Is this Well a Dual Comp. ? Yes \_\_\_ No x.
2. If the answer to Question 1 is yes, are there any other dually completed wells within the dedicated acreage ? Yes \_\_\_ No \_\_\_.

Name Caswell Silver  
Position Geologist  
Representing Douglas Corporation  
Address 323 Simms Building  
Albuquerque, New Mexico

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed 9/14/57  
Caswell Silver  
Registered Professional Engineer and/or Land Surveyor