## State of New Mexico Energy, Minerals and Natural Resources Department Oil Conservation Division

Sundry Notices and Reports on Wells					
			API	# (assigned by OCD) 30-031-05358	
1. Type of Well OIL			5.	<b>Lease Number</b> Fee	
			6.	State Oil & Gas Lease #	
Name of Operator     Geo Engineering			7.	Lease Name/Unit Name Santa Fe Pacific	
3. Address & Phone No. of Operat	tor		8.	<b>Well No.</b> #20	
Santa Fe, <b>NM</b> 87505			9.	Pool Name or Wildcat	
4. Location of Well, Footage, Sec. Sec. 29, T-20-N, R-9-W, NMPM, Unit B, 300' FNL and 1800' FEL		<del></del>	10.	Elevation:	
Type of Submission  X Notice of Intent	Type of Action  X Abandonment Recompletion	Change of P		n	
Subsequent Report	Plugging Back Casing Repair	Non-Routine Water Shut	Fra	cturing	
Final Abandonment	Altering Casing Other -	Conversion to	o Inj	ection	
13. Describe Proposed or Complete	ed Operations				
A-Plus Well Service, contractor, w	· -	-		ed procedure prepared	
This work will be in accordance wi	ith State of New Mexico Cor	itract No. 98-521.25-	059.	and the second second second second	
				DEGENARY	
				M JAN 0 2 1938	
SIGNATURE William Fla	Contractor	December 30	), 19	011 GOW, DIV. 97361, 8	
William F. Clark					
(This space for State Use) Approved by hnny Rouss	DEPUTY OIL & GAS INSPER	CTOR, DIST. #3 Date	JAN	2 2 1998	

COMPANY Te	o Engineening	PROPERTY NAME	0 0	WELL NO.
CATE	LOCATION (ULATR)		e Pacific	20
	1 B-29-20N-09	10	1001101	
API NO.	E	POOL		
	7 11 +60 . 11	11 .		
	2" tha with	elbour &		Г
	a a plug one	toot above		
<del></del> -	ground leve			
<del></del>	***************************************			1
<del></del>				
		•		
		·-		
<del></del>				
		•		
ASING REC	CORD:			
	9" 11 0 1111	1		
	2" +bg@ 441 calc, T.o.C.@ 359	-		
C	alc, T.O.C.@ 359	t		
	_	•		
		•		
				750
			/ <	359' Scalc T.O.C
			\ <u>\</u>	}(
				<u> </u>
		a.	()	<u> </u>
			[ '{/	<b> </b> }}
			),(	() 8 sks.
				() 8 sks.
			467'	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
			( <u></u> (	•

COMPANY	- Ela ali	PROPERTY HAVE		WELL NO.
DATE	LOCATION (ULATR)	<u>Sante Fe</u>	Pacific	20
	B-29-20N-09	ui	POOTAGE	
API NO.		OOL		-
		برو وورزوون الدراب والمراب	·	
	2" tha with	elbourt		-
	a d'plug one	foot above		
	ground leve			
<del></del>	7			:
<del></del>				
		•		
		<del></del>		
		•		
		<del></del>		
CASING REG	CORD:			
		, 1		
	2" +6g@ 441 calc, T.o.C.@ 359	1.		
(	calc. T.O.C. D 359	t		·
`		•		
1. Det	armine depth i			1
J . ±1	deally a soul	•		
1211	depth 15 300' or mor	e continue		
٠, ٠	th procedure of not	moverigin		
, ,				3.50
_	~ ? @ 300' +30'. cstabl	1sh cine to th		359   calc t.o.c.
4 G1	μ		()	(
,, _,	H with Slickline + lo	#d hole with	(5)	K
	TIENT			<u>[</u> []
th	H with slickline + pu e csq. + cisa	mp cement dow	m //	<b>\$</b> }
	J cowent t	- 41	)(	() 8 sxs.
4. In	stall dry hole manke	e n		1441
		•	111-17	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
			467'	