

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division

Sundry Notices and Reports on Wells

| | |
|---|---|
| <p>1. Type of Well OIL</p> <hr/> <p>2. Name of Operator Geo Engineering</p> <hr/> <p>3. Address & Phone No. of Operator P.O.Box 2966 Santa Fe, NM 87505</p> <hr/> <p>4. Location of Well, Footage, Sec., T, R, M Sec. 29, T-20-N, R-9-W, NMPM, McKinley County Unit C, 834' FNL and 2113' FWL</p> | <p>API # (assigned by OCD) 30-031-05360</p> <p>5. Lease Number Fee</p> <p>6. State Oil & Gas Lease #</p> <p>7. Lease Name/Unit Name Santa Fe Pacific I</p> <p>8. Well No. #21</p> <p>9. Pool Name or Wildcat</p> <p>10. Elevation:</p> |
|---|---|

RECEIVED

JAN 22 1998

OIL CON. DIV.
DIST. 3

| Type of Submission | Type of Action | |
|--|---|--|
| <input checked="" type="checkbox"/> Notice of Intent | <input checked="" type="checkbox"/> Abandonment | <input type="checkbox"/> Change of Plans |
| <input type="checkbox"/> Subsequent Report | <input type="checkbox"/> Recompletion | <input type="checkbox"/> New Construction |
| <input type="checkbox"/> Final Abandonment | <input type="checkbox"/> Plugging Back | <input type="checkbox"/> Non-Routine Fracturing |
| | <input type="checkbox"/> Casing Repair | <input type="checkbox"/> Water Shut off |
| | <input type="checkbox"/> Altering Casing | <input type="checkbox"/> Conversion to Injection |
| | <input type="checkbox"/> Other - | |

13. Describe Proposed or Completed Operations

A-Plus Well Service, contractor, will plug and abandon said well according to the attached procedure prepared by NMOCD.
This work will be in accordance with State of New Mexico Contract No. 98-521.25-059.

SIGNATURE *William F. Clark* Contractor _____ Date December 30, 1997

William F. Clark

(This space for State Use)
Approved by *Johnny Robinson* DEPUTY OIL & GAS INSPECTOR, DIST. #3 Title _____ Date JAN 22 1998

COMPANY

Geo Engineering

PROPERTY NAME

Sante Fe Pacific I

WELL NO.

21

DATE

LOCATION (ULSTR)

C-29-29N-09W

FOOTAGE


API NO.

POOL

2" pipe one foot
above ground level

CASING RECORD:

2" esg. @ 497'
calc. T.O.C. @ 395'



550'

395'
calc.

10 SXS.

2"

497'


| | | | |
|----------------------------|----------------------------------|-------------------------------------|----------------|
| COMPANY Geo Engineering | | PROPERTY NAME Sante Fe Pacific I | WELL NO. 21 |
| DATE | LOCATION (ULSTR) C-29-29N-09W | FOOTAGE | |
| API NO. | | POOL | |

2" pipe one foot
above ground level

CASING RECORD:

2" esg. @ 497'
calc. T.O.C. @ 395'

1. Determine depth of well
2. If depth is 300' or more continue with procedure. If not clean out esg. to 300'
3. Pent @ 300' ± 30'. Est. circ. to the surf
4. G.H. with slickline + load hole with cement
5. P.O.H. with slickline + pump cement down th esg. + circ. cement to the surf.
6. Install dry hole marker



550'

395'
calc.

10 SX5.
2"
497'