
NEW MEXICO OIL CONSERVATION COMMISSION

NUMBER OF COPIES RECEIVED Santa Fe, New Mexico SANTA FF

FILE U.S.G.S. LAND OFFICE

WELL RECORD



Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules at 1 Regulations of the Commission. Submit in QUINTUPLICATE

If State Land submit 6 Copies of the Commission. Submit in QUINTUPLICATE

AREA 640 ACRES
LOCATE WELL CORRECTLY Osborn & Weir Scanlon (Company or Operator) (Lease) Well No. 18 , in St ... 4 of Sw ... 4, of Sec. 22 , T. ... 20N , R. ... 9W , NMPM. Chago Vash Mase Verde Pool, McKinley County. Well is 825 feet from South line and 165 feet from Keat line

of Section	22	If	State Las	nd the Oil an	d Gas Lease No	o. is		***************************************		
Drilling Con	mmenced.	uly 8.			19 .6.3 Drilli	ng was C	mpleted	July 28		
Name of Da	rilling Cont	ractor	lan D	rilling	Co.		•••••	***************************************	on the state of th	
Address	ex 792	Farming	ton.	New Mex	ico		·		•••••••••••••••••••••••••••••••••••••••	
		l at Top of Tub	•		<u>'</u>		The in	formation given i	is to be kept confidential until	
					L SANDS OR 2					
No. 1, from.	332	,	to 38	6	No.	4, from	***************************************	•••••••	to	
No. 2, fromto				No.	5, from	to				
No. 3, from					6, from	to				
				IMPOR	TANT WATE	B SAND!	1,			
Include data	a on rate of	water inflow ar	d elevatio	on to which	water rose in ho	le.				
No. 1, from.				to			feet.			
•							feet.			
<u>-</u>							feet.			
No. 4, from.		<i></i>		to			feet.			
		<u> </u>			CASING RECO	BD	,			
SIZE	WEI PER	WEIGHT NEW OR AMOUNT SE		KIND OF SHOE	CUT	AND D FROM PERFORAT		FIONS PURPOSE:		
2*	4.7	Use	1 :	325	None				Water Injection	
	+					 	-			
			1	MUDDING A	AND CEMENT	TING RE	CORD			
SIZE OF HOLE	SIZE OF CASING	WHERE	NO. OF C	SACKS EMENT	METHOD USED		MUD GRAVITY		ASHEENT OF MUDITSED	
61	2"	325	10		Pump & Plug		8.6		Sacks	
			 							
			REC	ORD OF P	BODUCTION A	AND ST	MULAT	TON		
		(Record	the Proce	es used. No.	of Ots. or Gai	ls. used.	nterval	treated or shot.)	CELLEN	
		•		•	~	·		,	STPEIARD /	
***************************************								***************************************	AUG 7 1963 OIL COM. COM	
· · · · · · · · · · · · · · · · · · ·								***************************************	AUG COM	
••••••••		***************************************	**************				***************************************	••••••••	OIL 0197. 3"	
	:				***************************************					
Result of Pro	oduction Stir	mulation			***********			•••••		
••		******************								
	**************	*************************	••••	***********************	***********************			Depth Cleaned	f Cut	

BECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary t	ools wer	e used from	• fcet t	. 360	feet, a	and from		feet to	feet.
Cable to	ols were	used from	feet t	o	feet, 2	and from		feet to	feet.
				PRODU	CTION				
Put to P	roducin	g		19	•				
OIL WI	ELL:	The productio	n during the first 24 ho	urs was	•••••••	bz	arrels of lic	guid of which	
			% was e						
						,	, u	• • • • • • • • • • • • • • • • • • • •	s sediment. At, 1.1.
CACINE		•				110 P			
GAS WE			n during the first 24 hor			M.C.F. p	olus		barrels of
			arbon. Shut in Pressurc						
_									
PLE	ase i	NDICATE B	ELOW FORMATION		FORMAN	CE WIT	H GEOGI		
T. Anh	v		Southeastern New M	-			Т.	Northwestern Ne	
	•		Т.	Silurian				Kirtland-Fruitland	
B. Salt.			т.	Montoya				Farmington	
T. Yate	s		Т.	Simpson		·····	Т.	Pictured Cliffs	
T. 7 Ri	vers	······	T.	McKee		· · · · · · · · · · · · · · · · · · ·	т.	Menefee	
-			т.	Ellenburger			т.	Point Lookout	
•	•		T.	Gr. Wash				Mancos	
			T.	Granite				Dakota	
			T.					Morrison	
				T. Penn					
T. Abo.				T					
T. Penn	ı		т.	T.					
T. Miss.		•••••••••••••••••••••••••••••••••••••••	Т.	***************************************	·····		Т.		•••••
				FORMATIO	N RECO	ORD			
From	То	Thickness in Feet	Formatio	n	From	То	Thickness in Feet	Format	ion
0	360	360	Mesaverde						
•	000	333	M450 4676765						
	ļ								
	İ								
							-		
								ŧ	

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a	complete and correct record of the well and all work done on it so far				
as can be determined from available records.					
	8-1-63				
Company or Operator. (S. S. O. R. N. + WEIR	Address Son 491 Bhoom FIELDW				
Name Clay Oshora	Position or Title agent				