

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 0536034

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Hospah "A"

9. WELL NO.

4

10. FIELD AND POOL, OR WILDCAT

Hospah, South (Upper Sand

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 12, T-17-N, R-9-W

12. COUNTY OR PARISH

McKinley

13. STATE

New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER

2. NAME OF OPERATOR

TENNECO OIL COMPANY

3. ADDRESS OF OPERATOR

Suite 1200 Lincoln Tower Bldg., Denver, Colorado 80203

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

2210 FSL and 990' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

7058 GR

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

Recomplete

XX

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)


17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to perforate additional sands as per prognosis attached.

RECEIVED

NOV 29 1968

U. S. GEOLOGICAL SURVEY
CARMINGTON, N. M.



18. I hereby certify that the foregoing is true and correct

SIGNED

Harry M. Reggs

TITLE District Office Supervisor

DATE 11-27-68

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

*See Instructions on Reverse Side

PROGNOSIS FOR RECOMPLETION October 23, 1968

Well: Hospah A-4

Field: South Hospah

Location: NW-SW Sec. 12-17N-9W
McKinley County, New Mexico

Elevation: 7058' GR

TD: 1734'

PBTD: 1658'

CSG: 4 1/2" 9.5# J-55 @1734'

PERF: 1628-33 1635-36 1638-47

TBG: 53 Jts. 2 3/8" 4.7# J-55 EUE

TRT: None

Present Status: Producing from Upper Hospah A & B sands.

Procedure:

- (1.) MIRU DDPU
- (2.) Pull rods, pump, and TBG
- (3.) Perforate the following w/1 JSPP:
1649-52 (4 shots) and 1654-62 (9 shots)
- (4.) Rerun TBG
- (5.) Spot 250 gal. mud acid on perfs and let soak for 30 min., then flush into perfs.
- (6.) Rerun rods and pump.
- (7.) put on production.

Note: May have to drill out cmt. in order to Perf lower interval. If necessary use Baker Sand Line drill.

