



11
12

13

14

15

16

17

18

19

20

21


22

23

24

25

File



NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES LOCATE WELL CORRECTLY

EMERSON-MONTIN-GREER DRILLING CORP.

SOUTH CHICO

(Company or Operator)

(Lease)

Well No. 1 (L-9) in NW 1/4 of SW 1/4 of Sec. 9, T. 16N, R. 6W, NMPM.

Wildcat

McKinley

County.

Well is 1980 feet from south line and 660 feet from west line

of Section 9. If State Land the Oil and Gas Lease No. is --

Drilling Commenced May 12, 1966. Drilling was Completed June 23, 1966

Name of Drilling Contractor S & B Drilling Company

Address Farmington, New Mexico

Elevation above sea level at Top of Tubing Head 6481'. The information given is to be kept confidential until 19--

OIL SANDS OR ZONES

No. 1, from None to No. 4, from to No. 2, from to No. 5, from to No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 1345 to 1348 feet. Flowing 1 gallon/minute No. 2, from to feet No. 3, from to feet No. 4, from to feet

CASING RECORD

Table with 8 columns: SIZE, WEIGHT PER FOOT, NEW OR USED, AMOUNT, KIND OF SHOE, CUT AND PULLED FROM, PERFORATIONS, PURPOSE. Rows include 7-5/8" 20# New 30' and 5-1/2" 15.5# New 918'.

MUDDING AND CEMENTING RECORD

Table with 6 columns: SIZE OF HOLE, SIZE OF CASING, WHERE SET, NO. SACKS OF CEMENT, METHOD USED, MUD GRAVITY. Rows include 12-1/2" 7-5/8" 30' and 6-3/4" 5-1/2" 918'.

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Core #1: Cored 1317' to 1336' - Recovered 19' of shale Core #2: Cored 1336' to 1348' - Recovered 9 1/2' shale, 2 1/2' wet sand.

Well flowing water. By agreement with rancher, shut well in so that it can be used for water well. Rancher assumes responsibility with Santa Fe Railroad for plugging.

