

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division

Sundry Notices and Reports on Wells

<p>1. Type of Well OIL</p> <hr/> <p>2. Name of Operator Geo Engineering</p> <hr/> <p>3. Address & Phone No. of Operator P.O.Box 2966 Santa Fe, NM 87505</p> <hr/> <p>4. Location of Well, Footage, Sec., T, R, M Sec. 29, T-20-N, R-9-W, NMPM, McKinley County Unit B, 600' FNL and 2450' FWL</p>	<p>API # (assigned by OCD) 30-031-05646</p> <p>5. Lease Number Fee</p> <p>6. State Oil & Gas Lease #</p> <p>7. Lease Name/Unit Name Santa Fe Pacific</p> <p>8. Well No. #33</p> <p>9. Pool Name or Wildcat</p> <p>10. Elevation:</p>
---	--

Type of Submission

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment

Type of Action

<input checked="" type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut off
<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
<input type="checkbox"/> Other -	

13. Describe Proposed or Completed Operations


A-Plus Well Service, contractor, will plug and abandon said well according to the attached procedure prepared by NMOCD.

This work will be in accordance with State of New Mexico Contract No. 98-521.25-059.

RECEIVED
JAN 22 1998

OIL CON. DIV.
DIST. 3

SIGNATURE



William F. Clark

Contractor

December 30, 1997

(This space for State Use)

Approved by




Title

DEPUTY OIL & GAS INSPECTOR, DIST. #3

Date

JAN 22 1998

COMPANY Geo Engineering		PROPERTY NAME Santa Fe Pacific		WELL NO. 33
DATE	LOCATION (ULSTR) B-29-20N-09W	FOOTAGE		
API NO.		POOL		
2 3/8" tbg one foot above ground level				
No Records				
CASING RECORD:				
?				
T.D. 490				

COMPANY Gro Engineering		PROPERTY NAME Santa Fe Pacific		WELL NO. 33
DATE	LOCATION (ULSTR) B-29-20N-09W	FOOTAGE		
API NO.		POOL		

<p style="text-align: center; margin-top: 20px;">2 3/8" tbg one foot above ground level</p> <p style="text-align: center; margin-top: 40px;">No Records</p>	<div style="border-left: 1px solid black; border-right: 1px solid black; height: 400px; position: relative;"> <div style="position: absolute; top: 0; right: 0; text-align: right; padding-right: 10px;"> T.O.C. 300' </div> <div style="position: absolute; bottom: 0; right: 0; text-align: right; padding-right: 10px;"> 490' 2 7/8 csg. </div> </div>
---	---

CASING RECORD:

?

T.D. 490

1. Determine depth
if depth is 300' or more continue with procedure if not move rig in & clean out csg.
2. Perf @ 300' & 30'
3. G.H. with slick line & load hole with cement
4. P.H. with slick line & pump cement down the csg. & cme. cement to the surf.
5. Install the dry hole marker