



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____

Lease No. NM 440742

Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<div style="border: 1px solid black; padding: 5px; text-align: center;"> RECEIVED OCT 5 1961 U. S. GEOLOGICAL SURVEY FARMINGTON, NEW MEXICO </div>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 26, 1961

Well No. R & S 7 is located 3630 ft. from N line and 990 ft. from W line of sec. 2
SE 1/4, Sec. 2 17 N, 11 W. NMPM

6681 (Field) 6681 (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 6681 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Dalton sand - 650 feet to 735 feet

u. Hospah sand - 860 feet to 955 feet

Hospah sand - 1030 feet to 1190 feet

Total Depth = 1280 feet

Cementing Information:

Hole cemented from bottom to top.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company _____

Address 3917 Simms St., Albuquerque, N.M.

By George Kuntovitch

Title operator