APPLICATION OF TENNECO OIL EXPLORATION AND PRODUCTION TO EXPAND ITS WATERFLOOD PROJECT IN THE HOSPAH UPPER SAND POOL IN MCKINLEY COUNTY, NEW MEXICO

ORDER No. WFX-511

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Under the provisions of Order No. R-3325, Tenneco Oil Exploration and Production has made application to the Division on April 19, 1983, for permission to expand its Upper Hospah Sand Unit Waterflood Project in the Hospah Upper Sand Pool in McKinley County, New Mexico.

NOW, on this 19th day of April, 1983, the Division Director finds:

- 1. That application has been filed in due form.
- 2. That satisfactory information has been provided that all offset operators have been duly notified of the application.
- 3. That no objection has been received within the waiting period as prescribed by Rule 701 B.
- 4. That the proposed injection well is eligible for conversion to water injection under the terms of Rule 701.
- 5. That the proposed expansion of the above referenced waterflood project will not cause waste nor impair correlative rights.
 - 6. That the application should be approved.

IT IS THEREFORE ORDERED:

That the applicant, Tenneco Oil Exploration and Production, be and the same is hereby authorized to inject water into the Upper Hospah Sand formation through plastic-lined tubing set in a packer at approximately 1500 feet in the following described well for purposes of secondary recovery to wit:

Upper Hospah Sand Unit Well No. 18, South Hospah Field, Unit G, Section 12, Township 17 North, Range 9 West, NMPM, McKinley County, New Mexico

IT IS FURTHER ORDERED:

That the operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

That the casing-tubing annulus (in said well) shall be loaded with an inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing, or packer.

That the injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure to a maximum of 311 pounds per square inch; provided however that the Division Director may administratively authorize a pressure limitation in excess of the above upon the operator's establishing that such higher pressure will not result in fracturing of the confining strata. That such establishment shall consist of a step-rate test run and reported in a manner acceptable to Division standards.

That the operator shall notify the supervisor of the Division's Aztec District Office before injection is commenced through said well.

That the operator shall immediately notify the Supervisor of the Division's Aztec District Office of the failure of the tubing, casing, or packer in said well or the leakage of water from or around said well and shall take such steps as may be timely or necessary to correct such failure or leakage.

That the subject well shall be governed by all provisions of Division Order No. R-3325 and Rules 702, 703, 704, 705, and 706 not inconsistent herewith.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO DIVISION

JOE D. RAMEY, //
Division Director

SEAL




STATE OF NEW MEXICO

ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION AZTEC DISTRICT OFFICE

1000 RIO BRAZOS ROAD AZTEC. NEW MEXICO 8741((505) 334-6178

OIL CONSERVATION DIVISION BOX 2088 SANTA FE, NEW MEXICO 87501		
DATE 3-23-83		
RE: Proposed MC		
Gentlemen: I have examined the application	n dated 3- 6-83	
for the Tennero Coperator		C-12-17N-9W Unit, S-T-R
Approve with maxim		cf 311 psi.
<u>.</u>		<u>. </u>
Yours truly,		•
Jell a. Edmister		



UIL CUNSERVATION DIVISION POST DEFICE BOX 2016 STATE UND DEFICE BOX DING SANTA FE NEW MEXICO 87501

FORM C-108 Revised 7-1-81

I.	Purpose: Secondary Recovery Pressure Maintenance Storage Application qualifies for administrative approval? yes no among a manage of the secondary Recovery						
11.	Operator: Tenneco Oil E&P, WRMD						
	Address: Box 3249, Englewood, CO 80155						
	Contact party: Alex McLean Phone: 740-2582						
111.	Well data: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.						
IV.	Is this an expansion of an existing project? X yes no no R3325 .						
٧.	Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.						
VI.	Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.						
VII.	Attach data on the proposed operation, including:						
	 Proposed average and maximum daily rate and volume of fluids to be injected; Whether the system is open or closed; Proposed average and maximum injection pressure; Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.). 						
1111.	Attach appropriate geological data on the injection zone including appropriate lithologic detail, geological name, thickness, and depth. Give the geologic name, and depth to bottom of all underground scurces of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such source known to be immediately underlying the injection interval.						
IX.	Describe the proposed stimulation program, if any.						
х.	Attach appropriate logging and test data on the well. (If well logs have been filed with the Division they need not be resubmitted.)						
XI.	Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.						
XII.	Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground source of drinking water.						
(III.	Applicants must complete the "Proof of Notice" section on the reverse side of this form.						
XIV.	Certification						
	I hereby certify that the information submitted with this application is true and correcto the best of my knowledge and belief.						
	Name: Alexander Mark McLean Title Production Engineer						
	Signature: Alexander Mark M. Fran Date: February 11, 1983						
	ne information required under Sections VI, VIII, X, and XI above has been previously itted, it need not be duplicated and resubmitted. Please show the date and circumstance						

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
 - Lease name; Well No.; location by Section, Township, and Range; and footage location within the section.
 - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
 - (3) A description of the tubing to be used including its size, lining material, and setting depth.
 - (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
 - (1) The name of the injection formation and, if applicable, the field or pool name.
 - (2) The injection interval and whether it is perforated or open-hole.
 - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
 - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
 - (5) Give the depth to and name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) the intended purpose of the injection well; with the exact location of single wells or the section, township, and range location of multiple wells:
- (3) the formation name and depth with expected maximum injection rates and pressures; and
- (4) a notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, P. O. Box 2088, Santa Fe, New Mexico 87501 within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.


NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was

FORM C-108 APPLICATION FOR AUTHORIZATION TO INJECT

VII. 1. Proposed average and maximum daily rate of fluids to be injected:

Proposed average daily rate: Initially, to be limited to 25 BWIPD. Maximum daily rate = 1200 BWIPD

- 2. System is to be closed.
- Average Inj. pressure = 650 psi.
 Maximum Inj. pressure = 800 psi.
- 4. Injection fluid will be produced water.
- 5. This well is $\underline{\text{not}}$ for disposal purposes.
- IX. Stimulation program will initially consist of nothing, but at a later date Hospah #18 may be stimulated w/some MCA.
- XII. Not applicable.



INJECTION WELL DATA SHEET

· · · · · · · · · · · · · · · · · · ·	INJ	ECTION WELL	DATA SHEET		
Tenneco Oil E&	Р	Upper LEASE	Hospah	 	
18 1475 FN	L, 3055 FWL		ION	17N TOWNSHIP	9W RANGE
					•
Schematic	•		Tabula	r Data	
		Surface Cas	ing		
		Size 7-7/8	' (26#/ft) <mark>"</mark>	Cemented wit	h 50 sx
		TOC	feet	determined by	, <u></u>
59'		Hole size	9-7/8"		
		Intermediate	Casing		
		Size		Cemented wit	hs
· . .		TOC	feet	determined by	
		Hole size			
	•	Long string			
	_ 3, 4			Cemented wit	h 200 s
	z ³ /e"				
			6-3/4"		
		-	1729'		
	· .	Injection in			
			feet to	1596	feet
		(perforated	or open-hole,	indicate which	7
• .	•	1554-56' 1558-60'	4 JSPF		
		1562-68'	II 		
]		1572-76' 1580-83'	11 tt		
rension packer		1586-96'	II	D E	
Ø Ø /≤	500				8 - 1003 CN. DIV. ST. 3
			•	11.17	Pa
		•		0/L C	1963 - A.S.
	D & 1675°			Di	ST. 3 DIV.
1729		•		`	
-					
Tubing size	2-3/8" lin	ed with	(material		set in a
Baker Model A	D-1, 4-1/2" tensi	on	packer at	1500)' feet
	nd model) other casing-tubi	ng seal).			
Other Data					
	injection formation	un <u>Upper Hos</u> t	oah		
 Name of Field 	d or ?col (if app)	icable) South H	lospah-Upper S	and	
	ew well drilled for			No	
	what purpose was th			Production of	oil
4. Has the well	l ever been perfora ugging detail (sacl	oted in any oth	er zone(s)? Li bridge plug(s)	st all such pe used) <u>Yes. p</u>	erforated interva erforated as
follows: _1	.622-1634 w/4 JSPF	. Cement ret	ainer 0 1610'.	Squeezed lo	wer perfs w/50
Class "B" c					
	oth to and name of Lower Hospah (16	any overlying 500'). Lone P	and/or underlyi ine Dakota (=2	ng oil or gas 500')	zones (pools) in
				Pr	epared by AMM