

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Place instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424
5. LEASE DESIGNATION AND SERIAL NO.

NM 052931

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Water Injection		7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR Tesoro Petroleum Corporation		8. FARM OR LEASE NAME Hanson	
3. ADDRESS OF OPERATOR 8520 Crownhill Boulevard, San Antonio, Texas 78209		9. WELL NO. 19	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface Unit Letter K 1335' from the South Line and 1325' from the West Line		10. FIELD AND POOL, OR WILDCAT South Hospah-Upper Sand	
14. PERMIT NO. ?		15. ELEVATIONS (Show whether DF, RT, GR, etc.) 6909' GL 6921' RKB	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 6, T17N, R8W, NMPM	
		12. COUNTY OR PARISH McKinley	
		13. STATE New Mexico	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACATURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACATURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*



(Other) Completion

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

6-11-70: Ran Dresser-Atlas Strip Log and perforated the following intervals:
1524-28' RKB; 1533-35' RKB; 1539-42' RKB, 4 shots per foot.

6-27-70: Acid washed perforations with 300 gals. 15% NE acid at 600 psi. Ran tubing; Baker-Lok-Set packer at 1485' RKB. Well swabbed down for completion as injection well.



18. I hereby certify that the foregoing is true and correct

SIGNED

R. H. Newman

TITLE

Petroleum Engineer

DATE July 29, 1970

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: