Form 9-331 (May 1963)

OIL

UNITED STATES DEPARTMENT OF THE INTERIOR verse side)

SUBMIT IN TRIPLICATE*

Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.

NM 052931

GEOLOGICAL SURVEY								
SUNDRY	NOTICES	AND	REPORTS	ON	WELLS			

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT-" for such proposals.)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

	WELL WELL OTHER	Water Injection				
2.	NAME OF OPERATOR			8. FARM OR LEASE NAM	E	
	Tesoro Petroleum Corpo	oration		Hanson		
3.	ADDRESS OF OPERATOR			9. WELL NO.		
	8520 Crownhill Bouleva	rd, San Antonio, Te	xas 78209	20		
4.	. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)			10. FIELD AND POOL, OR WILDCAT		
		9. WELL NO. 20 10. FIELD AND POOL, OR WILDCAT South Hospah-Upper Sand 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 6, T17N, R8W, NMPM 12. COUNTY OR PARISH 13. STATE MCKINLEY New Mexico TOther Data REPAIRING WELL ALTERING CASING ABANDONMENT* & Casing settings Alts of multiple completion on Well Impletion Report and Log form.)	South Hospah-Upper Sand			
	5' from the South Line	8. FARM OR LEASE NAME Hanson 9. WELL NO. 20 in accordance with any State requirements. eer N 2635' from the West Line VATIONS (Show whether DF, RT, GR, etc.) O' GL 6922' RKB SUBSEQUENT REPORT OF: WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZING REPAIRING WELL ALTERING CASING ABANDONMENT*	11. SEC., T., R., M., OR BLK. AND			
				Sec. 6, T17N,	R8W, NMPM	
14.	PERMIT NO.	15. ELEVATIONS (Show whether DF,	RT, GR, etc.)	12. COUNTY OR PARISH	13. STATE	
	?	6910' GL 69	922¹ RKB	McKinley	New Mexico	
16.	Check App	propriate Box To Indicate N	ature of Notice, Report, or O	ther Data		
	NOTICE OF INTENT	ION TO:	SUBSEQUENT REPORT OF:			
		ULTIPLE COMPLETE		-		
	SHOOT OR ACIDIZE	BANDON*	SHOOTING OR ACIDIZING	ARANDONMEN		
	(Other)		(Note: Report results	of multiple completion of	n Well	
17.	DESCRIBE PROPOSED OR COMPLETED OPERA	ATIONS (Clearly state all pertinent	details and give pertinent dates	including estimated data	of starting one	

proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Spudded 9:00 AM 5-13-70. Drilled 9-7/8" hole to 73' RKB. Set 2 joints 7" used surface casing at 72' RKB with 40 sacks common cement plus 2% CaCl. Cement circulated to surface.

Drilled 6-1/4" hole to 1585' RKB and ran Schlumberger IES Log to 1585' RKB.

Ran 50 joints 4-1/2" 9.5# K-55 casing with 100' rotating scratchers, insert float, float shoe and 8 centralizers. Set at 1584' RKB with 65 sacks common cement. Plug down at 3:30 PM 5-14-70.

Will run Gamma Ray-Neutron Log and perforate for completion as injection well.

	WERTIAFD/	MAY 2 5 1970		The state of the s	
	OIL CON. COM.	U. S. GEOLOGICÀ Facialismon		Rate (T. 1977)	
S. I hereby certify that the foregoing is true	2 (mo). 3	eum Engineer	_ DATE _	May 22	, 1970
(This space for Federal or State office use	e)				•
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE		_ DATE _		