

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
K-1883	
7. Unit Agreement Name	
8. Farm or Lease Name	
CHACO WASH M.V.	
9. Well No.	
39	
10. Field and Pool, or Wildcat	
CHACO WASH M.V.	
12. County	
MCKINLEY	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator
BURWINKLE, SCANLON & HUSKY ENERGY, INC.
3. Address of Operator
BOX 388, AZTEC, NEW MEXICO 87410
4. Location of Well
UNIT LETTER C, 350 FEET FROM THE North LINE AND 2310 FEET FROM THE West LINE, SECTION 28 TOWNSHIP 20N RANGE 9W NMPM.
15. Elevation (Show whether DF, RT, GR, etc.)

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input checked="" type="checkbox"/>
OTHER <input type="checkbox"/>	OTHER <input type="checkbox"/>
PLUG AND ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
CHANGE PLANS <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded Dec 18-1971

Drilled well to 526 feet, set 4½" Casing to 500 feet, cemented with 35 sx cement. Allowed cement to set 24 hrs. drilled out cement to total depth. Pumped 550 gallons 15% acid into formation, let acid set for 8 hours, then bailed hole dry. Well producing at the rate of 8 bbls. of water and 5 bbls of oil based on a 24 hour test. Put well on pump - it produced oil and water 20% oil and 80% water then sanded up again. Replaced pump - well then pumped as before for approximately 24 hours, then sanded up again. We plan to swab well to clean out the sand.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Neel Reynolds TITLE agent DATE _____

Original Signed by Emery G. Arnold SUPERVISOR DIST. # 3 DATE MAR 23 1972

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

