

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <u>Dry</u>	5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
2. Name of Operator <u>The Eastland Oil Company</u>	5. State Oil & Gas Lease No.
3. Address of Operator <u>704 Western United Life Building, Midland, Texas 79701</u>	7. Unit Agreement Name
4. Location of Well UNIT LETTER <u>F</u> <u>2310</u> FEET FROM THE <u>North</u> LINE AND <u>2310</u> FEET FROM THE <u>West</u> LINE, SECTION <u>20</u> TOWNSHIP <u>20N</u> RANGE <u>9W</u> NMPM.	8. Farm or Lease Name <u>Santa Fe Pacific 20</u>
	9. Well No. <u>1</u>
	10. Field and Pool, or Wildcat <u>Wildcat Entrada</u>
15. Elevation (Show whether DF, RT, GR, etc.) <u>6416 GR, 6427' KB</u>	12. County <u>McKinley</u>

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

On March 31, 1973 ran drill pipe to 4907 feet and circulated hole with 9.6#/gal. drilling mud. Using Halliburton Service Company and Halliburton Class "A" bulk cement, set plugs as follows with 9.6# mud for displacement:

4907' to 4807' with 30 sacks  
3560' to 3460' with 30 sacks  
2820' to 2720' with 30 sacks  
1630' to 1530' with 30 sacks  
50' to surface with 15 sacks

Set 4-1/2" OD x 4' marker in top of casing. Notice will be sent as soon as location is cleared and ready for inspection.

Casing left in hole:

93' - 8-5/8", 24#, J-55 casing from surface to 104' with cement circulated.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED George L. Neal TITLE Superintendent DATE April 9, 1973

Original Signed by Emery C. Arnold  
APPROVED BY

TITLE SUPERVISOR DIST. #3

DATE APR 10 1973

CONDITIONS OF APPROVAL, IF ANY: