



RETURN TO
STATE OF NEW MEXICO
GENERAL SERVICES DEPARTMENT
PURCHASING DIVISION
PO DRAWER 26110
SANTA FE, NEW MEXICO 87502-0110
(505) 827-0472

AMENDMENT NO. ONE

DATE: **AUGUST 7, 2000**

TO: ALL POTENTIAL BIDDERS

FROM: Louis Higin *ch*
NEW MEXICO STATE PURCHASING AGENT

RE: INVITATION TO BID: 10-521-25-00332

DEPARTMENT: EMNRD

COMMODITY: WELL PLUGGING

OPENING DATE: AUGUST 23, 2000



THIS AMENDMENT IS ISSUED TO REFLECT THE FOLLOWING:

EXTEND BID OPENING DATE FROM: AUGUST 23, 2000
TO: AUGUST 30, 2000

SEE ATTACHED CORRECT WAGE RATES FOR BIDDING

A POTENTIAL BIDDER MUST ACKNOWLEDGE RECEIPT OF THIS AMENDMENT.

A BIDDER MUST IDENTIFY THE OUTSIDE OF HIS/HER BID RESPONSE ENVELOPE WITH THE "INVITATION TO BID" NUMBER AND THE NEW DATE FOR BID OPENING. ANY BID RECEIVED WITH THE OLD OPENING DATE WILL BE RETURNED TO THE BIDDER UNOPENED.

IF APPLICABLE, DUE TO THE ABOVE ACTION YOUR PREVIOUSLY SUBMITTED BID RESPONSE IS ENCLOSED, UNOPENED, WITH THIS AMENDMENT.

ALL OTHER ITEMS, TERMS AND CONDITIONS SHALL REMAIN THE SAME.

LH;RJ;KS;ML

KA

GARY E. JOHNSON
GOVERNOR
CLINTON D. HARDEN, JR.
SECRETARY



New Mexico Department of Labor
Labor and Industrial Division

RUDY J. MAESTAS
DIRECTOR

NOTICE TO ALL CONTRACTORS

Effective immediately (7/26/00), except for the month of June, you are no longer required to submit certified payrolls to the New Mexico Labor and Industrial Division (Public Works Bureau). We will conduct random audits to assure compliance with Public Works Rules and Regulations, and we may request legible copies of selected certified payrolls. On all General Building, Residential and Heavy Engineering projects, you will still be required to submit Apprenticeship and Training Contribution Compliance Statements by the 15th of the month following the report period. All June payrolls will still be used for the annual wage survey.

If you have any questions on this change in policy, please call John Minks at (505) 827-6837. Thank you for your cooperation.

Respectfully Submitted,

Rudy J. Maestas
Director

"An Equal Opportunity Employer"

☐ 1996 Pacheco St., Ste. 105, Santa Fe, NM 87505
Director's Office - (505) 827-6875
Public Works Bureau - (505) 827-6837 / 827-6897
Wage and Hour Bureau - (505) 827-6835 / 827-6898
Student Labor - (505) 827-6830
Fax # - (505) 827-1664

☐ P.O. Box 1708, Las Cruces, NM 88004-1708
Wage and Hour Bureau - (505) 524-6195
Fax# - (505) 524-6194

☐ P.O. Box NN, Carlsbad, NM 88221-7537
Wage and Hour Bureau - (505) 885-5072
Fax# - (505) 885-9748

☐ 501 Mountain Rd., NE, Albuquerque, NM 87102
Wage and Hour Bureau - (505) 841-8983
Fax# - (505) 841-9317 -

☐ 501 Mountain Rd., NE, Albuquerque, NM 87102
Apprenticeship - (505) 841-8989
Fax# - (505) 841-8739

DEPARTMENT, ENERGY MINERALS & AGENCY OR BUREAU: & NATURAL		County SJ	DECISION EXPRES ON: 11/19/2000	DECISION NUMBER: SJ 01-57 H
TYPE OF CONSTRUCTION: "H" HEAVY ENGINEERING		LOCATION (CITY/OTHER): SANTA FE LEGGS #1-0-11-2IN-10W; SANTA FE #2-N-11-2IN-10W; Santa Fe		DATE OF DECISION: 07/19/2000
DESCRIPTION OF WORK		PLUG AND ABANDON 3 OIL AND GAS WELLS IN SAN JUAN COUNTY - PLUG AND ABANDON THREE OIL AND GAS WELLS WITH CAST IRON BRIDGE PLUGS ADN PUMPEI CEMENT AND/OR ANY OTHER WORK REQUIRED BY THE PLUGGING PROCEDURES PREPARED BY THE OIL CONSERVATION DIVISION TO PREVENT THE MIGRATION OF FLUIDS THROUGH THE WELLBORES ALSO CLEAN-UP OF P. AND A. PITS AND REMOVAL OF FLUIDS PRODUCTION EQUIPMENT TANKS AND INJECTION PUMPS.		

NOTE: IF BIDS ARE NOT OPE BY 12/29/2000, NEW RATE MAY BE REQUIRED. STARTING 12/19/2000, CALL (505) 827-6837 OR (505) 827-6897 TEN DAY BEFORE BID DATE TO CHEC STATUS OF RATES

WAGE RATES FOR CARPENTERS, ETC. ARE ON THE SECOND PAGE. OPERATORS, TRUCK DRIVERS AND LABORS AND THE PERTINENT INFORMATION ARE ON THE NEXT FEW PAGES. PLEASE GIVE ALL OF THE PAGES INCLUDING THE FIRST PAGE WITH THE WAGE RATE DECISION NUMBER, TO EACH OF THE PRIME CONTRACTOR (S) AND TO ALL OF THE SUB-CONTRACTORS FOR THIS PROJECT. PLEASE POST WAGE RATES FOR CARPENTERS, OPERATORS, ETC. AT THE LOCATION OF THE JOB SITE ALONG WITH THE 11 X 17 POSTER. IF ANYBODY HAS ANY FUTURE QUESTIONS PLEASE CALL JOHN MINKS AT (505) 827-6837.

ANY PERSON MAY BE PAID AT MORE THAN ONE RATE OF PAY FOR OTHER TYPES OF WORK DONE. PAYROLLS NEED 1 LINE PER TYPE WORK WITH THE RATE & HOURS FOR THE WORK.

WAGE RATES EFFECTIVE DATE IS 01/04/2000.

AGENCY OR BUREAU: & NATURAL	SJ	EXPRES ON: 11/17/2000	NUMBER: 00000000
TYPE OF CONSTRUCTION: "H" HEAVY ENGINEERING	LOCATION (CITY AND NEARBY): SANTA FE LEGGS #1-0-11-21N-10W; Santa Fe	DATE OF DECISION	07/19/2000
DESCRIPTION OF WORK	PLUG AND ABANDON 3 OIL AND GAS WELLS IN SAN JUAN COUNTY - PLUG AND ABANDON THREE OIL AND GAS WELLS WITH CAST IRON BRIDGE PLUGS AND PUMPED CEMENT AND/OR ANY OTHER WORK REQUIRED BY THE PLUGGING PROCEDURES PREPARED BY THE OIL CONSERVATION DIVISION TO PREVENT THE MIGRATION OF FLUIDS THROUGH THE WELLBORES ALSO CLEAN-UP OF P. AND A. PITS AND REMOVAL OF FLUIDS PRODUCTION EQUIPMENT TANKS AND INJECTION PUMPS.		

"H"-Heavy Engineering January 4, 2000

Trade Classification	Base Rate	Fringe Rate	Appr.Contr. Rate
AsbestosWorker/Heat&Frost Insulator	19.30	4.75	0.17
Boilermaker	21.08	6.96	0.36
Carpenter/Lather	17.65	3.24	0.20
Millwright/Piledriver	18.80	2.99	0.20
Cement Mason	12.35	1.67	0.00
Electricians			
Outside Classifications:			
Groundman (Outside)	18.99	6.12	0.20
Equipment Operator (O/S)	21.81	6.12	0.20
Lineman or Tech. (Outside)	22.40	6.12	0.20
Cable Splicer (Outside)	23.58	6.12	0.20
Inside Classifications:			
Wireman/Tech (Inside)	19.60	5.50	0.20
Cable Splicer (Inside)	21.33	5.50	0.20
Ironworker	16.34	5.93	0.38
Painter(Brush/Roller/Spray)	11.25	1.25	0.00
Plumber/Pipefitter	21.88	5.24	0.31
Roofer	14.55	4.78	0.23
Sheet Metal Worker	19.99	5.55	0.47
Operators Group I	15.25	2.50	0.30
Group II	15.45	2.50	0.30
Group III	16.03	2.50	0.30
Group IV	16.05	2.50	0.30
Group V	16.05	2.50	0.30
Group VI	16.20	2.50	0.30
Group VII	16.25	2.50	0.30
Group VIII	16.40	2.50	0.30
Group IX	16.90	2.50	0.30
Group X	17.70	2.50	0.30
Labors Group I	9.39	1.20	0.06
Group II	9.69	1.20	0.06
Group III	9.99	1.20	0.06
Group IV	10.56	1.20	0.06
Group V	10.81	1.20	0.06
Group VI	9.54	1.20	0.06
Group VII	9.69	1.20	0.06
Group VIII	9.94	1.20	0.06
Group IX	10.14	1.20	0.06
Group X	10.81	1.20	0.06
Truck Drivers Group I	9.60	0.45	\$0.00
Group II	9.80	0.45	\$0.00
Group III	10.00	0.45	\$0.00
Group IV	10.20	0.45	\$0.00

FORMATION, TOP	TOPS TO ISOLATE
Entrada	5249
Todilto	5238
Morrison	4324
dakota	4233
greenhorn	3963
Gallup	2934
mancos	2248
point lookout	2123
cliff house	1343

PERF TOP	5404
PERF BOTTOM	5412

[illegible]

CLEAN AND LEVEL LOCATION

API NUMBER	30-045-23027	SUR CSG OD	9.68	cmt	cmt	cmt	cmt
OPERATOR NAME	APA Develop Corp.	SUR CSG TD	183	cmt	cmt	cmt	cmt
PROPERTY NAME	Santa Fe Leggs	SURF CSG WT	32.3	cmt	cmt	cmt	cmt
WELL NUMBER	2	TOP OF CMT	0	cmt	cmt	cmt	cmt
SECTION	11	ACTUAL	CIRC	cmt	cmt	cmt	cmt
TOWNSHIP	21N	CACULATED		cmt	cmt	cmt	cmt
RANGE	10W			cmt	cmt	cmt	cmt
FOOTAGE	990' FSL 2310' FWL			cmt	cmt	cmt	cmt
BOND # 246				cmt	cmt	cmt	cmt
FORMATION, TOP	TOPS TO ISOLATE	PROD CSG OD	7		cmt	cmt	cmt
entrada 5415		PROD CSG TD	5584		cmt	cmt	cmt
Todilto 5401		PROD CSG WT	20&		cmt	cmt	cmt
Morrison 4487		TOP OF CMT	0		cmt	cmt	cmt
dakota 4302		ACTUAL	CIRC		cmt	cmt	cmt
greenhorn 4120		CACULATED			cmt	cmt	cmt
Gallup 2980		DV Tool	2824		cmt	cmt	cmt
mancos 2270		PACKER			cmt	cmt	cmt
point lookout 2196					cmt	cmt	cmt
		PERF TOP	5415		cmt	cmt	cmt
		PERF BOTTOM	5422		cmt	cmt	cmt

TYPE OF PLUG	PLUG SET AT	OPEN HOLE
--------------	-------------	-----------

PROPOSED PLUGGING OPERATION

Move in, Rig up Well Service Unit, Nipple down well head, Nipple up BOPE

PICK UP WORK STRING

PLUG @ 5400-5100 TAG PLUG, TEST CSG, IF CSG DOES NOT TEST,
TAG PLUGS AS REQUIRED

PLUG @ 4570-4150'

PLUG @ 3005-2855'

PLUG @ 1200-1050'

PLUG @ 270' TO SURFACE

INSTALL P&A MARKER

CLOSE PITS ACCORDING TO NMOCD GUIDELINES

CLEAN AND LEVEL LOCATION

API NUMBER	30-045-23227	SUR CSG OD	9.68	cmt	cmt	cmt	cmt
OPERATOR NAME	APA Develop Corp.	SUR CSG TD	185	cmt	cmt	cmt	cmt
PROPERTY NAME	Santa Fe Barbs	SURF CSG WT	32.3	cmt	cmt	cmt	cmt
WELL NUMBER	1	TOP OF CMT	0	cmt	cmt	cmt	cmt
SECTION	10	ACTUAL	CIRC	cmt	cmt	cmt	cmt
TOWNSHIP	21N	CACULATED		cmt	cmt	cmt	cmt
RANGE	10W			cmt	cmt	cmt	cmt
FOOTAGE	990' FSL 500' FWL			cmt	cmt	cmt	cmt
BOND # 238				cmt	cmt	cmt	cmt
FORMATION, TOP	TOPS TO ISOLATE	PROD CSG OD	7	cmt	cmt	cmt	cmt
entrada	5424	PROD CSG TD	5607	cmt	cmt	cmt	cmt
Todilto	5416	PROD CSG WT	20&	cmt	cmt	cmt	cmt
Morrison	4506	TOP OF CMT	0	cmt	cmt	cmt	cmt
dakota	4322	ACTUAL	CIRC	cmt	cmt	cmt	cmt
greenhorn	4143	CACULATED		cmt	cmt	cmt	cmt
Gallup	3000	DV Tool	3876	cmt	cmt	cmt	cmt
mancos	2294	PACKER		cmt	cmt	cmt	cmt
point lookout	2202			cmt	cmt	cmt	cmt
		PERF TOP	3316	cmt	cmt	cmt	cmt
		PERF BOTTOM	3334	cmt	cmt	cmt	cmt
		perf also 5516-5595					
TYPE OF PLUG	PLUG SET AT	OPEN HOLE					

PROPOSED PLUGGING OPERATION

Move in, Rig up Well Service Unit, Nipple down well head, Nipple up BOPE

PICK UP WORK STRING

PLUG @ 5500-5145' TAG PLUG

PLUG @ 4615-4195' TAG PLUG

PLUG @ 3300-3150' TAG PLUG, TEST CASING, IF CASING DOES NOT TEST,
TAG PLUGS AS REQUIRED

PLUG @ 3050-2900'

PLUG @ 1245-1095

PLUG @ 260 TO SURFACE

INSTALL P&A MARKER

CLOSE PITS ACCORDING TO NMOC D GUIDELINES

CLEAN AND LEVEL LOCATION